

ACTIVE Network: Integrating with Camp and Class Manager using an API key

(Version 1.01, Camp and Class Manager 16.4)

ACTIVE Network, LLC

© 2026 Active Network, LLC, and/or its affiliates and licensors. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any computer language, in any form or by any means, electronic, mechanical, magnetic, optical, chemical, manual, or otherwise, without prior written permission. You have limited permission to make hard copy or other reproductions of any machine-readable documentation for your own use, provided that each such reproduction shall carry this copyright notice. No other rights under copyright are granted without prior written permission. The document is not intended for production and is furnished "as is" without warranty of any kind. All warranties on this document are hereby disclaimed including the warranties of merchantability and fitness for a particular purpose.

ACTIVE Network, LLC
3400 N Central Expressway Suite 300
Richardson, TX 75082

About ACTIVE Network, LLC

ACTIVE Network, LLC is a technology and media company that helps millions of people find and register for things to do and helps organizations increase participation in their activities and events.

For more information about ACTIVE Network, LLC products and services, please visit [ACTIVENetwork.com](https://activenetwork.com).

Contents

Overview	7
Applying for API access	8
Making an API call	9
API rate limits	11
API resource names and URLs	12
Product Information	17
API for Season Information V2	17
API for Season Information	19
API for Session Information V6	20
API for Session Information V5	22
API for Session Information V4	25
API for Session Information V3	29
API for Session Information V2	32
API for Session Information	33
API for Tuition Information V3	37
API for Tuition Information V2	40
API for Tuition Information	42
API for Session Option Information V2	44
API for Session Option Information	46
Registration Information	47
API for Registration Information V6	47
API for Registration Information V5	53
API for Registration Information V4 (including cancelled registrations and cancelled waitlist registrations)	59
API for Registration Information V3 (search by season ID and/or start date)	61
API for Registration Information V2 (including merchandise purchases made during registration)	63
API for Registration Information	65
Payment Information	67
API for Payment Details V2	67

API for Payment Details _____	68
API for Payment Allocation Details _____	70
Person Information _____	72
API for Pickup List Information _____	72
API for Basic Person Information _____	73
API for Detailed Person Information V2 _____	74
API for Detailed Person Information _____	76
API for All Custom Questions and Responses V3 _____	78
API for All Custom Questions and Responses V2 _____	80
API for All Custom Questions and Responses _____	82
API for Person Note or Family Note _____	83
Family relationships _____	85
API for Family Relationships V3 _____	85
API for Family Relationships V2 (bulk query by array of person IDs) _____	87
API for Family Relationships _____	88
Group Information _____	89
API for Group Assignment Information V2 _____	89
API for Group Assignment Information _____	90
API for Group Information V2 _____	91
API for Group Information _____	92
API for Group Member Information V2 _____	93
API for Group Member Information _____	94
Merchandise _____	95
API for Merchandise Detail Information V2 _____	95
API for Merchandise Detail Information _____	99
API for Merchandise Purchase Information V2 _____	101
API for Merchandise Purchase Information _____	103
Custom Financial Report _____	105
API for Custom Financial Report Request Information _____	105
API for Custom Financial Report's Processing Status and Pagination _____	106

API for Custom Financial Report by Page	107
Sample calls and responses	108
Product information	108
product/seasonInfoV2	108
product/seasonInfo	110
product/sessionInfoV6	112
product/sessionInfoV5	114
product/sessionInfoV4	122
product/sessionInfoV3	125
product/sessionInfoV2	128
product/sessionInfo	130
product/tuitionInfoV3	132
product/tuitionInfoV2	134
product/tuitionInfo	136
product/sessionOptionInfoV2	137
product/sessionOptionInfo	138
Registration information	140
registration/summaryV6	140
registration/summaryV5	146
registration/summaryV3	151
registration/summaryV2	153
registration/summary	155
Payment information	157
payment/paymentInfo	157
payment/paymentAllocationInfo	158
Person information	161
people/pickUpListInfo	161
people/personBasicInfo	162
personDetailInfoV2	163
people/personDetailInfo	165
people/personDetailInfo/answerV3	167
people/personDetailInfo/answerV2	169
people/personDetailInfo/answer	171
note/noteInfo	174
people/familyInfoV3	175
people/familyInfoV2	177
people/familyInfo	179
Group information	180
groupAssignment/groupAssignmentsV2	180
groupAssignment/groupAssignments	181
groupAssignment/groupsV2	182
groupAssignment/groups	183

groupAssignment/participantsV2 _____	184
groupAssignment/participants _____	185
Merchandise _____	186
merchandise/merchandiseDetailInfoV2 _____	186
merchandise/merchandiseDetailInfo _____	188
merchandise/merchandisePurchaseInfoV2 _____	190
merchandise/merchandisePurchaseInfo _____	192
Custom Financial Report information _____	194
report/financial/generate _____	194
report/financial/reportStatus _____	195
report/financial/fetchReportByPage _____	196

Introduction

In January 2026, the authentication process for the Camp & Class Manager (CCM) public APIs was enhanced to strengthen data security by adopting API key-based access. This upgrade streamlines access by eliminating the need to manually enter identity information and introduces standardized resource names and URLs for API requests.

Organizations currently using the legacy CCM public APIs to integrate with CCM can continue to do so. However, organizations new to CCM public APIs can follow the instructions below to request access and integrate with CCM.

For organizations transitioning from the legacy CCM public APIs to the new API, note the following changes:

- The new authentication method no longer requires appToken, applicationName, username, or password in the API request body.
- To migrate from legacy APIs, API users must authenticate requests using an API key.
- Resource names have been updated. Refer to the API Resource Names and URLs section for a complete list of the new names.
- All CCM APIs are enabled by default. To disable one or multiple APIs, please contact the CCM support team.

Overview

The Camp & Class Manager public API is a collection of individual APIs that you can use to retrieve data about the following aspects of your organization data from the Camp & Class Manager system.

- Seasons
- Sessions
- Tuitions
- Session Options
- Registrations
- Payments and refunds
- Payment Allocation
- People
- People's Family Relationships
- Group Assignments
- Custom Financial Report

Information from each API is accessed using a standard HTTP POST request. Examples are provided in the sample calls and responses section for each API.

Note:

- Camps API only supports input parameters in JSON format. Please always set the following request header when hitting the API:
`Content-Type: application/json`
- All dates and times are in the UTC time zone.

Applying for API access

API users must now authenticate their requests using an API key. An API key is an alphanumeric Universal Unique Identifier (UUID) string generated by the support team, for example: 1234567890xn3xnteudxsavw. The API Key authenticates your organization's access to the CCM APIs. The received api_key must be then included in the HTTP request header to validate and authenticate API access.

To obtain your API key, please contact the support team.


The CCM Trainer site and Live site are different systems. To retrieve data from the Trainer site, contact the CCM support team and request an API key for the Trainer site.

Note:

- The API key is CONFIDENTIAL and should be distributed to authorized parties only. Your organization's API key allows the querying of confidential information from your organization, for example, customer data. A single, unique API key is issued per organization.

Making an API call

To make an API call, refer to the table below to determine your URL. The URL consists of the following fields:

Item	Description												
https	HTTPS protocol												
host address	The live API server address: https://api.amp.active.com/ccm/ The UAT server address: https://api.amp.active.com/ccmtest/												
agency application name	<p>To obtain your agency application name, refer to this part in the AUJ URL or contact the support team.</p>  <p>The screenshot shows the 'Camp & Class Manager' interface for 'Camp Lakeside'. It features a navigation menu with 'Home', 'People', 'Finance', and 'Email'. The main content area displays a 'Seasons' section with a 'Create a season' button and a table of active seasons. The table includes columns for season name, dates, status, registrations collected, and total sales.</p> <table border="1" data-bbox="568 945 1218 1060"> <thead> <tr> <th>Season</th> <th>Status</th> <th>Registrations collected</th> <th>Total sales</th> </tr> </thead> <tbody> <tr> <td>Fundraising / Donations June 25, 2014 - December 31, 2020</td> <td>Active</td> <td>4</td> <td>\$250.00</td> </tr> <tr> <td>Specialty Camps October 16, 2013 - December 31, 2020</td> <td>Active</td> <td>66</td> <td>\$7,366.75</td> </tr> </tbody> </table>	Season	Status	Registrations collected	Total sales	Fundraising / Donations June 25, 2014 - December 31, 2020	Active	4	\$250.00	Specialty Camps October 16, 2013 - December 31, 2020	Active	66	\$7,366.75
Season	Status	Registrations collected	Total sales										
Fundraising / Donations June 25, 2014 - December 31, 2020	Active	4	\$250.00										
Specialty Camps October 16, 2013 - December 31, 2020	Active	66	\$7,366.75										
resource name	<p>Resource name, which may also include the path of the resource and the path parameter.</p> <p>For example, for the camps-season-info-v2 API, the resource name is: <code>/product/seasonInfoV2</code></p>												

For example:

- In the UAT site, if your application name is INT1129 and the resource name is `product/seasonInfoV2`, then the API request is as follows:

POST `https://api.amp.active.com/ccmtest/INT1129/product/seasonInfoV2` Send

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies

<input checked="" type="checkbox"/>	Host	<calculated when request is sent>	
<input checked="" type="checkbox"/>	User-Agent	PostmanRuntime/7.28.4	
<input checked="" type="checkbox"/>	Accept	*/*	
<input checked="" type="checkbox"/>	Accept-Encoding	gzip, deflate, br	
<input checked="" type="checkbox"/>	Connection	keep-alive	
<input checked="" type="checkbox"/>	api_key	6yv	
	Key	Value	Description

Body Cookies (4) Headers (11) Test Results Status: 200 OK Time: 848 ms Size: 14 KB Save Response

- In the live site, if your application name is INT1129 and the resource name is product/seasonInfoV2, then the API request is as follows:

POST `https://api.amp.active.com/ccm/INT1129/product/seasonInfoV2` Send

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies

<input checked="" type="checkbox"/>	Host	<calculated when request is sent>	
<input checked="" type="checkbox"/>	User-Agent	PostmanRuntime/7.28.4	
<input checked="" type="checkbox"/>	Accept	*/*	
<input checked="" type="checkbox"/>	Accept-Encoding	gzip, deflate, br	
<input checked="" type="checkbox"/>	Connection	keep-alive	
<input checked="" type="checkbox"/>	api_key	6yvw	
	Key	Value	Description

For terms of use for the CCM public APIs, please refer [here](#).

API rate limits

The CCM APIs have the following nominal rate limits:

API rate limit	Description	Default value
Throttle	Maximum number of calls per second	2
Quota	Maximum number of calls per month	50,000

Higher API rate limits may be available on a per API key/organization basis. To increase your API rate, contact the CCM support team.

API resource names and URLs

The following APIs have their API resource names changed:

legacy	new
/camps-season-info	/product/seasonInfo
/camps-season-info-v2	/product/seasonInfoV2
/camps-session-info	/product/sessionInfo
/camps-session-info-v2	/product/sessionInfoV2
/camps-session-info-v3	/product/sessionInfoV3
/camps-session-info-v4	/product/sessionInfoV4
/camps-session-info-v5	/product/sessionInfoV5
/camps-session-info-v6	/product/sessionInfoV6
/camps-tuition-info	/product/tuitionInfo
/camps-tuition-info-v2	/product/tuitionInfoV2
/camps-tuition-info-v3	/product/tuitionInfoV3
/camps-session-option-info	/product/sessionOptionInfo
/camps-session-option-info-v2	/product/sessionOptionInfoV2
/camps-registration-info	/registration/summary

/camps-registration-info-v2	/registration/summaryV2
/camps-registration-info-v3	/registration/summaryV3
/camps-registration-info-v4	/registration/summaryV4
/camps-registration-info-v5	/registration/summaryV5
/camps-registration-info-v6	/registration/summaryV6
/camps-payment-info	/payment/paymentInfo
/camps-payment-info-v2	/payment/paymentInfoV2
/camps-payment- allocation-info	/payment/paymentAllocationInfo
/camps-person-basic-info	/people/personBasicInfo
/camps-person-detail-info	/people/personDetailInfo
/camps-person-detail-info-v2	/people/personDetailInfoV2
/camps-person-answer-info	/people/personDetailInfo/answer
/camps-person-answer-info-v2	/people/personDetailInfo/answerV2
/camps-person-answer-info-v3	/people/personDetailInfo/answerV3
/camps-registrant-note-info	/note/noteInfo
/camps-family-info	/people/familyInfo

/people/familyInfoV2	/people/familyInfoV2
/camps-family-info-v3	/people/familyInfoV3
/camps-pick-up-list-info	/people/pickUpListInfo
/camps-group-assignment-info	/groupAssignment/groupAssignments
/camps-group-assignment-info-v2	/groupAssignment/groupAssignmentsV2
/camps-group-info	/groupAssignment/groups
/camps-group-info-v2	/groupAssignment/groupsV2
/camps-participant-info	/groupAssignment/participants
/camps-participant-info-v2	/groupAssignment/participantsV2
/camps-merchandise-info	/merchandise/merchandiseDetailInfo
/camps-merchandise-info-v2	/merchandise/merchandiseDetailInfoV2
/camps-merchandise-purchase-info	/merchandise/merchandisePurchaseInfo
/camps-merchandise-purchase-info-v2	/merchandise/merchandisePurchaseInfoV2
/camps-report-generate-info	/report/financial/generate
/camps-report-status-info	/report/financial/reportStatus
/camps-report-page-info	/report/financial/fetchReportByPage

The complete list of API URLs is as follows:

- **Product Information APIs:**

```
https://api.amp.active.com/ccm/{application name}/product/seasonInfoV2
https://api.amp.active.com/ccm/{application name}/product/seasonInfo
https://api.amp.active.com/ccm/{application
name}/product/sessionInfoV3
https://api.amp.active.com/ccm/{application
name}/product/sessionInfoV2
https://api.amp.active.com/ccm/{application name}/product/sessionInfo
https://api.amp.active.com/ccm/{application
name}/product/tutionInfoV3
https://api.amp.active.com/ccm/{application
name}/product/tutionInfoV2
https://api.amp.active.com/ccm/{application name}/product/tutionInfo
https://api.amp.active.com/ccm/{application
name}/product/sessionOptionInfoV2
https://api.amp.active.com/ccm/{application
name}/product/sessionOptionInfo
```

- **Registration Information APIs:**

```
https://api.amp.active.com/ccm/{application
name}/registration/summaryV6
https://api.amp.active.com/ccm/{application
name}/registration/summaryV5
https://api.amp.active.com/ccm/{application
name}/registration/summaryV4
https://api.amp.active.com/ccm/{application
name}/registration/summaryV3
https://api.amp.active.com/ccm/{application
name}/registration/summaryV2
https://api.amp.active.com/ccm/{application
name}/registration/summary
```

- **Payment Information APIs:**

```
https://api.amp.active.com/ccm/{application name}
/payment/paymentInfoV2
https://api.amp.active.com/ccm/{application name} /payment/paymentInfo
https://api.amp.active.com/ccm/{application name} /payment/
paymentAllocationInfo
```

- **Person Information APIs:**

```
https://api.amp.active.com/ccm/{application
name}/people/personBasicInfo
https://api.amp.active.com/ccm/{application name}/
/people/personDetailInfoV2
https://api.amp.active.com/ccm/{application name}/
/people/personDetailInfo
```

<https://api.amp.active.com/ccm/{application name}/people/personDetailInfo/answerV3>
<https://api.amp.active.com/ccm/{application name}/people/personDetailInfo/answerV2>
<https://api.amp.active.com/ccm/{application name}/people/personDetailInfo/answer>
<https://api.amp.active.com/ccm/{application name}/note/noteInfo>

- **Family Relationships APIs:**

<https://api.amp.active.com/ccm/{application name}/people/familyinfoV3>
<https://api.amp.active.com/ccm/{application name}/people/familyinfoV2>
<https://api.amp.active.com/ccm/{application name}/people/familyinfo>

- **Group Information APIs:**

<https://api.amp.active.com/ccm/{application name}/groupAssignment/groupAssignmentsV2>
<https://api.amp.active.com/ccm/{application name}/groupAssignment/groupAssignments>
<https://api.amp.active.com/ccm/{application name}/groupAssignment/groupsV2>
<https://api.amp.active.com/ccm/{application name}/groupAssignment/groups>
<https://api.amp.active.com/ccm/{application name}/groupAssignment/participantsV2>
<https://api.amp.active.com/ccm/{application name}/groupAssignment/participants>

- **Merchandise APIs:**

<https://api.amp.active.com/ccm/{application name}/merchandise/merchandiseDetailInfoV2>
<https://api.amp.active.com/ccm/{application name}/merchandise/merchandiseDetailInfo>
<https://api.amp.active.com/ccm/{application name}/merchandise/merchandisePurchaseInfoV2>
<https://api.amp.active.com/ccm/{application name}/merchandise/merchandisePurchaseInfo>

- **Custom Financial Report APIs:**

<https://api.amp.active.com/ccm/{application name}/report/financial/generate>
<https://api.amp.active.com/ccm/{application name}/report/financial/reportStatus>
<https://api.amp.active.com/ccm/{application name}/report/financial/fetchReportByPage>

Product Information

Several distinct APIs provide information about your seasons, sessions, tuitions, and session options. All except the season information API requires an input parameter.

API for Season Information V2

<https://api.amp.active.com/ccm/{application name}/product/seasonInfoV2>

The input parameters for this API are:

- an array of season IDs (if left null, then this API will return data for all seasons; maximum 2000 season IDs).
- a date range for the last modified date:
 - If the start date is left null, then by default this API will use 1970-1-1 00:00:00 as the start date.
 - If the end date is left null, then by default this API will use the current date as the end date.

```
"seasonIds": []
"dateRange": {
  "startDate": {
    "zoneId": "America/Chicago",
    "day": 28,
    "month": 10,
    "year": 2021,
    "hour": 0,
    "minutes": 35,
    "seconds": 56
  },
  "endDate": {
    "zoneId": "America/Chicago",
    "day": 28,
    "month": 12,
    "year": 2021,
    "hour": 0,
    "minutes": 35,
    "seconds": 56
  }
}
```

This API will return the following information:

```
Season ID "seasonId"
Name of Season "name"
Season Start Date "firstDateTime"
  Season Start ZoneId "zoneId"
  Season Start Language "language"
  Season Start Country "country"
```

```

Season Start Variant "variant"
Season Start Day "day"
Season Start Month "month"
Season Start Year "year"
Season Start Hour "hour"
Season Start Minutes "minutes"
Season Start Seconds "seconds"
Season Start NanoOfSecond "nanoOfSecond"
Season End Date "lastDateTime"
Season End ZoneId "zoneId"
Season End Language "language"
Season End Country "country"
Season End Variant "variant"
Season End Day "day"
Season End Month "month"
Season End Year "year"
Season End Hour "hour"
Season End Minutes "minutes"
Season End Seconds "seconds"
Season End NanoOfSecond "nanoOfSecond"
Season Registration Goal "registrationGoal"
Season Revenue Goal "revenueGoal"
Season Actual Registrations "registrationCount"
Season Actual Revenue "totalSales"
Season Status "seasonState"
Registration Opens/Opened On "registrationOpenOn"
Registration ZoneId "zoneId"
Registration Language "language"
Registration "country"
Registration "variant"
Registration "day"
Registration "month"
Registration "year"
Registration "hour"
Registration "minutes"
Registration "seconds"
Registration "nanoOfSecond"
Sessions in Season "sessionIds" (array)
Session Last Modified Date "lastModifiedDateTime"
Session Last Modified ZoneId "zoneId"
Session Last Modified Language "language"
Session Last Modified "country"
Session Last Modified "variant"
Session Last Modified "day"
Session Last Modified "month"
Session Last Modified "year"
Session Last Modified "hour"
Session Last Modified "minutes"
Session Last Modified "seconds"
Session Last Modified "nanoOfSecond"

```

API for Season Information

<https://api.amp.active.com/ccm/{application name}/product/seasonInfo>

The input parameter for this API is an array of up to 2000 season IDs. If left null, then this API will return data for all seasons.

```
"seasonIds": []
```

This API will return the following information:

```
Season ID "seasonId"  
Name of Season "name"  
Season Start Date "firstDateTime"  
    Season Start ZoneId "zoneId"  
    Season Start Language "language"  
    Season Start Country "country"  
    Season Start Variant "variant"  
    Season Start Day "day"  
    Season Start Month "month"  
    Season Start Year "year"  
    Season Start Hour "hour"  
    Season Start Minutes "minutes"  
    Season Start Seconds "seconds"  
    Season Start NanoOfSecond "nanoOfSecond"  
Season End Date "lastDateTime"  
    Season End ZoneId "zoneId"  
    Season End Language "language"  
    Season End Country "country"  
    Season End Variant "variant"  
    Season End Day "day"  
    Season End Month "month"  
    Season End Year "year"  
    Season End Hour "hour"  
    Season End Minutes "minutes"  
    Season End Seconds "seconds"  
    Season End NanoOfSecond "nanoOfSecond"  
Season Registration Goal "registrationGoal"  
Season Actual Registrations "registrationCount"  
Season Revenue Goal "revenueGoal"  
Season Actual Revenue "totalSales"  
Season Status "seasonState"  
Season Opens/Opened On "registrationOpenOn"  
Sessions in Season "sessionIds" (array)
```

API for Session Information V6

NOTE

After the Multiple Price Tier release, the legacy Session (`camps-session-info`) API only supports a session with:

- A single early-bird price tier per tuition.
- Same early-bird expired dates for all tuitions in the session.

When querying this legacy API for a session with multiple tuitions and multiple early-bird price tiers for each tuition, the following cases apply:

- If the first price tiers of the session tuitions have the same expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field returns the same expired date for the different first price tiers.
- If the first price tiers of the session tuitions have different expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field is invalid and returns "12/31/9999".
- If one of the tuitions has only a standard price but no early-bird price tiers, while other tuitions have multiple price tiers and the same first price tier expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field returns the same expired date for the different first price tiers.

When querying this legacy API for a session with no price tiers in any of its tuitions:

- The early-bird price cutoff date (`earlyBirdPricingDate`) field returns "null".

`https://api.amp.active.com/ccm/{application name}/product/sessionInfoV6`

Input parameter is an array of session IDs (maximum 2000 session IDs).

```
"seasonIds": []
```

Returns the following information:

```
Session ID "id"  
Session Name "name"  
Session Start Date "startDate"  
    Session Start Day "day"  
    Session Start Month "month"  
    Session Start Year "year"  
Session End Date "endDate"  
    Session End Day "day"  
    Session End Month "month"
```

```

    Session End Year "year"
Session Registration Open On "registrationOpenDate"
    Session Registration Open Day "day"
    Session Registration Open Month "month"
    Session Registration Open Year "year"
Session Registration Closes "registrationCloseDate"
    Session Registration Closes Day "day"
    Session Registration Closes Month "month"
    Session Registration Closes Year "year"
    Session Location "location"
        Location Address "address"
            Location Address Line 1 "line1"
            Location Address Line 2 "line2"
            Location Address City "city"
            Location Address "country"
            Location Address "province"
            Location Address "postalCode"
        Location Name "name"
Session Availability "availability"
Session Gender Restriction "genderRestriction"
Session Age Restriction 'as of' Date "ageRestrictionDate"
Session Minimum Age "minAgeRestriction"
Session Maximum age "maxAgeRestriction"
Session Minimum grade "minGradeRestriction"
Session Maximum grade "maxGradeRestriction"
Session Early Bird Cutoff Date "earlyBirdPricingDate"
Session Waitlist Boolean "waitlistEnabled"
Session Tuitions "tuitionIds" (array)
Session Options "sessionOptionIds"(array)
Session Day or Overnight "dayOvernight"
Session Days of week "daysOfWeek" ["SUNDAY", ...] (array)
Session Start time of day "startTimeOfDay"
Session End time of day "endTimeOfDay"
Session Type "sessionType"
Session Capacity "capacity"
Session Internal ID 1 "internal ID 1"
Session Internal ID 2 "internal ID 2"

```

API for Session Information V5

NOTE

To support session-level registration opening dates/times and closing times, this API has been derived from the existing `camps-session-info-v2` API with new `registrationOpenDateTime` and `registrationCloseDateTime` response fields.

After the Multiple Price Tier release, this Session (`camps-session-info-v5`) API only supports a session with:

- A single early-bird price tier per tuition.
- Same early-bird expired dates for all tuitions in the session.

When querying this API for a session with multiple tuitions and multiple early-bird price tiers for each tuition, the following cases apply:

- If the first price tiers of the session tuitions have the same expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field returns the same expired date for the different first price tiers.
- If the first price tiers of the session tuitions have different expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field is invalid and returns "12/31/9999".
- If one of the tuitions has only a standard price but no early-bird price tiers, while other tuitions have multiple price tiers and the same first price tier expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field returns the same expired date for the different first price tiers.

When querying this API for a session with no price tiers in any of its tuitions:

- The early-bird price cutoff date (`earlyBirdPricingDate`) field returns "null".

`https://api.amp.active.com/ccm/{application name}/product/sessionInfoV5`

Input parameter is an array of session IDs (maximum 2000 session IDs).

```
"seasonIds": []
```

Returns the following information:

```
Session ID "id"  
Session Name "name"  
Session Description "sessionDescription"  
Session Start Date "startDate"  
    Session Start Day "day"
```

```

    Session Start Month "month"
    Session Start Year "year"
Session End Date "endDate"
    Session End Day "day"
    Session End Month "month"
    Session End Year "year"
Session Registration Open On "registrationOpenDate"
    Session Registration Open Day "day"
    Session Registration Open Month "month"
    Session Registration Open Year "year"
Session Registration Closes "registrationCloseDate"
    Session Registration Closes Day "day"
    Session Registration Closes Month "month"
    Session Registration Closes Year "year"
    Session Location "location"
        Location Address "address"
            Location Address Line 1 "line1"
            Location Address Line 2 "line2"
            Location Address City "city"
            Location Address "country"
            Location Address "province"
            Location Address "postalCode"
        Location Name "name"
Session Availability "availability"
Session Gender Restriction "genderRestriction"
Session Age Restriction 'as of' Date "ageRestrictionDate"
Session Minimum Age "minAgeRestriction"
Session Maximum age "maxAgeRestriction"
Session Minimum grade "minGradeRestriction"
Session Maximum grade "maxGradeRestriction"
Session Early Bird Cutoff Date "earlyBirdPricingDate"
Session Waitlist Boolean "waitlistEnabled"
Session Tuitions "tuitionIds" (array)
Session Options "sessionOptionIds" (array)
Session Day or Overnight "dayOvernight"
Session Days of week "daysOfWeek" ["SUNDAY", ...] (array)
Session Start time of day "startTimeOfDay"
Session End time of day "endTimeOfDay"
Session Type "sessionType"
Session Capacity "capacity"
Session Registration Open Date Time "registrationOpenDateTime"
    Time zone "zoneId"
    Language "language"
    Country "country"
    Variant "variant"
    Day "day"
    Month "month"
    Year "year"
    Hour "hour"
    Minutes "minutes"
    Seconds "seconds"

```

```
Nanoseconds "nanoOfSecond"
Session Registration Close Date Time "registrationCloseDateTime"
Time zone "zoneId"
Language "language"
Country "country"
Variant "variant"
Day "day"
Month "month"
Year "year"
Hour "hour"
Minutes "minutes"
Seconds "seconds"
Nanoseconds "nanoOfSecond"
```

API for Session Information V4

NOTE

To support session-level registration opening dates/times and closing times, this API has been derived from the existing `camps-session-info-v3` API with new `registrationOpenDateTime` and `registrationCloseDateTime` response fields.

After the Multiple Price Tier release, this Session (`camps-session-info-v4`) API only supports a session with:

- A single early-bird price tier per tuition.
- Same early-bird expired dates for all tuitions in the session.

When querying this API for a session with multiple tuitions and multiple early-bird price tiers for each tuition, the following cases apply:

- If the first price tiers of the session tuitions have the same expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field returns the same expired date for the different first price tiers.
- If the first price tiers of the session tuitions have different expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field is invalid and returns “12/31/9999”.
- If one of the tuitions has only a standard price but no early-bird price tiers, while other tuitions have multiple price tiers and the same first price tier expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field returns the same expired date for the different first price tiers.

When querying this API for a session with no price tiers in any of its tuitions:

- The early-bird price cutoff date (`earlyBirdPricingDate`) field returns “null”.

`https://api.amp.active.com/ccm/{application name}/product/sessionInfoV4`

The input parameters for this API are:

- an array of session IDs (maximum 2000 session IDs).
- a date range for the last modified date:
 - if the start date is left null, then by default this API will use 1970-1-1 00:00:00 as the start date.
 - If the end date is left null, then by default this API will use the current date as the end date.

```
"sessionIds": []  
"dateRange": {
```

```

    "startDate": {
      "day": 28,
      "month": 9,
      "year": 2021,
      "hour": 0,
      "minutes": 35,
      "seconds": 56
    },
    "endDate": {
      "day": 28,
      "month": 12,
      "year": 2021,
      "hour": 0,
      "minutes": 35,
      "seconds": 56
    }
  }

```

This API will return the following information:

```

Session ID "id"
Session Name "name"
Session Description "sessionDescription"
Session Start Date "startDate"
  Session Start Day "day"
  Session Start Month "month"
  Session Start Year "year"
Session End Date "endDate"
  Session End Day "day"
  Session End Month "month"
  Session End Year "year"
Session Registration Open On "registrationOpenDate"
  Session Registration Open Day "day"
  Session Registration Open Month "month"
  Session Registration Open Year "year"
Session Registration Closes "registrationCloseDate"
  Session Registration Closes Day "day"
  Session Registration Closes Month "month"
  Session Registration Closes Year "year"
Session Location "location"
  Location Address "address"
    Location Address Line 1 "line1"
    Location Address Line 2 "line2"
    Location Address City "city"
    Location Address "country"
    Location Address "province"
    Location Address "postalCode"
  Location Name "name"
Session Availability "availability"
Session Gender Restriction "genderRestriction"

```

```

Session Age Restriction 'as of' Date "ageRestrictionDate"
Session Minimum Age "minAgeRestriction"
Session Maximum age "maxAgeRestriction"
Session Minimum grade "minGradeRestriction"
Session Maximum grade "maxGradeRestriction"
Session Early Bird Cutoff Date "earlyBirdPricingDate"
Session Waitlist Boolean "waitlistEnabled"
Session Tuitions "tuitionIds" (array)
Session Options "sessionOptionIds" (array)
Session Day or Overnight "dayOvernight"
Session Days of week "daysOfWeek" ["SUNDAY", ...] (array)
Session Start time of day "startTimeOfDay"
Session End time of day "endTimeOfDay"
Session Type "sessionType"
Session Capacity "capacity"
Session Last Modified Date "lastModifiedDate"
    Session Last Modified ZoneId "zoneId"
    Session Last Modified Language "language"
    Session Last Modified "country"
    Session Last Modified "variant"
    Session Last Modified "day"
    Session Last Modified "month"
    Session Last Modified "year"
    Session Last Modified "hour"
    Session Last Modified "minutes"
    Session Last Modified "seconds"
    Session Last Modified "nanoOfSecond"
Session GLCode "glCodeId"
Session Registration Open Date Time "registrationOpenDateTime"
    Time zone "zoneId"
    Language "language"
    Country "country"
    Variant "variant"
    Day "day"
    Month "month"
    Year "year"
    Hour "hour"
    Minutes "minutes"
    Seconds "seconds"
    Nanoseconds "nanoOfSecond"
Session Registration Close Date Time "registrationCloseDateTime"
    Time zone "zoneId"
    Language "language"
    Country "country"
    Variant "variant"
    Day "day"
    Month "month"
    Year "year"
    Hour "hour"
    Minutes "minutes"
    Seconds "seconds"

```

Nanoseconds "nanoOfSecond"

API for Session Information V3

NOTE

After the Multiple Price Tier release, this Session (`camps-session-info-v3`) API only supports a session with:

- A single early-bird price tier per tuition.
- Same early-bird expired dates for all tuitions in the session.

When querying this API for a session with multiple tuitions and multiple early-bird price tiers for each tuition, the following cases apply:

- If the first price tiers of the session tuitions have the same expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field returns the same expired date for the different first price tiers.
- If the first price tiers of the session tuitions have different expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field is invalid and returns “12/31/9999”.
- If one of the tuitions has only a standard price but no early-bird price tiers, while other tuitions have multiple price tiers and the same first price tier expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field returns the same expired date for the different first price tiers.

When querying this API for a session with no price tiers in any of its tuitions:

- The early-bird price cutoff date (`earlyBirdPricingDate`) field returns “null”.

`https://api.amp.active.com/ccm/{application name}/product/sessionInfoV3`

The input parameters for this API are:

- an array of session IDs (maximum 2000 session IDs).
- a date range for the last modified date:
 - if the start date is left null, then by default this API will use 1970-1-1 00:00:00 as the start date.
 - If the end date is left null, then by default this API will use the current date as the end date.

```
"sessionIds": []
"dateRange": {
  "startDate": {
    "day": 28,
    "month": 9,
    "year": 2021,
    "hour": 0,
```

```

        "minutes": 35,
        "seconds": 56
    },
    "endDate": {
        "day": 28,
        "month": 12,
        "year": 2021,
        "hour": 0,
        "minutes": 35,
        "seconds": 56
    }
}

```

This API will return the following information:

```

Session ID "id"
Session Name "name"
Session Description "sessionDescription"
Session Start Date "startDate"
    Session Start Day "day"
    Session Start Month "month"
    Session Start Year "year"
Session End Date "endDate"
    Session End Day "day"
    Session End Month "month"
    Session End Year "year"
Session Registration Open On "registrationOpenDate"
    Session Registration Open Day "day"
    Session Registration Open Month "month"
    Session Registration Open Year "year"
Session Registration Closes "registrationCloseDate"
    Session Registration Closes Day "day"
    Session Registration Closes Month "month"
    Session Registration Closes Year "year"
Session Location "location"
    Location Address "address"
        Location Address Line 1 "line1"
        Location Address Line 2 "line2"
        Location Address City "city"
        Location Address "country"
        Location Address "province"
        Location Address "postalCode"
    Location Name "name"
Session Availability "availability"
Session Gender Restriction "genderRestriction"
Session Age Restriction 'as of' Date "ageRestrictionDate"
Session Minimum Age "minAgeRestriction"
Session Maximum age "maxAgeRestriction"
Session Minimum grade "minGradeRestriction"
Session Maximum grade "maxGradeRestriction"

```

```
Session Early Bird Cutoff Date "earlyBirdPricingDate"
Session Waitlist Boolean "waitlistEnabled"
Session Tuitions "tuitionIds" (array)
Session Options "sessionOptionIds"(array)
Session Day or Overnight "dayOvernight"
Session Days of week "daysOfWeek" ["SUNDAY", ...] (array)
Session Start time of day "startTimeOfDay"
Session End time of day "endTimeOfDay"
Session Type "sessionType"
Session Capacity "capacity"
Session Last Modified Date "lastModifiedDate"
    Session Last Modified ZoneId "zoneId"
    Session Last Modified Language "language"
    Session Last Modified "country"
    Session Last Modified "variant"
    Session Last Modified "day"
    Session Last Modified "month"
    Session Last Modified "year"
    Session Last Modified "hour"
    Session Last Modified "minutes"
    Session Last Modified "seconds"
    Session Last Modified "nanoOfSecond"
```

API for Session Information V2

NOTE

After the Multiple Price Tier release, this Session (`camps-session-info-v2`) API only supports a session with:

- A single early-bird price tier per tuition.
- Same early-bird expired dates for all tuitions in the session.

When querying this API for a session with multiple tuitions and multiple early-bird price tiers for each tuition, the following cases apply:

- If the first price tiers of the session tuitions have the same expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field returns the same expired date for the different first price tiers.
- If the first price tiers of the session tuitions have different expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field is invalid and returns "12/31/9999".
- If one of the tuitions has only a standard price but no early-bird price tiers, while other tuitions have multiple price tiers and the same first price tier expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field returns the same expired date for the different first price tiers.

When querying this API for a session with no price tiers in any of its tuitions:

- The early-bird price cutoff date (`earlyBirdPricingDate`) field returns "null".

`https://api.amp.active.com/ccm/{application name}/product/sessionInfoV2`

Input parameter is an array of session IDs (maximum 2000 session IDs).

```
"sessionIds": []
```

Returns the following information:

Session ID "id"

Session Name "name"

Session Description "sessionDescription"

Session Start Date "startDate"

 Session Start Day "day"

 Session Start Month "month"

 Session Start Year "year"

Session End Date "endDate"

 Session End Day "day"

 Session End Month "month"

 Session End Year "year"

Session Registration Open On "registrationOpenDate"

 Session Registration Open Day "day"

```

    Session Registration Open Month "month"
    Session Registration Open Year "year"
Session Registration Closes "registrationCloseDate"
    Session Registration Closes Day "day"
    Session Registration Closes Month "month"
    Session Registration Closes Year "year"
    Session Location "location"
        Location Address "address"
            Location Address Line 1 "line1"
            Location Address Line 2 "line2"
            Location Address City "city"
            Location Address "country"
            Location Address "province"
            Location Address "postalCode"
        Location Name "name"
Session Availability "availability"
Session Gender Restriction "genderRestriction"
Session Age Restriction 'as of' Date "ageRestrictionDate"
Session Minimum Age "minAgeRestriction"
Session Maximum age "maxAgeRestriction"
Session Minimum grade "minGradeRestriction"
Session Maximum grade "maxGradeRestriction"
Session Early Bird Cutoff Date "earlyBirdPricingDate"
Session Waitlist Boolean "waitlistEnabled"
Session Tuitions "tuitionIds" (array)
Session Options "sessionOptionIds"(array)
Session Day or Overnight "dayOvernight"
Session Days of week "daysOfWeek" ["SUNDAY", ...] (array)
Session Start time of day "startTimeOfDay"
Session End time of day "endTimeOfDay"
Session Type "sessionType"
Session Capacity "capacity"

```

API for Session Information

NOTE

After the Multiple Price Tier release, the legacy Session (`camps-session-info`) API only supports a session with:

- A single early-bird price tier per tuition.
- Same early-bird expired dates for all tuitions in the session.

When querying this legacy API for a session with multiple tuitions and multiple early-bird price tiers for each tuition, the following cases apply:

- If the first price tiers of the session tuitions have the same expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field returns the same expired date for the different first price tiers.
- If the first price tiers of the session tuitions have different expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field is invalid and returns "12/31/9999".
- If one of the tuitions has only a standard price but no early-bird price tiers, while other tuitions have multiple price tiers and the same first price tier expired dates, then:
 - The early-bird price cutoff date (`earlyBirdPricingDate`) field returns the same expired date for the different first price tiers.

When querying this legacy API for a session with no price tiers in any of its tuitions:

- The early-bird price cutoff date (`earlyBirdPricingDate`) field returns "null".

<https://api.amp.active.com/ccm/{application name}/product/sessionInfo>
Input parameter is an array of session IDs (maximum 2000 session IDs).

```
"sessionIds": []
```

Returns the following information:

```
Session ID "id"
```

```
Session Name "name"
```

```
Session Start Date "startDate"
```

```
    Session Start Day "day"
```

```
    Session Start Month "month"
```

```
    Session Start Year "year"
```

```
Session End Date "endDate"
```

```
    Session End Day "day"
```

Session End Month "month"
Session End Year "year"
Session Registration Open On "registrationOpenDate"
Session Registration Open Day "day"
Session Registration Open Month "month"
Session Registration Open Year "year"
Session Registration Closes "registrationCloseDate"
Session Registration Closes Day "day"
Session Registration Closes Month "month"
Session Registration Closes Year "year"
Session Location "location"
 Location Address "address"
 Location Address Line 1 "line1"
 Location Address Line 2 "line2"
 Location Address City "city"
 Location Address "country"
 Location Address "province"
 Location Address "postalCode"
 Location Name "name"
Session Availability "availability"
Session Gender Restriction "genderRestriction"
Session Age Restriction 'as of' Date "ageRestrictionDate"
Session Minimum Age "minAgeRestriction"
Session Maximum age "maxAgeRestriction"
Session Minimum grade "minGradeRestriction"
Session Maximum grade "maxGradeRestriction"
Session Early Bird Cutoff Date "earlyBirdPricingDate"

Session Waitlist Boolean "waitlistEnabled"
Session Tuitions "tuitionIds" (array)
Session Options "sessionOptionIds" (array)
Session Day or Overnight "dayOvernight"
Session Days of week "daysOfWeek" ["SUNDAY", ...] (array)
Session Start time of day "startTimeOfDay"
Session End time of day "endTimeOfDay"
Session Type "sessionType"
Session Capacity "capacity"

API for Tuition Information V3

NOTE

This API supersedes the "camps-tuition-info-v2" API below, which will be removed in future.

Current and new applications should use this API instead of the "camps-tuition-info" and "camps-tuition-info-v2" API.

`https://api.amp.active.com/ccm/{application name}/product/tuitionInfoV3`

The input parameters for this API are:

- an array of tuition IDs (maximum 2000 tuition IDs).
- a date range for the last modified date:
 - If the start date is left null, then by default this API will use 1970-1-1 00:00:00 as the start date.
 - If the end date is left null, then by default this API will use the current date as the end date.

```
"tuitionIds": []
```

```
"dateRange": {
```

```
  "startDate": {
```

```
    "zoneId": "America/Chicago",
```

```
    "day": 28,
```

```
    "month": 10,
```

```
    "year": 2021,
```

```
    "hour": 0,
```

```
    "minutes": 35,
```

```
    "seconds": 56
```

```
  },
```

```
  "endDate": {
```

```
    "zoneId": "America/Chicago",
```

```
    "day": 28,
```

```
    "month": 12,
```

```
        "year": 2021,  
        "hour": 0,  
        "minutes": 35,  
        "seconds": 56  
    }  
}
```

This API will return the following information:

Tuition ID "tuitionId"

Tuition Name "name"

Tuition Regular Price "regularPrice" (the price charged after all Price Tiers have expired)

Tuition Availability "availability"

Tuition Capacity "capacity"

Tuition Description "description"

Tuition Type "tuitionType"

Tuition Price Tiers "priceTiers"

Tuition Last Modified Date "lastModifiedDate"

 Tuition Last Modified ZoneId "zoneId"

 Tuition Last Modified Language "language"

 Tuition Last Modified "country"

 Tuition Last Modified "variant"

 Tuition Last Modified "day"

 Tuition Last Modified "month"

 Tuition Last Modified "year"

 Tuition Last Modified "hour"

 Tuition Last Modified "minutes"

 Tuition Last Modified "seconds"

Tuition Last Modified "nanoOfSecond"

API for Tuition Information V2

NOTE

This API supersedes the "camps-tuition-info" API below, which will be removed in future.

Current and new applications should use this API instead of the "camps-tuition-info" API.

`https://api.amp.active.com/ccm/{application
name}/product/tuitionInfoV2`

Input parameter is an array of tuition IDs (maximum 2000 tuition IDs).

`"tuitionIds": []`

Return the following information:

Tuition ID `"tuitionId"`

Tuition Name `"name"`

Tuition Regular Price `"regularPrice"` (the price charged after all
Price Tiers have expired)

Tuition Availability `"availability"`

Tuition Capacity `"capacity"`

Tuition Description `"description"`

Tuition Type `"tuitionType"`

Tuition Price Tiers `"priceTiers"` (array; maximum 4 Early-Bird price
tiers)

`id "price tier ID"`

`Tier Price "tierPrice"` (price for this Early-Bird price
tier)

`Expire Date "expireDate"` (date before which this price tier
is effective)

`ZoneId "zoneId"`

`Language "language"`

`Country "country"`

`Variant "variant"`

`Day "day"`

Month "month"
Year "year"
Hour "hour"
Minutes "minutes"
Seconds "seconds"
NanoOfSecond "nanoOfSecond"

API for Tuition Information

NOTE

Deprecated API.

After the Multiple Price Tier release, the legacy Tuition (`camps-tuition-info`) API only supports a session with:

- A single early-bird price tier per tuition.
- Same early-bird expired dates for all tuitions in the session.

When querying this legacy API for a session with multiple tuitions and multiple early-bird price tiers for each tuition, the following cases apply:

- If the first price tiers of the session tuitions have the same expired dates, then:
 - The `regularPrice` field returns the standard price of each tuition.
 - The `earlyBirdPrice` field returns the first price tier of each tuition.
- If the first price tiers of the session tuitions have different expired dates, then:
 - The `regularPrice` field returns the standard price of each tuition.
 - The `earlyBirdPrice` field is invalid and returns “\$9,999,999.00”.
- If one of the tuitions has only a standard price but no early-bird price tiers, while other tuitions have multiple price tiers and the same first price tier expired dates, then:
 - The `regularPrice` field returns the standard price of each tuition.
 - For tuitions with multiple price tiers, the `earlyBirdPrice` field returns the first price tier of each tuition.
 - For the tuition with no price tier, the `earlyBirdPrice` field is invalid and returns “\$9,999,999.00”.

When querying this legacy API for a session with no price tiers in all of its tuitions:

- The `earlyBirdPrice` field returns “null”.

`https://api.amp.active.com/ccm/{application name}/product/tuitionInfo`
Input parameter is an array of tuition IDs (maximum 2000 tuition IDs).

```
"tuitionIds": []
```

Return the following information:

Tuition ID `"tuitionId"`

Tuition Name `"name"`

Tuition Regular Price `"regularPrice"`

Tuition Early Bird Price `"earlyBirdPrice"`

Tuition Availability "availability"

Tuition Capacity "capacity"

Tuition Description "description"

Tuition Type "tuitionType"

API for Session Option Information V2

`https://api.amp.active.com/ccm/{application name}/product/sessionOptionInfoV2`

The input parameters for this API are:

- an array of Session Option IDs (maximum 2000 Session Option IDs)
- a date range for the last modified date:
 - if the start date is left null, then by default this API will use 1970-1-1 00:00:00 as the start date.
 - If the end date is left null, then by default this API will use the current date as the end date.

```
"sessionOptionIds"
```

```
"dateRange":{
```

```
  "startDate":{
```

```
    "zoneId": "America/Chicago",
```

```
    "day": 28,
```

```
    "month": 10,
```

```
    "year": 2021,
```

```
    "hour": 0,
```

```
    "minutes": 35,
```

```
    "seconds": 56
```

```
  },
```

```
  "endDate":{
```

```
    "zoneId": "America/Chicago",
```

```
    "day": 28,
```

```
    "month": 12,
```

```
    "year": 2021,
```

```
    "hour": 0,
```

```
    "minutes": 35,
```

```
    "seconds": 56
```

```
  }
```

```
}
```

This API will return the following information:

```
Session Option ID "sessionId"  
Session Option Name "name"  
Session Option Price "price"  
Allow Multiple Purchases "allowMultiple"  
Session Option Availability "availability"  
Session Option Capacity "capacity"  
Session Option Description "description"  
Session Option Type "sessionOptionType"  
Session Option GLCode "glCodeId"  
Session Option Last Modified Date "lastModifiedDateTime"  
    Session Option Last Modified ZoneId "zoneId"  
    Session Option Last Modified Language "language"  
    Session Option Last Modified "country"  
    Session Option Last Modified "variant"  
    Session Option Last Modified "day"  
    Session Option Last Modified "month"  
    Session Option Last Modified "year"  
    Session Option Last Modified "hour"  
    Session Option Last Modified "minutes"  
    Session Option Last Modified "seconds"  
    Session Option Last Modified "nanoOfSecond"
```

API for Session Option Information

`https://api.amp.active.com/ccm/{application name}/product/sessionOptionInfo`

Input parameter is an array of Session Option IDs (maximum 2000 Session Option IDs)

`"sessionOptionIds"`

This API will return the following information:

Session Option ID `"sessionOptionId"`

Session Option Name `"name"`

Session Option Price `"price"`

Allow Multiple Purchases `"allowMultiple"`

Session Option Availability `"availability"`

Session Option Capacity `"capacity"`

Session Option Description `"description"`

Session Option Type `"sessionOptionType"`

Registration Information

API for Registration Information V6

`https://api.amp.active.com/ccm/{application name}/registration/summaryV6`

Third-party applications can query this API for information about registrations.

Third-party applications can specify the following input parameters to filter the response as required:

- Start Date (if unspecified, then the response returns registrations made on any date. If specified, then only registrations made on or after this date are returned)
- Session ID array (Required field; maximum 2000 session IDs)
- Season ID (Required field)
- Merchandise IDs array (if unspecified, then the response returns registrations that include purchases for any merchandise items; maximum 2000 merchandise IDs)
- Merchandise Item IDs array (if unspecified, then the response returns registrations that include purchases for any merchandise item variants; maximum 2000 merchandise item IDs)
- Filter:
 - Registration update date: include registrations that were last updated on or after this date.
 - Registration update type array: include registrations with one or more of the following statuses: TRANSFER, EDIT, SALE or CANCELLED.
 - Merchandise update date: include merchandise transactions that were last updated on or after this date.
 - Merchandise update type array: include merchandise transactions with one or more of the following statuses: sale, additional purchase or cancelled.
 - Session option update date: include session option transactions that were last updated on or after this date.
 - Session option update type array: include session option transactions with one or more of the following statuses: sale, additional purchase or cancelled.

```
Start Date "startDate":{"zoneId": "America/Chicago","day": 28,"month": 10,"year": 2020,"hour": 0,"minutes": 35,"seconds": 56}
```

```
Session ID array "sessionIds":[]
```

```
Season ID "seasonId"
```

```
Merchandise ID array "merchandiseIds":[]
```

```
Merchandise Item ID array "merchandiseItemId":[]
```

```
filter
```

```
Registration Update Date "regUpdateDate":{"zoneId":  
"America/Chicago","day": 28,"month": 10,"year": 2020,"hour":  
0,"minutes": 35,"seconds": 56}
```

```
Registration Update Type Array  
"regUpdateTypes":["TRANSFER","EDIT","SALE","CANCELLED"]
```

```
Merchandise Update Date "merchandiseUpdateDate":{"zoneId":  
"America/Chicago","day": 28,"month": 10,"year": 2020,"hour":  
0,"minutes": 35,"seconds": 56}
```

```
Merchandise Update Type Array  
"merchandiseUpdateTypes":["SALE","ADD_PURCHASE","CANCELLED"]
```

```
Session Option Update Date "sessionOptionUpdateDate":{"zoneId":  
"America/Chicago","day": 28,"month": 10,"year": 2020,"hour":  
0,"minutes": 35,"seconds": 56}
```

```
Session Option Update Type Array  
"sessionOptionUpdateTypes":["SALE","ADD_PURCHASE","CANCELLED"]
```

This API will return the following information summary information for each registration:

```
Session ID "sessionId"  
  
Count of Individual Registrations "registrationCount"  
  
Count of Waitlisted Registrations "waitlistCount"  
  
Details for Waitlisted Registrations "waitlistDetails"  
  
Total Revenue from this Registration "totalRevenue"  
  
Details for this Registration "registrationDetails"
```

The summary information is then followed by detailed information on individual registrations within this registration:

```
Session ID "sessionId"  
  
Session Registration ID "registrationId"  
  
Session Participant ID "personId"  
  
Date of Session Registration "regDate"  
  
    Session Registration ZoneId "zoneId"  
  
    Session Registration Language "language"  
  
    Session Registration Country "country"
```

```
Session Registration Variant "variant"
Session Registration Day "day"
Session Registration Month "month"
Session Registration Year "year"
Session Registration Hour "hour"
Session Registration Minutes "minutes"
Session Registration Seconds "seconds"
Session Registration NanoOfSecond "nanoOfSecond"

Session Registration Tuition "tuitionId"

SessionOptions Item Purchases "sessionOptions" (list)
    SessionOption Item ID "sessionOptionId"
    Purchase Quantity "quantity"
    Update Date "updateDate"
        ZoneId "zoneId"
        Language "language"
        Country "country"
        Variant "variant"
        Day "day"
        Month "month"
        Year "year"
        Hour "hour"
        Minutes "minutes"
        Seconds "seconds"
        NanoOfSecond "nanoOfSecond"
    Update Type "updateType"

Merchandise Item Purchases "merchandiseItems" (list)
    Merchandise ID "merchandiseId"
```

```
Merchandise Item ID "merchandiseItemId"
Purchase Quantity "quantity"
Update Date "updateDate"
    ZoneId "zoneId"
    Language "language"
    Country "country"
    Variant "variant"
    Day "day"
    Month "month"
    Year "year"
    Hour "hour"
    Minutes "minutes"
    Seconds "seconds"
    NanoOfSecond "nanoOfSecond"
Update Type "updateType"
Session Registration Sale Amount "saleAmount"
Session Registration Balance "balance"
Group(s) that registration belongs to "groupIds" (array)
Update Date "updateDate"
    ZoneId "zoneId"
    Language "language"
    Country "country"
    Variant "variant"
    Day "day"
    Month "month"
    Year "year"
    Hour "hour"
```

Minutes "minutes"

Seconds "seconds"

NanoOfSecond "nanoOfSecond"

Update Type "UpdateType"

Note:

- If a registration was cancelled manually, then the original registration would have been cancelled and a new registration created. In the corresponding API response, three registrations would be included:
 - The original registration with `UpdateType = SALE`.
 - The original registration with `UpdateType = CANCELLED`.
 - The new registration with `UpdateType = SALE`.
- If a registration's tuition was changed, then the original registration would have been cancelled and a new registration created. In the corresponding API response, three registrations would be included:
 - The original registration with `UpdateType = SALE`.
 - The original registration with `UpdateType = EDIT`.
 - The new registration with `UpdateType = SALE`.
- If a registration was transferred to another session, then the original registration would have been cancelled and a new registration created. In the corresponding API response, three registrations would be included:
 - The original registration with `UpdateType = SALE`.
 - The original registration with `UpdateType = TRANSFER`.
 - The new registration with `UpdateType = SALE`.
- Registrations where the tuition price, session option price or merchandise price were edited are NOT included in the API response as there is no change to the tuition, session option or merchandise quantity. However, the `totalRevenue` includes the above price changes.
- The `registrationCount` excludes cancelled registrations (in the v4 API, the `registrationCount` includes cancelled registrations).
- Additional purchases (`ADD_PURCHASE`) are defined as any purchase that increases the quantity of session options or merchandise, e.g.:
 - If a registration has no merchandise, but a merchandise purchase is added to the registration, then the `UpdateType` of the merchandise purchase is `ADD_PURCHASE`.
 - If a registration has an original merchandise purchase M1 and then a merchandise purchase M2 is added to the registration, then:
 - The `UpdateType` of the original merchandise purchase M1 is `SALE`.
 - The `UpdateType` of the additional merchandise purchase M2 is `ADD_PURCHASE`.

- If a registration has an original merchandise purchase M1 which is then cancelled and replaced by merchandise purchase M2, then:
 - The `UpdateType` of the cancelled merchandise purchase M1 is `CANCELLED`.
 - The `UpdateType` of the replacement merchandise purchase M2 is `SALE`.
- If a registration has an original merchandise purchase M1 which is then cancelled and replaced by merchandise purchases M2 and M3, then:
 - The update type of the cancelled merchandise purchase M1 is `CANCELLED`.
 - The update type of the additional merchandise purchases M2 and M3 are both `ADD_PURCHASE`.
- Specifying an empty update date filter returns records for all dates.
- Specifying an empty update type filter returns records of all types.
- Registration update date/type filters take precedence over merchandise and session option update date/type filters; the response only includes merchandise and session options belonging to registrations which meet the registration update date/type filter, e.g.:
 - For a registration sold on 1/1/2020 with a merchandise sale on 1/1/2020 and the merchandise sale cancelled on 1/3/2020:
 - If the `regUpdateType` filter = `CANCELLED` and the `merchandiseUpdateType` filter = `CANCELLED`, then the registration and merchandise are excluded from the response because the registration is a `SALE` and is not `CANCELLED`.
 - If the `regUpdateType` filter = `SALE` and the `merchandiseUpdateType` filter = `CANCELLED`, then both the registration `SALE` and merchandise `CANCELLED` records are included in the response, but the merchandise `SALE` record is excluded from the response.
 - If the `regUpdateType` filter = `SALE` and the `merchandiseUpdateType` filter = `ADD_PURCHASE`, then the registration is included in the response, but the merchandise is excluded from the response as it is not an `ADD_PURCHASE`.

API for Registration Information V5

`https://api.amp.active.com/ccm/{application name}/registration/summaryV5`

Third party applications can query this API for information about registrations.

Third party applications can specify the following input parameters to filter the response as required:

- Start Date (if unspecified, then the response returns registrations made on any date. If specified, then only registrations made on or after this date are returned)
- Session ID array (Required field; maximum 2000 session IDs)
- Season ID (Required field)
- Merchandise IDs array (if unspecified, then the response returns registrations that include purchases for any merchandise items; maximum 2000 merchandise IDs)
- Merchandise Item IDs array (if unspecified, then the response returns registrations that include purchases for any merchandise item variants; maximum 2000 merchandise item IDs)
- Filter:
 - Registration update date: include registrations that were last updated on or after this date.
 - Registration update type array: include registrations with one or more of the following statuses: sale or cancelled.
 - Merchandise update date: include merchandise transactions that were last updated on or after this date.
 - Merchandise update type array: include merchandise transactions with one or more of the following statuses: sale, additional purchase or cancelled.
 - Session option update date: include session option transactions that were last updated on or after this date.
 - Session option update type array: include session option transactions with one or more of the following statuses: sale, additional purchase or cancelled.

```
Start Date "startDate":{"zoneId": "America/Chicago","day": 28,"month": 10,"year": 2020,"hour": 0,"minutes": 35,"seconds": 56}
```

```
Session ID array "sessionIds":[]
```

```
Season ID "seasonId"
```

```
Merchandise ID array "merchandiseIds":[]
```

```
Merchandise Item ID array "merchandiseItemId":[]
```

```
filter
```

```
Registration Update Date "regUpdateDate":{"zoneId": "America/Chicago","day": 28,"month": 10,"year": 2020,"hour": 0,"minutes": 35,"seconds": 56}
```

```
Registration Update Type Array "regUpdateTypes":["SALE",
"CANCELLED"]

Merchandise Update Date "merchandiseUpdateDate":{"zoneId":
"America/Chicago","day": 28,"month": 10,"year": 2020,"hour":
0,"minutes": 35,"seconds": 56}

Merchandise Update Type Array
"merchandiseUpdateTypes":["SALE","ADD_PURCHASE","CANCELLED"]

Session Option Update Date "sessionOptionUpdateDate":{"zoneId":
"America/Chicago","day": 28,"month": 10,"year": 2020,"hour":
0,"minutes": 35,"seconds": 56}

Session Option Update Type Array
"sessionOptionUpdateTypes":["SALE","ADD_PURCHASE","CANCELLED"]
```

This API will return the following information summary information for each registration:

```
Session ID "sessionId"

Count of Individual Registrations "registrationCount"

Count of Waitlisted Registrations "waitlistCount"

Details for Waitlisted Registrations "waitlistDetails"

Total Revenue from this Registration "totalRevenue"

Details for this Registration "registrationDetails"
```

The summary information is then followed by detailed information on individual registrations within this registration:

```
Session ID "sessionId"

Session Registration ID "registrationId"

Session Participant ID "personId"

Date of Session Registration "regDate"

    Session Registration ZoneId "zoneId"

    Session Registration Language "language"

    Session Registration Country "country"

    Session Registration Variant "variant"

    Session Registration Day "day"
```

```
Session Registration Month "month"
Session Registration Year "year"
Session Registration Hour "hour"
Session Registration Minutes "minutes"
Session Registration Seconds "seconds"
Session Registration NanoOfSecond "nanoOfSecond"

Session Registration Tuition "tuitionId"

SessionOptions Item Purchases "sessionOptions" (list)
    SessionOption Item ID "sessionOptionId"
    Purchase Quantity "quantity"
    Update Date "updateDate"
        ZoneId "zoneId"
        Language "language"
        Country "country"
        Variant "variant"
        Day "day"
        Month "month"
        Year "year"
        Hour "hour"
        Minutes "minutes"
        Seconds "seconds"
        NanoOfSecond "nanoOfSecond"
    Update Type "updateType"

Merchandise Item Purchases "merchandiseItems" (list)
    Merchandise ID "merchandiseId"
    Merchandise Item ID "merchandiseItemId"
    Purchase Quantity "quantity"
```

```
Update Date "UpdateDate"
    ZoneId "zoneId"
    Language "language"
    Country "country"
    Variant "variant"
    Day "day"
    Month "month"
    Year "year"
    Hour "hour"
    Minutes "minutes"
    Seconds "seconds"
    NanoOfSecond "nanoOfSecond"
Update Type "UpdateType"
Session Registration Sale Amount "saleAmount"
Session Registration Balance "balance"
Group(s) that registration belongs to "groupIds" (array)
Update Date "UpdateDate"
    ZoneId "zoneId"
    Language "language"
    Country "country"
    Variant "variant"
    Day "day"
    Month "month"
    Year "year"
    Hour "hour"
    Minutes "minutes"
    Seconds "seconds"
```

NanoOfSecond "nanoOfSecond"

Update Type "UpdateType"

Note:

- If a registration's tuition was changed, the tuition price edited or the registration transferred, then the original registration would have been cancelled and a new registration created. In the corresponding API response, three registrations would be included:
 - The original registration with `UpdateType = SALE`.
 - The original registration with `UpdateType = CANCELLED`.
 - The new registration with `UpdateType = SALE`.
- Registrations where the tuition price, session option price or merchandise price were edited are NOT included in the API response as there is no change to the tuition, session option or merchandise quantity. However, the `totalRevenue` includes the above price changes.
- The `registrationCount` excludes cancelled registrations (in the v4 API, the `registrationCount` includes cancelled registrations).
- Additional purchases (`ADD_PURCHASE`) are defined as any purchase that increases the quantity of session options or merchandise, e.g.:
 - If a registration has no merchandise, but a merchandise purchase is added to the registration, then the `UpdateType` of the merchandise purchase is `ADD_PURCHASE`.
 - If a registration has an original merchandise purchase M1 and then a merchandise purchase M2 is added to the registration, then:
 - The `UpdateType` of the original merchandise purchase M1 is `SALE`.
 - The `UpdateType` of the additional merchandise purchase M2 is `ADD_PURCHASE`.
 - If a registration has an original merchandise purchase M1 which is then cancelled and replaced by merchandise purchase M2, then:
 - The `UpdateType` of the cancelled merchandise purchase M1 is `CANCELLED`.
 - The `UpdateType` of the replacement merchandise purchase M2 is `SALE`.
 - If a registration has an original merchandise purchase M1 which is then cancelled and replaced by merchandise purchases M2 and M3, then:
 - The update type of the cancelled merchandise purchase M1 is `CANCELLED`.
 - The update type of the additional merchandise purchases M2 and M3 are both `ADD_PURCHASE`.
- Specifying an empty update date filter returns records for all dates.
- Specifying an empty update type filter returns records of all types.
- Registration update date/type filters take precedence over merchandise and session option update date/type filters; the response only includes merchandise and session options belonging to registrations which meet the registration update date/type filter, e.g.:
 - For a registration sold on 1/1/2020 with a merchandise sale on 1/1/2020 and the merchandise sale cancelled on 1/3/2020:

- If the `regUpdateType` filter = CANCELLED and the `merchandiseUpdateType` filter = CANCELLED, then the registration and merchandise are excluded from the response because the registration is a SALE and is not CANCELLED.
- If the `regUpdateType` filter = SALE and the `merchandiseUpdateType` filter = CANCELLED, then both the registration SALE and merchandise CANCELLED records are included in the response, but the merchandise SALE record is excluded from the response.
- If the `regUpdateType` filter = SALE and the `merchandiseUpdateType` filter = ADD_PURCHASE, then the registration is included in the response, but the merchandise is excluded from the response as it is not an ADD_PURCHASE.

API for Registration Information V4 (including cancelled registrations and cancelled waitlist registrations)

NOTE

This API supersedes the "camps-registration-info-v3", "camps-registration-info-v2" and "camps-registration-info" APIs below, which will be removed in future.

Current and new applications should use the latest camps-registration-info-v6 API.

`https://api.amp.active.com/ccm/{application name}/registration/summaryV4`

Third party applications can query this API for information about registrations, including cancelled registrations and cancelled waitlist registrations.

Third party applications can specify the following input parameters to filter the response as required:

- Session ID array (Required field; maximum 2000 session IDs)
- Start Date (if unspecified, then the response returns registrations made on any date. If specified, then only registrations made on or after the startDate are returned)
- Merchandise IDs array (if unspecified, then the response returns registrations that include purchases for any merchandise items; maximum 2000 merchandise IDs)

Season ID "seasonId"

Session ID array "sessionIds":[]

Start Date "startDate":{"day":27,"month":4,"year":2014}

Merchandise Item ID array "merchandiseIds":[]

This API will return the following information summary information for each registration:

Session ID "sessionId"

Count of Individual Registrations "registrationCount"

Count of Waitlisted Registrations "waitlistCount"

Details for Waitlisted Registrations "waitlistDetails"

Total Revenue from this Registration "totalRevenue"

Details for this Registration "registrationDetails"

The summary information is then followed by detailed information on individual registrations within this registration:

Session ID "sessionId"
Session Registration ID "registrationId"
Session Participant ID "personId"
Date of Session Registration "regDate"
 Session Registration ZoneId "zoneId"
 Session Registration Language "language"
 Session Registration Country "country"
 Session Registration Variant "variant"
 Session Registration Day "day"
 Session Registration Month "month"
 Session Registration Year "year"
 Session Registration Hour "hour"
 Session Registration Minutes "minutes"
 Session Registration Seconds "seconds"
 Session Registration NanoOfSecond "nanoOfSecond"
Session Registration Tuition "tuitionId"
SessionOptions Item Purchases "sessionOptions" (list)
 SessionOption Item ID "sessionOptionId"
 Purchase Quantity "quantity"
 Cancelled Flag "cancelled"
Merchandise Item Purchases "merchandiseItems" (list)
 Merchandise Item ID "merchandiseItemId"
 Purchase Quantity "quantity"
 Cancelled Flag "cancelled"
Session Registration Sale Amount "saleAmount"
Session Registration Balance "balance"
Group(s) that registration belongs to "groupIds" (array)

Session Registration Cancelled Flag "cancelled"

API for Registration Information V3 (search by season ID and/or start date)

NOTE

Deprecated API.

Current and new applications should use the latest `camp-registration-info-v6` API.

`https://api.amp.active.com/ccm/{application name}/registration/summaryV3`

Third party applications can query this API for information about registrations, including any merchandise item purchases.

Third party applications can specify the following input parameters to filter the response as required:

- Season ID (if unspecified, then the response returns registrations for all seasons)
- Session ID array (if unspecified, then the response returns registrations for all sessions; maximum 2000 session IDs)

Note: either the Season ID or Session ID array or both must be specified. Specifying NULL for both parameters is an invalid request.

- Start Date (if unspecified, then the response returns registrations made on any date. If specified, then only registrations made on or after the startDate are returned)
- Merchandise IDs array (if unspecified, then the response returns registrations that include purchases for any merchandise items; maximum 2000 merchandise IDs)

Season ID "seasonId"

Session ID array "sessionIds":[]

Start Date "startDate":{"day":27,"month":4,"year":2014}

Merchandise Item ID array "merchandiseIds":[]

This API will return the following information summary information for each registration:

Session ID "sessionId"

Count of Individual Registrations "registrationCount"

Count of Waitlisted Registrations "waitlistCount"

Details for Waitlisted Registrations "waitlistDetails"

Total Revenue from this Registration "totalRevenue"

Details for this Registration "registrationDetails"

The summary information is then followed by detailed information on individual registrations within this registration:

Session ID "sessionId"

Session Registration ID "registrationId"

Session Participant ID "personId"

Date of Session Registration "regDate"

 Session Registration ZoneId "zoneId"

 Session Registration Language "language"

 Session Registration Country "country"

 Session Registration Variant "variant"

 Session Registration Day "day"

 Session Registration Month "month"

 Session Registration Year "year"

 Session Registration Hour "hour"

 Session Registration Minutes "minutes"

 Session Registration Seconds "seconds"

 Session Registration NanoOfSecond "nanoOfSecond"

Session Registration Tuition "tuitionId"

Session Registration Sess. Optns "sessionOptions" (array)

Merchandise Item Purchases "merchandiseItems" (list)

 Merchandise Item ID "merchandiseItemId"

 Purchase Quantity "quantity"

Session Registration Sale Amount "saleAmount"

Session Registration Balance "balance"

Group(s) that registration belongs to "groupIds" (array)

Session Registration Cancelled Flag "cancelled"

API for Registration Information V2 (including merchandise purchases made during registration)

NOTE

Deprecated API.

Current and new applications should use the latest `amps-registration-info-v6` API.

<https://api.amp.active.com/ccm/{application name}/registration/summaryV2>

Third party applications can query this API for information about registrations, including any merchandise item purchases.

Third party applications MUST specify the following input parameters to filter the response to only the required sessions:

Session ID array "sessionIds": [] (maximum 2000 session IDs)

Third party applications can OPTIONALLY specify the following input parameters to filter the response to only the required merchandise items:

Merchandise Item ID array "merchandiseIds": [] (maximum 2000 merchandise IDs)

This API will return the following information summary information for each registration:

Session ID "sessionId"

Count of Individual Registrations "registrationCount"

Count of Waitlisted Registrations "waitlistCount"

Details for Waitlisted Registrations "waitlistDetails"

Total Revenue from this Registration "totalRevenue"

Details for this Registration "registrationDetails"

The summary information is then followed by detailed information on individual registrations within this registration:

Session ID "sessionId"

Session Registration ID "registrationId"
Session Participant ID "personId"
Date of Session Registration "regDate"
 Session Registration ZoneId "zoneId"
 Session Registration Language "language"
 Session Registration Country "country"
 Session Registration Variant "variant"
 Session Registration Day "day"
 Session Registration Month "month"
 Session Registration Year "year"
 Session Registration Hour "hour"
 Session Registration Minutes "minutes"
 Session Registration Seconds "seconds"
 Session Registration NanoOfSecond "nanoOfSecond"
Session Registration Tuition "tuitionId"
Session Registration Sess. Optns "sessionOptions" (array)
Merchandise Item Purchases "merchandiseItems" (list)
 Merchandise Item ID "merchandiseItemId"
 Purchase Quantity "quantity"
Session Registration Sale Amount "saleAmount"
Session Registration Balance "balance"
Group(s) that registration belongs to "groupIds" (array)
Session Registration Cancelled Flag "cancelled"

API for Registration Information

NOTE

Deprecated API.

Current and new applications should use the latest `camp-registration-info-v6` API.

<https://api.amp.active.com/ccm/{application name}/registration/summary>
Input is an array of session IDs (maximum 2000 session IDs)

Returns the following information for each session:

```
Session ID "sessionId"
Session Registration ID "registrationId"
Session Participant ID "personId"
Date of Session Registration "regDate"
    Session Registration ZoneId "zoneId"
    Session Registration Language "language"
    Session Registration Country "country"
    Session Registration Variant "variant"
    Session Registration Day "day"
    Session Registration Month "month"
    Session Registration Year "year"
    Session Registration Hour "hour"
    Session Registration Minutes "minutes"
    Session Registration Seconds "seconds"
    Session Registration NanoOfSecond "nanoOfSecond"
Session Registration Tuition "tuitionId"
Session Registration Sess. Optns "sessionOptions" (array)
Session Registration Sale Amount "saleAmount"
```

Session Registration Balance "balance"

Group(s) that registration belongs to "groupIds" (array)

Session Registration Cancelled Flag "cancelled"

Payment Information

API for Payment Details V2

`https://api.amp.active.com/ccm/{application name}/payment/paymentInfoV2`

Input parameter is a date range in the following form (max 60 days). Dates provided should refer to the UTC time. You can also input array of required Season IDs (optional; if unspecified then information returned is about payments for all seasons; maximum 2000 season IDs)

```
"startDate":{"day":27,"month":4,"year":2014,"hour":0,"minutes":0,"seconds":0}
```

```
"endDate":{"day":27,"month":7,"year":2014,"hour":0,"minutes":0,"seconds":0}
```

```
"seasonIds":[]
```

Returns the following information for each payment and refund:

```
Payment date "createDate"
    Payment ZoneId "zoneId"
    Payment Language "language"
    Payment Country "country"
    Payment Variant "variant"
    Payment Day "day"
    Payment Month "month"
    Payment Year "year"
    Payment Hour "hour"
    Payment Minutes "minutes"
    Payment Seconds "seconds"
    Payment NanoOfSecond "nanoOfSecond"
Order details "orderInfo"
    Order number "orderNumber"
    Registration ID "registrationIds"
Payment method "paymentMethod"
```

Payment details "paymentDetails"
Season ID "seasonId"
Person ID "personId"
Payment type "type"
Payment amount "amount"
Payment ID "paymentId"
Payment process ID "paymentProcessID"
Payment Processing Fee Consumer " PaymentProcessingFeeConsumer "

API for Payment Details

<https://api.amp.active.com/ccm/{application name}/payment/paymentInfo>

Input parameter is a date range in the following form (max 60 days). Dates provided should refer to the UTC time. You can also input array of required Season IDs (optional; if unspecified then information returned is about payments for all seasons; maximum 2000 season IDs)

```
"startDate":{"day":27,"month":4,"year":2014,"hour":0,"minutes":0,"seconds":0}
```

```
"endDate":{"day":27,"month":7,"year":2014,"hour":0,"minutes":0,"seconds":0}
```

```
"seasonIds":[]
```

Returns the following information for each payment and refund:

Payment date "createDate"
Payment ZoneId "zoneId"
Payment Language "language"
Payment Country "country"
Payment Variant "variant"
Payment Day "day"
Payment Month "month"

Payment Year "year"
Payment Hour "hour"
Payment Minutes "minutes"
Payment Seconds "seconds"
Payment NanoOfSecond "nanoOfSecond"
Order details "orderInfo"
 Order number "orderNumber"
 Registration ID "registrationIds"
Payment method "paymentMethod"
Payment details "paymentDetails"
Season ID "seasonId"
Person ID "personId"
Payment type "type"
Payment amount "amount"
Payment ID "paymentId"
Payment process ID "paymentProcessID"

API for Payment Allocation Details

`https://api.amp.active.com/ccm/{application name}/payment/paymentAllocationInfo`

Third party applications can query this API for funds allocated to (and de-allocated from) line items in a specified date range.

The input parameter is a date range in the following form (max 60 days). Dates provided should be in UTC time.

You can also optionally specify arrays of required:

- Season IDs (if unspecified, then the response returns payment allocations for all seasons; maximum 2000 season IDs)
- Session IDs (if unspecified, then the response returns payment allocations for all sessions; maximum 2000 session IDs)
- Order IDs (if unspecified, then the response returns payment allocations for all orders; maximum 2000 order IDs)
- Payment IDs (if unspecified, then the response returns payment allocations for all payments; maximum 2000 payment IDs)

```
"startDate":{"day":27,"month":4,"year":2014,"hour":0,"minutes":0,"seconds":0}
```

```
"endDate":{"day":27,"month":7,"year":2014,"hour":0,"minutes":0,"seconds":0}
```

```
"seasonIds": []
```

```
"sessionIds": []
```

```
"orderIds": []
```

```
"paymentIds": []
```

Returns the following information for each allocation/de-allocation event:

```
Allocation date "dateTime"
```

```
Allocation ZoneId "zoneId"
```

```
Allocation Language "language"
```

```
Allocation Country "country"
```

```
Allocation Variant "variant"
```

Allocation Day "day"
Allocation Month "month"
Allocation Year "year"
Allocation Hour "hour"
Allocation Minutes "minutes"
Allocation Seconds "seconds"
Allocation NanoOfSecond "nanoOfSecond"

Payment type "paymentType" [CREDIT_CARD, CHECK, CASH, EXTERNAL,
ECHECK, TRANSFER,ACCOUNT_PAYMENT, ALIPAY, WECHAT]

Payment ID "paymentId"

Order ID "orderId"

Season ID "seasonId"

Session ID "sessionId"

Line item type "lineItemType" [TUITION, SESSION_OPTION,
MERCHANDISE, MEMBERSHIP]

Line item ID "lineItemId"

Allocation amount "amount" [positive amount for allocations;
negative amount for deallocations]

Person Information

API for Pickup List Information

`https://api.amp.active.com/ccm/{application name}/
/people/pickUpListInfo`

Input parameter is a `personId`.

Only one ID can and must be input.

Returns the following pickups for the individual's family members, provided that the member has granted permission:

First Name "firstName"

Last Name "lastName"

Home Phone "homePhone"

API for Basic Person Information

`https://api.amp.active.com/ccm/{application name}/
/people/personBasicInfo`

Input parameter is a date range in the following form. Dates provided should refer to the UTC time.

```
"startDate":{"day":27,"month":4,"year":2014,"hour":0,"minutes":0,"seconds":0}
```

```
"endDate":{"day":27,"month":7,"year":2014,"hour":0,"minutes":0,"seconds":0}
```

Returns the following info for all people created or modified in the date range provided. If no date range is provided, all agency persons are provided.

Person ID "personId"

Person First name "firstName"

Person Middle name "middleName"

Person Last name "lastName"

API for Detailed Person Information V2

<https://api.amp.active.com/ccm/{application name}/people/personDetailInfoV2>

Input parameters:

- array of `personIds` (maximum 2000 person IDs, at least one person ID must be specified or is optional if the `lastUpdateDate` is specified)
- `lastUpdateDate`
 - Last Update Date Time Zone Id "zoneId"
 - Last Update Date Day "day"
 - Last Update Date Month "month"
 - Last Update Date Year "year"
 - Last Update Date Hour "hour"
 - Last Update Date Minutes "minutes"
 - Last Update Date Seconds "seconds"

(required if no `personIds` are specified or optional if a `personId` is specified; filters the response to include only records which were updated on or after the specified date)

Returns the following information:

Person Id "personId"

First name "firstName"

Middle name "middleName"

Last name "lastName"

Home phone "homePhoneNumber"

Phone number "phoneNumber"

Extension "extension"

Business Phone Number "businessPhoneNumber"

Phone number "phoneNumber"

Extension "extension"

Cell Phone Number "cellPhoneNumber"

Phone number "phoneNumber"

Extension "extension"

DOB "dateOfBirth"

Date of Birth Day "day"

Date of Birth Month "month"
Date of Birth Year "year"
Person Primary Email Address "email"
Person Gender "gender"
Person Grade "grade"
Family ID "familyId"
Person Address "address"
 Person Address 1 "address1"
 Person Address 2 "address2"
 Person Address City "city"
 Person Address Country "country"
 Person Address State "province"
 Person Address Postal Code "postalCode"
Last Update Date "lastUpdateDate"
 Last Update Date Day "day"
 Last Update Date Month "month"
 Last Update Date Year "year"
 Last Update Date Hour "hour"
 Last Update Date Minutes "minutes"
 Last Update Date Seconds "seconds"
Person Is Primary Parent Boolean "isPrimaryParent"
Person Is Secondary Parent Boolean "isSecondaryParent"

API for Detailed Person Information

<https://api.amp.active.com/ccm/{application name}/people/personDetailInfo>

Input parameters is an array of person IDs (maximum 2000 person IDs)

At least one ID must be provided

Returns the following information:

Person Id "personId"

First name "firstName"

Middle name "middleName"

Last name "lastName"

Home phone "homePhoneNumber"

 Phone number "phoneNumber"

 Extension "extension"

Business Phone Number "businessPhoneNumber"

 Phone number "phoneNumber"

 Extension "extension"

Cell Phone Number "cellPhoneNumber"

 Phone number "phoneNumber"

 Extension "extension"

DOB "dateOfBirth"

 Date of Birth Day "day"

 Date of Birth Month "month"

 Date of Birth Year "year"

Person Primary Email Address "email"

Person Gender "gender"

Person Grade "grade"

Family ID "familyId"

Person Address "address"

Person Address 1 "address1"

Person Address 2 "address2"

Person Address City "city"

Person Address Country "country"

Person Address State "province"

Person Address Postal Code "postalCode"

Person Is Primary Parent Boolean "isPrimaryParent"

Person Is Secondary Parent Boolean "isSecondaryParent"

API for All Custom Questions and Responses V3

`https://api.amp.active.com/ccm/{application name}/
/people/personDetailInfo/answer V3`

API clients can retrieve participant answers to custom questions by question type (VISIBLE, INVISIBLE or ALL) using this API.

Input parameters:

- array of `personIds` (maximum 2000 person IDs, at least one person ID must be specified)
- `lastUpdateDate`
 - Last Update Date Time Zone Id "zoneId"
 - Last Update Date Day "day"
 - Last Update Date Month "month"
 - Last Update Date Year "year"
 - Last Update Date Hour "hour"
 - Last Update Date Minutes "minutes"
 - Last Update Date Seconds "seconds"(optional, filters the response to include only records which were updated on or after the specified date)
- Question type `visible`: VISIBLE, INVISIBLE or ALL

This API will return the following information:

Person ID "personId"

Question Answers "questionAnswers"

Question Label "label"

Question Answer "answer"

Question Is Datetime Boolean "isDatetime"

Question Is Multi-Option Boolean "isMultiOption"

Last Update Date "lastUpdateDate"

Last Update Date Time Zone "zoneId"

Last Update Date Language "language"

Last Update Date Country "country"

Last Update Date Variant "variant"

Last Update Date Day "day"

Last Update Date Month "month"

Last Update Date Year "year"

Last Update Date Hour "hour"
Last Update Date Minutes "minutes"
Last Update Date Seconds "seconds"
Last Update Date Nanoseconds "nanoOfSecond"
Question Type "visible"
Form Question ID "formQuestionId"
Form Question Create Date "formQuestionCreateDate"
Form Question Create Time Zone "zoneId"
Form Question Create Language "language"
Form Question Create Country "country"
Form Question Create Variant "variant"
Form Question Create Day "day"
Form Question Create Month "month"
Form Question Create Year "year"
Form Question Create Hour "hour"
Form Question Create Minutes "minutes"
Form Question Create Seconds "seconds"
Form Question Create Nanoseconds "nanoOfSecond"

API for All Custom Questions and Responses V2

<https://api.amp.active.com/ccm/{application name}/people/personDetailInfo/answerV2>

Input parameters:

- array of personIds (maximum 2000 person IDs, at least one person ID must be specified)
- lastUpdateDate
 - Last Update Date Time Zone Id "zoneId"
 - Last Update Date Day "day"
 - Last Update Date Month "month"
 - Last Update Date Year "year"
 - Last Update Date Hour "hour"
 - Last Update Date Minutes "minutes"
 - Last Update Date Seconds "seconds"

(optional, filters the response to include only records which were updated on or after the specified date)

Returns the following information:

Person ID "personId"

Question Answers "questionAnswers"

Question Label "label"

Question Answer "answer"

Question Is Datetime Boolean "isDatetime"

Question Is Multi-Option Boolean "isMultiOption"

Last Update Date "lastUpdateDate"

Last Update Date Time Zone "zoneId"

Last Update Date Language "language"

Last Update Date Country "country"

Last Update Date Variant "variant"

Last Update Date Day "day"

Last Update Date Month "month"

Last Update Date Year "year"

Last Update Date Hour "hour"

Last Update Date Minutes "minutes"

Last Update Date Seconds "seconds"

Last Update Date Nanoseconds "nanoOfSecond"

API for All Custom Questions and Responses

`https://api.amp.active.com/ccm/{application name}/
/people/personDetailInfo/answer V3`

Input parameters is an array of person IDs (maximum 2000 person IDs)

At least one ID must be provided

Return the following information:

Person ID "personId"

 Question Answers "questionAnswers"

 Question Label "label"

 Question Answer "answer"

 Question Is Datetime Boolean "isDatetime"

 Question Is Multi-Option Boolean "isMultiOption"

API for Person Note or Family Note

<https://api.amp.active.com/ccm/{application name}/people/personDetailInfo>

Input parameters:

- A single person ID.
- "includeFamilyNote": true or false.

This API will return the following information:

Note ID "id"

Person Note or Family Note "isFamilyNote"

Note Priority "important"

Registrant ID "personId"

Registrant First Name "personFirstName"

Registrant Last Name "personLastName"

Registrant Family Group ID "familyGroupId"

Registrant Family "familyName"

Author ID "authorPersonId"

Author First Name "authorFirstName"

Author last Name "authorLastName"

Modified Person ID "modifiedPersonId"

Modified Person First Name "modifiedPersonFirstName"

Modified Person Last Name "modifiedPersonLastName"

Note Type "type"

Note Content "content"

Note Type ID "typeId"

Primary Parent ID "primaryParentId"

"needFamilyName":false

Camper Note Type "camperNoteTypeDto"

Camper Note Type ID "id"

Agency ID "agencyId"
Note type name "name"
Number of notes with the same type "noteCount"
Note Type Author ID "authorPersonId"
Note Type Author First Name "authorFirstName"
Note Type Author last Name "authorLastName"
Note Type Modified Person ID "modifiedPersonId"
Note Type Modified Person First Name "modifiedPersonFirstName"
Note Type Modified Person Last Name "modifiedPersonLastName"
Note originated from "noteOrigin"

Family relationships

API for Family Relationships V3

NOTE

This API supersedes the "camps-family-info-v2 " API below, which will be removed in future.

Current and new applications should use this API instead of the "camps-family-info-v2" API.

<https://api.amp.active.com/ccm/{application name}/people/familyInfoV3>

The input parameters for this API are:

- an array of person IDs (maximum 2000 person IDs), at least one person ID must be provided.
- a date range for the last modified date:
 - if the start date is left null, then by default this API will use 1970-1-1 00:00:00 as the start date.
 - If the end date is left null, then by default this API will use the current date as the end date.

```
"personIds": []
```

```
"dateRange": {
```

```
  "startDate": {
```

```
    "day": 28,
```

```
    "month": 10,
```

```
    "year": 2021,
```

```
    "hour": 0,
```

```
    "minutes": 35,
```

```
    "seconds": 56
```

```
  },
```

```
  "endDate": {
```

```
    "day": 28,
```

```
    "month": 12,
```

```
    "year": 2021,
```

```
    "hour": 0,
```

```
        "minutes": 35,  
        "seconds": 56  
    }  
}
```

This API returns the following information for the family members of each of the person IDs provided (duplicate family members are automatically excluded from the response):

Person ID "personID"

Person Family ID "familyID"

Person Is Primary Parent Boolean "isPrimaryParent"

Person Is Secondary Parent Boolean "isSecondaryParent"

Person Is Child Boolean "isChild"

Person Last Modified Date "lastModifiedDate"

Person Last Modified "day"

Person Last Modified "month"

Person Last Modified "year"

Person Last Modified "hour"

Person Last Modified "minutes"

Person Last Modified "seconds"

API for Family Relationships V2 (bulk query by array of person IDs)

NOTE

This API supersedes the "camps-family-info" API below, which will be removed in future.

Current and new applications should use this API instead of the "camps-family-info" API.

<https://api.amp.active.com/ccm/{application name}/people/familyInfoV2>

Input parameter is an array of person IDs (maximum 2000 person IDs)

At least one person ID must be provided.

Returns the following information for the family members of each of the person IDs provided (duplicate family members are automatically excluded from the response):

Person ID "personID"

Person Family ID "familyID"

Person Is Primary Parent Boolean "isPrimaryParent"

Person Is Secondary Parent Boolean "isSecondaryParent"

Person Is Child Boolean "isChild"

API for Family Relationships

NOTE

This API has been superseded by the above "camps-family-info-v2" API and will be removed in future.

Current and new applications should use the above "camps-family-info-v2" API instead of this API.

`https://api.amp.active.com/ccm/{application name}/people/familyInfo`

Input parameters is a single Person ID

Return the following information for the person provided:

Person ID "personID"

Person Family ID "familyID"

Person Is Primary Parent Boolean "isPrimaryParent"

Person Is Secondary Parent Boolean "isSecondaryParent"

Person Is Child Boolean "isChild"

Group Information

API for Group Assignment Information V2

`https://api.amp.active.com/ccm/{application name}/
/groupAssignment/groupAssignmentsV2`

API clients can retrieve group assignments in specified seasons by using this API.

The input parameter for this API is an array of season IDs.

Season ID array "seasonIds": [] (maximum 2000 season IDs)

This API will return the following information:

Group Assignment ID "id"

Group Assignment Name "name"

Sessions under Group Assignment "sessions" (array)

Group Assignment Details "groupControl"

Show Group Online or Internal "displayCondition"

Individual Registration Switch "enableIndividualRegistration"

Maximum Number of Groups "maximumNumberOfGroup"

Registration Restriction on Groups "groupRegistrationRestriction"

Default Group Capacity "defaultGroupCapacity"

Set Group Creator as Captain Switch "enableSetCreatorAsCaptain"

Password Setting "passwordStrategy"

API for Group Assignment Information

`https://api.amp.active.com/ccm/{application name}/groupAssignment/groupAssignments`

Input parameter for this API is a single season ID.

`"seasonId"`

This API will return the following information:

Group Assignment ID `"id"`

Group Assignment Name `"name"`

Sessions under Group Assignment `"sessions"` (array)

Group Assignment Details `"groupControl"`

Show Group Online or Internal `"displayCondition"`

Individual Registration Switch `"enableIndividualRegistration"`

Maximum Number of Groups `"maximumNumberOfGroup"`

Registration Restriction on Groups `"groupRegistrationRestriction"`

Default Group Capacity `"defaultGroupCapacity"`

Set Group Creator as Captain Switch `"enableSetCreatorAsCaptain"`

Password Setting `"passwordStrategy"`

API for Group Information V2

`https://api.amp.active.com/ccm/{application name}/groupAssignment/groupsV2`

API clients can retrieve group information by specified group assignment IDs by using this API.

The input parameter for this API is an array of group assignment IDs.

"groupAssignmentIds" (maximum 2000 group assignment IDs)

This API will return the following information:

Group ID "id"

Group Name "name"

Gender Restriction "genderRestriction"

Group Capacity "capacity"

Person ID of Group Captain "captain"

Password "password"

API for Group Information

`https://api.amp.active.com/ccm/{application name}/groupAssignment/groups`

Input parameter for this API is a single group assignment ID.

`"groupAssignmentId"`

This API will return the following information:

Group ID `"id"`

Group Name `"name"`

Gender Restriction `"genderRestriction"`

Group Capacity `"capacity"`

Person ID of Group Captain `"captain"`

Password `"password"`

API for Group Member Information V2

`https://api.amp.active.com/ccm/{application
name}/groupAssignment/participantsV2`

API clients can retrieve participant IDs by specified group IDs by using this API.

The input parameter for this API is an array of group IDs.

"groupIds" (maximum 2000 group IDs)

This API will return the following information:

Session Registration IDs "registrationId"

Session Participant IDs "personId"

API for Group Member Information

`https://api.amp.active.com/ccm/{application name}/groupAssignment/participants`

Input parameter for this API is a single group ID.

`"groupId"`

This API will return the following information:

Session Registration IDs `"registrationId"`

Session Participant IDs `"personId"`

Merchandise

The following APIs provide information about merchandise items and purchases.

API for Merchandise Detail Information V2

`https://api.amp.active.com/ccm/{application name}/merchandise/merchandiseDetailInfoV2`

Third-party applications can query this API for information about merchandise items.

Third-party applications may OPTIONALLY specify the following input parameters to filter the response to only the required merchandise items:

The input parameters for this API are:

- an array of merchandise IDs (maximum 2000 merchandise IDs).
- a date range for the last modified date:
 - if the start date is left null, then by default this API will use 1970-1-1 00:00:00 as the start date.
 - If the end date is left null, then by default this API will use the current date as the end date.

```
"merchandiseIds": []
```

```
"dateRange": {  
  "startDate": {  
    "zoneId": "UTC",  
    "day": 28,  
    "month": 10,  
    "year": 2021,  
    "hour": 0,  
    "minutes": 35,  
    "seconds": 56  
  },  
  "endDate": {  
    "zoneId": "UTC",  
    "day": 28,  
    "month": 12,  

```

```
        "year":2021,  
        "hour":0,  
        "minutes":35,  
        "seconds":56  
    }  
}
```

This API will return the following information:

Merchandise Item ID "id"

Merchandise Name "name"

Merchandise Price "price"

Merchandise Description "description"

Merchandise Quantity "quantity"

Merchandise Available From Date Time "availableFrom"

ZoneId "zoneId"

Language "language"

Country "country"

Variant "variant"

Day "day"

Month "month"

Year "year"

Minutes "minutes"

Seconds "seconds"

NanoOfSecond "nanoOfSecond"

(null if always available)

Merchandise Available To Date Time "availableTo"

ZoneId "zoneId"

Language "language"

Country "country"
Variant "variant"
Day "day"
Month "month"
Year "year"
Minutes "minutes"
Seconds "seconds"
NanoOfSecond "nanoOfSecond"
(null if always available)

Merchandise Visibility "visibility"
Merchandise Supplier Information "supplierInfo"
Merchandise SKU "sku"
Merchandise GL Code "glCodeId"
Merchandise Inactive Boolean "inactive"
Merchandise Number Sold "numberSold"
Merchandise Number Remaining "remaining"
Merchandise Dollar Amount Sold "dollarAmountSold"
Merchandise Last Modified Date "lastModifiedDateTime"
Merchandise Last Modified ZoneId "zoneId"
Merchandise Last Modified Language "language"
Merchandise Last Modified "country"
Merchandise Last Modified "variant"
Merchandise Last Modified "day"
Merchandise Last Modified "month"
Merchandise Last Modified "year"
Merchandise Last Modified "hour"
Merchandise Last Modified "minutes"

Merchandise Last Modified "seconds"

Merchandise Last Modified "nanoOfSecond"

API for Merchandise Detail Information

`https://api.amp.active.com/ccm/{application name}/merchandise/merchandiseDetailInfo`

Third party applications can query this API for information about merchandise items.

Third-party applications may OPTIONALLY specify the following input parameters to filter the response to only the required merchandise items:

Merchandise Item ID array "merchandiseIds": [] (maximum 2000 merchandise item IDs)

This API will return the following information:

Merchandise Item ID "id"

Merchandise Name "name"

Merchandise Price "price"

Merchandise Description "description"

Merchandise Quantity "quantity"

Merchandise Available From Date Time "availableFrom"

ZoneId "zoneId"

Language "language"

Country "country"

Variant "variant"

Day "day"

Month "month"

Year "year"

Minutes "minutes"

Seconds "seconds"

NanoOfSecond "nanoOfSecond"

(null if always available)

Merchandise Available To Date Time "availableTo"

ZoneId "zoneId"

Language "language"
Country "country"
Variant "variant"
Day "day"
Month "month"
Year "year"
Minutes "minutes"
Seconds "seconds"
NanoOfSecond "nanoOfSecond"
(null if always available)

Merchandise Visibility "visibility"

Merchandise Supplier Information "supplierInfo"

Merchandise SKU "sku"

Merchandise GL Code "glCodeId"

Merchandise Inactive Boolean "inactive"

Merchandise Number Sold "numberSold"

Merchandise Number Remaining "remaining"

Merchandise Dollar Amount Sold "dollarAmountSold"

API for Merchandise Purchase Information V2

`https://api.amp.active.com/ccm/{application name}/merchandise/merchandisePurchaseInfoV2`

Third-party applications can query this API for information about specific merchandise item purchases with GL codes.

Third-party applications MUST specify the following input parameters to filter the response to only the required purchase date range and merchandise items:

Start Date Time

```
"startDate":{"day":27,"month":4,"year":2014,"hour":0,"minutes":0,"seconds":0}
```

End Date Time

```
"endDate":{"day":27,"month":7,"year":2014,"hour":0,"minutes":0,"seconds":0}
```

Merchandise Item ID array "merchandiseIds": [] (maximum 2000 merchandise item IDs)

Third-party applications can OPTIONALLY specify the following input parameters to filter the response to only the required participants and registrations:

Participant ID array "participantIds": [] (maximum 2000 participant IDs)

Registration ID array "registrationIds": [] (maximum 2000 registration IDs)

This API will return the following information:

Merchandise Item ID "merchandiseItemId"

Purchase Quantity "quantity"

Purchase date "purchaseDate":

ZoneId "zoneId"

Language "language"

Country "country"

Variant "variant"

Day "day"

Month "month"

Year "year"

Minutes "minutes"

Seconds "seconds"

NanoOfSecond "nanoOfSecond"

Participant ID "participantId"

Registration ID "registrationId"

Purchase Price "purchasePrice"

Purchase Fulfilled Boolean "fulfilled"

Purchase GLCode "glCodeId"

Purchase Cancelled Boolean "cancelled"

API for Merchandise Purchase Information

`https://api.amp.active.com/ccm/{application name}/merchandise/merchandisePurchaseInfo`

Third party applications can query this API for information about specified merchandise item purchases.

Third party applications **MUST** specify the following inputs parameters to filter the response to only the required date range and merchandise items:

Start Date Time

```
"startDate":{"day":27,"month":4,"year":2014,"hour":0,"minutes":0,"seconds":0}
```

Start Date Time

```
"endDate":{"day":27,"month":7,"year":2014,"hour":0,"minutes":0,"seconds":0}
```

Merchandise Item ID array "merchandiseIds": [] (maximum 2000 merchandise item IDs)

Third party applications can **OPTIONALLY** specify the following input parameters to filter the response to only the required participants:

Participant ID array "participantIds": [] (maximum 2000 participant IDs)

Registration ID array "registrationIds": [] (maximum 2000 registration IDs)

This API will return the following information:

Merchandise Item ID "merchandiseItemId"

Purchase Quantity "quantity"

Purchase date "purchaseDate":

ZoneId "zoneId"

Language "language"

Country "country"

Variant "variant"

Day "day"

Month "month"

Year "year"

Minutes "minutes"

Seconds "seconds"

NanoOfSecond "nanoOfSecond"

Participant ID "participantId"

Registration ID "registrationId"

Purchase Price "purchasePrice"

Purchase Fulfilled Boolean "fulfilled"

Purchase Cancelled Boolean "cancelled"

Custom Financial Report

The following APIs provide information to retrieve a custom financial report.

API for Custom Financial Report Request Information

```
https://api.amp.active.com/ccm/{application  
name}/report/financial/generate
```

API clients can query this API to generate request ID information for a custom financial report.

Input parameters:

```
Custom Financial Report ID "savedReportId"
```

Note: The `savedReportId` can be retrieved from the **Finance > Reports** tab > a custom financial report > **Report number**.

This API will return the following information:

```
Saved Custom Financial Report ID "savedReportId"
```

```
Custom Financial Report Request ID "reportRequestId"
```

API for Custom Financial Report's Processing Status and Pagination

`https://api.amp.active.com/ccm/{application name}/report/financial/generate`

API clients can query this API to retrieve custom financial report's processing status and pagination information.

Input parameters:

Custom Financial Report Request ID "reportRequestId"

Note: The request is only valid for 24 hours.

This API will return the following information:

Custom Financial Report Request ID "reportRequestId"

Custom Financial Report Status "requestStatus"

Custom Financial Report Pagination "pagination"

 Custom Financial Report's Maximum Number of Rows per Page
 "maxRowsPerPage"

 Custom Financial Report's Page Number "pageNumber"

 Custom Financial Report's total Rows "totalRows"

Custom Financial Report Message "message"

Note: If the message is empty, then the request is valid. If the request is older than 24 hours, then the message "The request is only valid for 24 hours, please make a new request" displays.

API for Custom Financial Report by Page

`https://api.amp.active.com/ccm/{application name}/report/financial/fetchReportByPage`

API clients can query this API to retrieve a custom financial report by page.

Input parameters:

Custom Financial Report Request ID "reportRequestId"

Custom Financial Report Page Index "pageIndex"

Note:

- The `pageIndex` starts from 1.
- The response contains the fields and data in the **Finance > Reports** tab > a custom financial report.

Example:

This API will return the following information:

```
"reportData"  
  "transaction_type", "order_number", "session_name", "season_name",  
  "date", "time", "amount", "check_number", "location_name",  
  "city", "state", "country", "item_name", "Item GL code name",  
  "Item GL code", "first_name", "last_name", "Participant ID",  
  "Family ID", "Registration ID", "parent_first_name",  
  "parent_last_name", "payment_balance", "billing_first_name",  
  "billing_last_name", "billing_address", "billing_city",  
  "billing_state", "billing_country",  
  "billing_zip_code", "session_start_date": "", "session_end_date":  
  "", "Session GL code name", "Session GL code", "session_type",  
  "entered_by", "payment_id", "item_type", "unique_id",  
  "payment_method"
```

```
"paginationInfo"  
  "reportRequestId"  
  "pageSize"  
  "pageNumber"  
  "currentIndex"
```

Sample calls and responses

Product information

product/seasonInfoV2

Request

```
{ "seasonIds": [557902],
  "dateRange":{
    "startDate":{
      "zoneId": "America/Chicago",
      "day": 28,
      "month": 10,
      "year": 2021,
      "hour": 0,
      "minutes": 35,
      "seconds": 56
    },
    "endDate":{
      "zoneId":"America/Chicago",
      "day": 28,
      "month": 12,
      "year": 2021,
      "hour": 0,
      "minutes": 35,
      "seconds": 56
    }
  }
}
```

Response

```
{
  "seasonId": "557902",
  "name": "MyOrganization",
  "firstDateTime":{
    "zoneId": "UTC",
    "language": "en",
    "country": "US",
    "variant": "",
    "day": 22,
    "month": 11,
    "year": 2021,
    "hour": 16,
    "minutes": 0,
    "seconds": 0,
    "nanoOfSecond": 0
  },
  "lastDateTime":{
    "zoneId": "UTC",
    "language": "en",
```

```

        "country": "US",
        "variant": "",
        "day": 9,
        "month": 6,
        "year": 2022,
        "hour": 15,
        "minutes": 59,
        "seconds": 0,
        "nanoOfSecond": 0
    },
    "registrationGoal": null,
    "revenueGoal": null,
    "registrationCount": 2,
    "totalSales": 250.00,
    "seasonState": "Active",
    "registrationOpenOn": {
        "zoneId": "UTC",
        "language": "en",
        "country": "US",
        "variant": "",
        "day": 23,
        "month": 11,
        "year": 2021,
        "hour": 6,
        "minutes": 33,
        "seconds": 29,
        "nanoOfSecond": 0
    },
    "sessionIds": [
        "81675132"
    ],
    "lastModifiedDateTime": {
        "zoneId": "UTC",
        "language": "en",
        "country": "US",
        "variant": "",
        "day": 29,
        "month": 11,
        "year": 2021,
        "hour": 6,
        "minutes": 34,
        "seconds": 30,
        "nanoOfSecond": 0
    }
}

```

product/seasonInfo

Request

```
{  
  
  "seasonIds": [557902]  
}
```

Response

```
[  
  {  
    "id": "557902",  
    "name": "Season 1",  
    "firstDateTime":  
    {  
      "zoneId": "UTC",  
      "language": "en",  
      "country": "US",  
      "variant": "",  
      "day": 24,  
      "month": 9,  
      "year": 2014,  
      "hour": 4,  
      "minutes": 0,  
      "seconds": 0,  
      "nanoOfSecond": 0  
    },  
    "lastDateTime":  
    {  
      "zoneId": "UTC",  
      "language": "en",  
      "country": "US",  
      "variant": "",  
      "day": 1,  
      "month": 10,  
      "year": 2018,  
      "hour": 3,  
      "minutes": 59,  
      "seconds": 0,  
      "nanoOfSecond": 0  
    },  
    "registrationGoal": null,  
    "revenueGoal": null,  
    "registrationCount": 16,  
    "totalSales": 1762,  
    "seasonState": "Active",  
    "registrationOpenOn":  
    {  
      "zoneId": "UTC",
```

```

        "language": "en",
        "country": "US",
        "variant": "",
        "day": 22,
        "month": 8,
        "year": 2014,
        "hour": 5,
        "minutes": 5,
        "seconds": 20
        "nanoOfSecond": 0
    },
    "sessionIds":
    [
        "1874401",
        "1874501",
        "1874601",
        "1874701",
        "1899502",
        "1899601",
        "1899602",
        "1899702",
        "1899802",
        "1899901",
        "1899902",
        "1922801",
        "1924602",
        "1925601",
        "1965302",
        "2180901",
        "2229701",
        "3055201",
        "3219602",
        "3219701",
        "3219702",
        "3297701"
    ]
}
]

```

product/sessionInfoV6

Request

```
{
  "sessionIds": [82580231]
[
  {
    "sessionId": "82580231",
    "name": "sessionA1",
    "startDate": {
      "day": 23,
      "month": 3,
      "year": 2025
    },
    "endDate": {
      "day": 15,
      "month": 4,
      "year": 2025
    },
    "registrationOpenDate": {
      "day": 25,
      "month": 11,
      "year": 2024
    },
    "registrationCloseDate": {
      "day": 19,
      "month": 3,
      "year": 2025
    },
    "location": {
      "address": {
        "line1": "location 1",
        "line2": "",
        "city": "newyork",
        "country": "United States",
        "province": "Alabama",
        "postalCode": "10010"
      },
      "name": "location 1"
    },
    "availability": "ONLINE",
    "genderRestriction": null,
    "ageRestrictionDate": null,
    "minAgeRestriction": null,
    "maxAgeRestriction": null,
    "minGradeRestriction": null,
    "maxGradeRestriction": null,
    "earlyBirdPricingDate": null,
    "waitlistEnabled": false,
    "tuitionIds": [
      "264133831",

```

```
        "264134031"  
    ],  
    "sessionOptionIds": [],  
    "dayOvernight": "OVERNIGHT",  
    "daysOfWeek": [],  
    "startTimeOfDay": null,  
    "endTimeOfDay": null,  
    "sessionType": null,  
    "capacity": null,  
    "internalId1": "internal1",  
    "internalId2": "internal2"  
  }  
]
```

product/sessionInfoV5

Request

```
{
  "sessionIds": [
    81990631,81964631, 81964632, 81997031
  ]
}
```

Response

```
[
  {
    "sessionId": "81990631",
    "name": "Pingpang Sharing code",
    "startDate": {
      "day": 19,
      "month": 12,
      "year": 2023
    },
    "endDate": {
      "day": 24,
      "month": 1,
      "year": 2024
    },
    "registrationOpenDate": {
      "day": 27,
      "month": 10,
      "year": 2023
    },
    "registrationCloseDate": {
      "day": 19,
      "month": 12,
      "year": 2023
    },
    "location": {
      "address": {
        "line1": "fds",
        "line2": "",
        "city": "Ottawa",
        "country": "United States",
        "province": "Alaska",
        "postalCode": "32423"
      },
      "name": "Sch Local - Alask"
    },
    "availability": "ONLINE",
    "genderRestriction": "MALE",
    "ageRestrictionDate": {
      "day": 19,
```

```

        "month": 12,
        "year": 2023
    },
    "minAgeRestriction": 3,
    "maxAgeRestriction": 6,
    "minGradeRestriction": "ADULT",
    "maxGradeRestriction": "ADULT",
    "earlyBirdPricingDate": null,
    "waitlistEnabled": false,
    "tuitionIds": [
        "263366131"
    ],
    "sessionOptionIds": [],
    "dayOvernight": "BOTH",
    "daysOfWeek": [],
    "startTimeOfDay": {
        "hour": 9,
        "minute": 0,
        "second": 0
    },
    "endTimeOfDay": {
        "hour": 11,
        "minute": 0,
        "second": 0
    },
    "sessionType": "Sharing-1",
    "capacity": null,
    "sessionDescription": "",
    "registrationOpenDateTime": {
        "zoneId": "UTC",
        "language": "en",
        "country": "US",
        "variant": "",
        "day": 27,
        "month": 10,
        "year": 2023,
        "hour": 2,
        "minutes": 1,
        "seconds": 35,
        "nanoOfSecond": 0
    },
    "registrationCloseDateTime": {
        "zoneId": "UTC",
        "language": "en",
        "country": "US",
        "variant": "",
        "day": 19,
        "month": 12,
        "year": 2023,
        "hour": 15,
        "minutes": 59,
        "seconds": 0,
    }

```

```

        "nanoOfSecond": 0
    },
    {
        "sessionId": "81964632",
        "name": "Basketball Social Refferal",
        "startDate": {
            "day": 29,
            "month": 11,
            "year": 2023
        },
        "endDate": {
            "day": 16,
            "month": 12,
            "year": 2023
        },
        "registrationOpenDate": {
            "day": 22,
            "month": 11,
            "year": 2023
        },
        "registrationCloseDate": {
            "day": 6,
            "month": 12,
            "year": 2023
        },
        "location": {
            "address": {
                "line1": "address1",
                "line2": "",
                "city": "Ottawa",
                "country": "United States",
                "province": "Alaska",
                "postalCode": "32423"
            },
            "name": "AS3 Local - Alaska"
        },
        "availability": "ONLINE",
        "genderRestriction": null,
        "ageRestrictionDate": null,
        "minAgeRestriction": null,
        "maxAgeRestriction": null,
        "minGradeRestriction": null,
        "maxGradeRestriction": null,
        "earlyBirdPricingDate": null,
        "waitlistEnabled": false,
        "tuitionIds": [
            "263236132"
        ],
        "sessionOptionIds": [],
        "dayOvernight": "BOTH",
        "daysOfWeek": [

```

```

        "WEDNESDAY",
        "MONDAY",
        "SUNDAY",
        "FRIDAY",
        "SATURDAY"
    ],
    "startTimeOfDay": {
        "hour": 8,
        "minute": 0,
        "second": 0
    },
    "endTimeOfDay": {
        "hour": 11,
        "minute": 0,
        "second": 0
    },
    "sessionType": "Sharing-1",
    "capacity": null,
    "sessionDescription": "",
    "registrationOpenDateTime": {
        "zoneId": "UTC",
        "language": "en",
        "country": "US",
        "variant": "",
        "day": 22,
        "month": 11,
        "year": 2023,
        "hour": 23,
        "minutes": 30,
        "seconds": 0,
        "nanoOfSecond": 0
    },
    "registrationCloseDateTime": {
        "zoneId": "UTC",
        "language": "en",
        "country": "US",
        "variant": "",
        "day": 6,
        "month": 12,
        "year": 2023,
        "hour": 15,
        "minutes": 59,
        "seconds": 0,
        "nanoOfSecond": 0
    }
},
{
    "sessionId": "81964631",
    "name": "Football Social Referral",
    "startDate": {
        "day": 20,
        "month": 12,

```

```

    "year": 2023
  },
  "endDate": {
    "day": 29,
    "month": 12,
    "year": 2023
  },
  "registrationOpenDate": {
    "day": 20,
    "month": 12,
    "year": 2023
  },
  "registrationCloseDate": {
    "day": 28,
    "month": 12,
    "year": 2023
  },
  "location": {
    "address": {
      "line1": "address2",
      "line2": "asd",
      "city": "asd",
      "country": "United States",
      "province": "AE - Armed Forces Europe",
      "postalCode": "92618"
    },
    "name": "Local - AFE"
  },
  "availability": "ONLINE",
  "genderRestriction": null,
  "ageRestrictionDate": {
    "day": 20,
    "month": 12,
    "year": 2023
  },
  "minAgeRestriction": 7,
  "maxAgeRestriction": 9,
  "minGradeRestriction": null,
  "maxGradeRestriction": null,
  "earlyBirdPricingDate": null,
  "waitlistEnabled": true,
  "tuitionIds": [
    "263236131"
  ],
  "sessionOptionIds": [],
  "dayOvernight": "BOTH",
  "daysOfWeek": [],
  "startTimeOfDay": {
    "hour": 14,
    "minute": 0,
    "second": 0
  },
},

```

```

    "endTimeOfDay": {
      "hour": 16,
      "minute": 0,
      "second": 0
    },
    "sessionType": "Sharing-2",
    "capacity": 2,
    "sessionDescription": "",
    "registrationOpenDateTime": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 20,
      "month": 12,
      "year": 2023,
      "hour": 2,
      "minutes": 1,
      "seconds": 0,
      "nanoOfSecond": 0
    },
    "registrationCloseDateTime": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 28,
      "month": 12,
      "year": 2023,
      "hour": 15,
      "minutes": 59,
      "seconds": 0,
      "nanoOfSecond": 0
    }
  },
  {
    "sessionId": "81997031",
    "name": "Vollty Session",
    "startDate": {
      "day": 18,
      "month": 12,
      "year": 2023
    },
    "endDate": {
      "day": 31,
      "month": 12,
      "year": 2023
    },
    "registrationOpenDate": {
      "day": 11,
      "month": 12,
      "year": 2023
    }
  }

```

```

},
"registrationCloseDate": {
  "day": 21,
  "month": 12,
  "year": 2023
},
"location": {
  "address": {
    "line1": "152 Pelcher Rd.",
    "line2": "",
    "city": "Lake Pleasant",
    "country": "United States",
    "province": "New York",
    "postalCode": "12108"
  },
  "name": "Camp Fowler -NY"
},
"availability": "ONLINE",
"genderRestriction": null,
"ageRestrictionDate": {
  "day": 18,
  "month": 12,
  "year": 2023
},
"minAgeRestriction": 10,
"maxAgeRestriction": 12,
"minGradeRestriction": null,
"maxGradeRestriction": null,
"earlyBirdPricingDate": null,
"waitlistEnabled": false,
"tuitionIds": [
  "263389231"
],
"sessionOptionIds": [],
"dayOvernight": "OVERNIGHT",
"daysOfWeek": [],
"startTimeOfDay": null,
"endTimeOfDay": null,
"sessionType": "Residential Camp",
"capacity": null,
"sessionDescription": "",
"registrationOpenDateTime": {
  "zoneId": "UTC",
  "language": "en",
  "country": "US",
  "variant": "",
  "day": 11,
  "month": 12,
  "year": 2023,
  "hour": 2,
  "minutes": 1,
  "seconds": 0,
}

```

```
        "nanoOfSecond": 0
    },
    "registrationCloseDateTime": {
        "zoneId": "UTC",
        "language": "en",
        "country": "US",
        "variant": "",
        "day": 21,
        "month": 12,
        "year": 2023,
        "hour": 15,
        "minutes": 59,
        "seconds": 0,
        "nanoOfSecond": 0
    }
}
]
```

product/sessionInfoV4

Request

```
{
  "sessionIds": [
    82027131
  ],
  "dateRange" : {
    "startDate": {
      "day": 1,
      "month": 12,
      "year": 2023
    },
    "endDate": {
      "day": 20,
      "month": 12,
      "year": 2023
    }
  }
}
```

Response

```
[
  {
    "sessionId": "82027131",
    "name": "Session 1",
    "startDate": {
      "day": 2,
      "month": 12,
      "year": 2023
    },
    "endDate": {
      "day": 13,
      "month": 8,
      "year": 2024
    },
    "registrationOpenDate": {
      "day": 2,
      "month": 11,
      "year": 2023
    },
    "registrationCloseDate": {
      "day": 12,
      "month": 3,
```

```

    "year": 2024
  },
  "location": {
    "address": {
      "line1": "add1",
      "line2": "",
      "city": "city1",
      "country": "United States",
      "province": "California",
      "postalCode": "12345"
    },
    "name": "location 1"
  },
  "availability": "INTERNAL",
  "genderRestriction": null,
  "ageRestrictionDate": {
    "day": 2,
    "month": 12,
    "year": 2023
  },
  "minAgeRestriction": 0,
  "maxAgeRestriction": 0,
  "minGradeRestriction": null,
  "maxGradeRestriction": null,
  "earlyBirdPricingDate": null,
  "waitlistEnabled": false,
  "tuitionIds": [
    "263433931",
    "263434031"
  ],
  "sessionOptionIds": [],
  "dayOvernight": "BOTH",
  "daysOfWeek": [],
  "startTimeOfDay": {
    "hour": 14,
    "minute": 45,
    "second": 0
  },
  "endTimeOfDay": {
    "hour": 15,
    "minute": 40,
    "second": 0
  },
  "sessionType": null,
  "capacity": 10,

```

```

    "sessionDescription": "Monday Winter Session Classes Meet:
1/2, 1/9, 1/16, 1/23, 1/30, 2/6, 2/13, 2/27, 3/5, 3/12",
    "lastModifiedDate": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 19,
      "month": 12,
      "year": 2023,
      "hour": 6,
      "minutes": 5,
      "seconds": 7,
      "nanoOfSecond": 913000000
    },
    "glCodeId": null,
    "registrationOpenDateTime": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 2,
      "month": 11,
      "year": 2023,
      "hour": 5,
      "minutes": 0,
      "seconds": 0,
      "nanoOfSecond": 0
    },
    "registrationCloseDateTime": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 12,
      "month": 3,
      "year": 2024,
      "hour": 5,
      "minutes": 0,
      "seconds": 0,
      "nanoOfSecond": 0
    }
  }
]

```

product/sessionInfoV3

Request

```
{
  "sessionIds": [79581002],
  "dateRange": {
    "startDate": {
      "day": 28,
      "month": 9,
      "year": 2021,
      "hour": 0,
      "minutes": 35,
      "seconds": 56
    },
    "endDate": {
      "day": 28,
      "month": 12,
      "year": 2021,
      "hour": 0,
      "minutes": 35,
      "seconds": 56
    }
  }
}
```

Response

```
[
  {
    "sessionId": "79581002",
    "name": "session1",
    "sessionDescription": "A brief description of this session",
    "startDate": {
      "day": 22,
      "month": 11,
      "year": 2021
    },
    "endDate": {
      "day": 9,
      "month": 6,
      "year": 2022
    },
    "registrationOpenDate": {
      "day": 23,
      "month": 11,
      "year": 2021
    },
    "registrationCloseDate": {
      "day": 9,
      "month": 6,
      "year": 2022
    }
  }
]
```

```

},
"location": {
  "address": {
    "line1": "chengdu",
    "line2": "",
    "city": "chengdu",
    "country": "United States",
    "province": "New York",
    "postalCode": "41110"
  },
  "name": "IFS-1-49"
},
"availability": "ONLINE",
"genderRestriction": null,
"ageRestrictionDate": null,
"minAgeRestriction": null,
"maxAgeRestriction": null,
"minGradeRestriction": null,
"maxGradeRestriction": null,
"earlyBirdPricingDate": null,
"waitlistEnabled": true,
"tuitionIds": [
  "262518232"
],
"sessionOptionIds": [
  "26850232"
],
"dayOvernight": "DAY",
"daysOfWeek": [
  "FRIDAY",
  "TUESDAY",
  "MONDAY",
  "WEDNESDAY",
  "THURSDAY"
],
"startTimeOfDay": {
  "hour": 9,
  "minute": 0,
  "second": 0
},
"endTimeOfDay": {
  "hour": 18,
  "minute": 0,
  "second": 0
},
"sessionType": null,
"capacity": 100,
"lastModifiedDate": {
  "zoneId": "UTC",
  "language": "en",
  "country": "US",
  "variant": ""
}

```

```
        "day": 23,  
        "month": 12,  
        "year": 2021,  
        "hour": 5,  
        "minutes": 46,  
        "seconds": 5,  
        "nanoOfSecond": 233000000  
    },  
    "glCodeId": "27632"  
}  
]
```

product/sessionInfoV2

Request

```
{
  "sessionIds": [79581002]
}
```

Response

```
[
  {
    "sessionId": "79581002",
    "name": "session1",
    "sessionDescription": "A brief description of this session",
    "startDate": {
      "day": 14,
      "month": 10,
      "year": 2019
    },
    "endDate": {
      "day": 31,
      "month": 10,
      "year": 2019
    },
    "registrationOpenDate": {
      "day": 15,
      "month": 10,
      "year": 2019
    },
    "registrationCloseDate": {
      "day": 31,
      "month": 10,
      "year": 2019
    },
    "location": {
      "address": {
        "line1": "NoCountryAddress1",
        "line2": "NoCountryAddress21",
        "city": "NoCountryCity111",
        "country": "United Kingdom",
        "province": "1111111111",
        "postalCode": "111111"
      },
      "name": "NoCountryLocationFilterModify"
    },
    "availability": "ONLINE",
    "genderRestriction": null,
    "ageRestrictionDate": null,
    "minAgeRestriction": null,
    "maxAgeRestriction": null,
    "minGradeRestriction": null,
  }
]
```

```
"maxGradeRestriction": null,  
"earlyBirdPricingDate": null,  
"waitlistEnabled": false,  
"tuitionIds": [  
  "259369802"  
],  
"sessionOptionIds": [  
  "23755202"  
],  
"dayOvernight": "OVERNIGHT",  
"daysOfWeek": [],  
"startTimeOfDay": null,  
"endTimeOfDay": null,  
"sessionType": "foo",  
"capacity": null  
}  
]
```

product/sessionInfo

Request

```
{
  "sessionIds": [79581002]
}
```

Response

```
[
  {
    "sessionId": "79581002",
    "name": "session1",
    "startDate": {
      "day": 14,
      "month": 10,
      "year": 2019
    },
    "endDate": {
      "day": 31,
      "month": 10,
      "year": 2019
    },
    "registrationOpenDate": {
      "day": 15,
      "month": 10,
      "year": 2019
    },
    "registrationCloseDate": {
      "day": 31,
      "month": 10,
      "year": 2019
    },
    "location": {
      "address": {
        "line1": "NoCountryAddress1",
        "line2": "NoCountryAddress21",
        "city": "NoCountryCity111",
        "country": "United Kingdom",
        "province": "1111111111",
        "postalCode": "111111"
      },
      "name": "NoCountryLocationFilterModify"
    },
    "availability": "ONLINE",
    "genderRestriction": null,
    "ageRestrictionDate": null,
    "minAgeRestriction": null,
    "maxAgeRestriction": null,
    "minGradeRestriction": null,
    "maxGradeRestriction": null,
  }
]
```

```
"earlyBirdPricingDate": null,  
"waitlistEnabled": false,  
"tuitionIds": [  
  "259369802"  
],  
"sessionOptionIds": [  
  "23755202"  
],  
"dayOvernight": "OVERNIGHT",  
"daysOfWeek": [],  
"startTimeOfDay": null,  
"endTimeOfDay": null,  
"sessionType": "foo",  
"capacity": null  
}  
]
```

product/tuitionInfoV3

NOTE

This API supersedes the "camps-tuition-info-v2" API below, which will be removed in future.

Current and new applications should use this API instead of the "camps-tuition-info" and "camps-tuition-info-v2" API.

Request

```
{
  "tuitionIds": [<tuitionid>],
  "dateRange": {
    "startDate": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 6,
      "month": 12,
      "year": 2021,
      "hour": 2,
      "minutes": 31,
      "seconds": 1,
      "nanoOfSecond": 0
    },
    "endDate": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 30,
      "month": 12,
      "year": 2021,
      "hour": 2,
      "minutes": 31,
      "seconds": 1,
      "nanoOfSecond": 0
    }
  }
}
```

Response

```
[
  {
    "tuitionId": "262518232",
    "name": "Price-kevin-test",
```

```
    "regularPrice": 100.00,  
    "availability": "ONLINE",  
    "capacity": null,  
    "description": "",  
    "tuitionType": null,  
    "priceTiers": [],  
    "lastModifiedDate": {  
      "zoneId": "UTC",  
      "language": "en",  
      "country": "US",  
      "variant": "",  
      "day": 23,  
      "month": 12,  
      "year": 2021,  
      "hour": 5,  
      "minutes": 46,  
      "seconds": 5,  
      "nanoOfSecond": 233000000  
    },  
    "glCodeId": "27632"  
  }  
]  
]
```

product/tuitionInfoV2

NOTE

This API supersedes the "camps-tuition-info" API below, which will be removed in future.

Current and new applications should use this API instead of the "camps-tuition-info" API.

Request

```
{  
  
  "tuitionIds": [254357001, 256203001]  
}
```

Response

```
[  
  {  
    "tuitionId": "254357001",  
    "name": "Price",  
    "regularPrice": 100,  
    "availability": "ONLINE",  
    "capacity": null,  
    "description": "",  
    "tuitionType": null,  
    "priceTiers": []  
  },  
  {  
    "tuitionId": "256203001",  
    "name": "price2",  
    "regularPrice": 130,  
    "availability": "ONLINE",  
    "capacity": null,  
    "description": "",  
    "tuitionType": null,  
    "priceTiers": [  
      {  
        "id": "11638602",  
        "expireDate": {  
          "zoneId": "UTC",  
          "language": "en",  
          "country": "US",  
          "variant": "",  
          "day": 24,  
          "month": 11,  
          "year": 2018,  
          "hour": 15,  
          "minutes": 59,  
          "seconds": 59,  
          "nanoOfSecond": 0  
        }  
      }  
    ]  
  }  
]
```

```

    },
    "tierPrice": 42
  },
  {
    "id": "15497601",
    "expireDate": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 30,
      "month": 11,
      "year": 2018,
      "hour": 15,
      "minutes": 59,
      "seconds": 59,
      "nanoOfSecond": 0
    },
    "tierPrice": 89.5
  },
  {
    "id": "15497701",
    "expireDate": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 31,
      "month": 12,
      "year": 2018,
      "hour": 15,
      "minutes": 59,
      "seconds": 59,
      "nanoOfSecond": 0
    },
    "tierPrice": 123.45
  }
]
]

```

product/tuitionInfo

NOTE

Deprecated API.

Current and new applications should use the "camps-tuition-info-v2" API instead of this API.

Request

```
{
  "tuitionIds": [3331301]
}
```

Response

```
[
  {
    "id": "3331301",
    "name": "Price",
    "regularPrice": 100,
    "earlyBirdPrice": null,
    "availability": "ONLINE",
    "capacity": null,
    "description": "",
    "tuitionType": null
  }
]
```

product/sessionOptionInfoV2

Request

```
{
  "sessionOptionIds": [26850232],
  "dateRange": {
    "startDate":
    { "day": 28, "month": 9, "year": 2021, "hour": 0, "minutes": 35,
      "seconds": 56 }
    ,
    "endDate":
    { "day": 28, "month": 12, "year": 2021, "hour": 0, "minutes": 35,
      "seconds": 56 }
  }
}
```

Response

```
[
  {
    "sessionOptionId": "26850232",
    "name": "Bus",
    "price": 10.00,
    "allowMultiple": false,
    "availability": "ONLINE",
    "capacity": null,
    "description": "",
    "sessionOptionType": null,
    "glCodeId": null,
    "lastModifiedDateTime":
    { "zoneId": "UTC", "language": "en", "country": "US", "variant": "",
      "day": 23, "month": 12, "year": 2021, "hour": 5, "minutes": 46,
      "seconds": 5, "nanoOfSecond": 233000000 }
  }
]
```

product/sessionOptionInfo

Request

```
{
  "password": "123456",
  "sessionOptionIds": [23755202, 23772002, 23772402, 23772802, 23836002]
}
```

Response

```
[
  {
    "sessionOptionId": "23755202",
    "name": "normalOption",
    "price": 31.00,
    "allowMultiple": false,
    "availablity": "INACTIVE",
    "capacity": null,
    "description": "",
    "sessionOptionType": null
  },
  {
    "sessionOptionId": "23772002",
    "name": "cui-Normal-gsol",
    "price": 20.00,
    "allowMultiple": false,
    "availablity": "INACTIVE",
    "capacity": null,
    "description": "",
    "sessionOptionType": null
  },
  {
    "sessionOptionId": "23772402",
    "name": "cui-Normal-gso2---del--del",
    "price": 80.00,
    "allowMultiple": true,
    "availablity": "INACTIVE",
    "capacity": 30,
    "description": "",
    "sessionOptionType": "add on - per family"
  },
  {
    "sessionOptionId": "23772802",
    "name": "cui-Normal-gsol",
    "price": 88.00,
    "allowMultiple": false,
    "availablity": "INACTIVE",
    "capacity": null,
    "description": "",
    "sessionOptionType": null
  }
]
```

```
    },  
  {  
    "sessionOptionId": "23836002",  
    "name": "DelGlcode",  
    "price": 222.00,  
    "allowMultiple": false,  
    "availablity": "INACTIVE",  
    "capacity": 222,  
    "description": "del",  
    "sessionOptionType": "add on - per family"  
  }  
]
```

Registration information

registration/summaryV6

Request

```
{
  "sessionIds": [81739631],
  "seasonId": 44470532,
  "filter":
  {"regUpdateTypes":["TRANSFER","EDIT"]} }
}
```

Response

```
[
  {
    "sessionId":"81739631",
    "registrationCount":0,
    "waitlistCount":0,
    "totalRevenue":0,
    "registrationDetails":[
      {
        "sessionId":"81739631",
        "registrationId":"19589432",
        "personId":"ce9b815e-9708-4eb2-ba53-09411f3cde3b",
        "regDate":{
          "zoneId":"UTC",
          "language":"en",
          "country":"US",
          "variant":"","",
          "day":21,
          "month":3,
          "year":2022,
          "hour":8,
          "minutes":19,
          "seconds":27,
          "nanoOfSecond":0
        },
        "tuitionId":"262842031",
        "sessionOptions":null,
        "merchandiseItems":null,
        "saleAmount":0,
        "balance":0,
        "groupIds":[
        ],
        "updateDate":{
          "zoneId":"UTC",
          "language":"en",
          "country":"US",
          "variant":"","",

```

```

        "day":22,
        "month":3,
        "year":2022,
        "hour":6,
        "minutes":50,
        "seconds":4,
        "nanoOfSecond":0
    },
    "updateType":"EDIT",
    "transferReference":{
        "from":{
            "waitList":false,
            "regInfo":{
                "sessionId":"81739631",
                "registrationId":"19589432",
                "regDate":{
                    "zoneId":"UTC",
                    "language":"en",
                    "country":"US",
                    "variant":"",
                    "day":21,
                    "month":3,
                    "year":2022,
                    "hour":8,
                    "minutes":19,
                    "seconds":27,
                    "nanoOfSecond":0
                },
                "waitList":false
            }
        },
        "to":{
            "waitList":false,
            "regInfo":{
                "sessionId":"81739631",
                "registrationId":"19590131",
                "regDate":{
                    "zoneId":"UTC",
                    "language":"en",
                    "country":"US",
                    "variant":"",
                    "day":22,
                    "month":3,
                    "year":2022,
                    "hour":6,
                    "minutes":50,
                    "seconds":2,
                    "nanoOfSecond":0
                },
                "waitList":false
            }
        }
    }
}

```

```

    },
    {
      "sessionId":"81739631",
      "registrationId":"19590131",
      "personId":"ce9b815e-9708-4eb2-ba53-09411f3cde3b",
      "regDate":{
        "zoneId":"UTC",
        "language":"en",
        "country":"US",
        "variant":"",
        "day":22,
        "month":3,
        "year":2022,
        "hour":6,
        "minutes":50,
        "seconds":2,
        "nanoOfSecond":0
      },
      "tuitionId":"262842031",
      "sessionOptions":null,
      "merchandiseItems":null,
      "saleAmount":0,
      "balance":0,
      "groupIds":[

    ],
    "updateDate":{
      "zoneId":"UTC",
      "language":"en",
      "country":"US",
      "variant":"",
      "day":23,
      "month":3,
      "year":2022,
      "hour":6,
      "minutes":24,
      "seconds":41,
      "nanoOfSecond":0
    },
    "updateType":"EDIT",
    "transferReference":{
      "from":{
        "waitList":false,
        "regInfo":{
          "sessionId":"81739631",
          "registrationId":"19590131",
          "regDate":{
            "zoneId":"UTC",
            "language":"en",
            "country":"US",
            "variant":"",

```

```

        "day":22,
        "month":3,
        "year":2022,
        "hour":6,
        "minutes":50,
        "seconds":2,
        "nanoOfSecond":0
    },
    "waitList":false
}
},
"to":{
    "waitList":false,
    "regInfo":{
        "sessionId":"81739631",
        "registrationId":"19590732",
        "regDate":{
            "zoneId":"UTC",
            "language":"en",
            "country":"US",
            "variant":"",
            "day":23,
            "month":3,
            "year":2022,
            "hour":6,
            "minutes":24,
            "seconds":38,
            "nanoOfSecond":0
        },
        "waitList":false
    }
}
},
{
    "sessionId":"81739631",
    "registrationId":"19590732",
    "personId":"ce9b815e-9708-4eb2-ba53-09411f3cde3b",
    "regDate":{
        "zoneId":"UTC",
        "language":"en",
        "country":"US",
        "variant":"",
        "day":23,
        "month":3,
        "year":2022,
        "hour":6,
        "minutes":24,
        "seconds":38,
        "nanoOfSecond":0
    },
    "tuitionId":"262842031",

```

```

"sessionOptions":null,
"merchandiseItems":null,
"saleAmount":0,
"balance":0,
"groupIds":[
],
"updateDate":{
  "zoneId":"UTC",
  "language":"en",
  "country":"US",
  "variant":"","",
  "day":23,
  "month":3,
  "year":2022,
  "hour":6,
  "minutes":26,
  "seconds":37,
  "nanoOfSecond":0
},
"updateType":"TRANSFER",
"transferReference":{
  "from":{
    "waitList":false,
    "regInfo":{
      "sessionId":"81739631",
      "registrationId":"19590732",
      "regDate":{
        "zoneId":"UTC",
        "language":"en",
        "country":"US",
        "variant":"","",
        "day":23,
        "month":3,
        "year":2022,
        "hour":6,
        "minutes":24,
        "seconds":38,
        "nanoOfSecond":0
      },
      "waitList":false
    }
  },
  "to":{
    "waitList":false,
    "regInfo":{
      "sessionId":"81675132",
      "registrationId":"19590832",
      "regDate":{
        "zoneId":"UTC",
        "language":"en",
        "country":"US",

```

```
        "variant": "",
        "day": 23,
        "month": 3,
        "year": 2022,
        "hour": 6,
        "minutes": 26,
        "seconds": 34,
        "nanoOfSecond": 0
    },
    "waitList": false
}
}
}
},
"waitlistDetails": null
}
]
```

registration/summaryV5

Request

```
{
  "startDate": {
    "zoneId": "America/Chicago",
    "day": 28,
    "month": 10,
    "year": 2020,
    "hour": 0,
    "minutes": 35,
    "seconds": 56
  },
  "sessionIds": [
    81587831,
    81587931
  ],
  "seasonId": 44415931,
  "merchandiseIds": [
    212731
  ],
  "merchandiseItemIds": [
    1755631
  ],
  "filter": {
    "regUpdateDate": {
      "zoneId": "America/Chicago",
      "day": 28,
      "month": 10,
      "year": 2020,
      "hour": 0,
      "minutes": 35,
      "seconds": 56
    },
    "regUpdateTypes": [
      "SALE",
      "CANCELLED"
    ],
    "merchandiseUpdateDate": {
      "zoneId": "America/Chicago",
      "day": 28,
      "month": 10,
      "year": 2020,
      "hour": 0,
      "minutes": 35,
      "seconds": 56
    },
    "merchandiseUpdateTypes": [
      "SALE",
      "ADD_PURCHASE",
      "CANCELLED"
    ]
  }
}
```

```

    ],
    "sessionOptionUpdateDate": {
      "zoneId": "America/Chicago",
      "day": 28,
      "month": 10,
      "year": 2020,
      "hour": 0,
      "minutes": 35,
      "seconds": 56
    },
    "sessionOptionUpdateTypes": [
      "SALE",
      "ADD_PURCHASE",
      "CANCELLED"
    ]
  }
}
}

```

Response

```

[
  {
    "sessionId": "81588132",
    "registrationCount": 1,
    "waitlistCount": 0,
    "totalRevenue": 44.00,
    "registrationDetails": [
      {
        "sessionId": "81588132",
        "registrationId": "19420632",
        "personId": "75db18c0-7292-4a65-8dc8-42b7dec99b7a",
        "regDate": {
          "zoneId": "UTC",
          "language": "en",
          "country": "US",
          "variant": "",
          "day": 30,
          "month": 10,
          "year": 2020,
          "hour": 5,
          "minutes": 29,
          "seconds": 41,
          "nanoOfSecond": 0
        },
        "tuitionId": "262419532",
        "sessionOptions": [
          {
            "sessionOptionId": "26749832",
            "quantity": 1,
            "updateDate": {
              "zoneId": "UTC",
              "language": "en",

```

```

        "country": "US",
        "variant": "",
        "day": 30,
        "month": 10,
        "year": 2020,
        "hour": 7,
        "minutes": 29,
        "seconds": 8,
        "nanoOfSecond": 0
    },
    "updateType": "ADD_PURCHASE"
}
],
"merchandiseItems": [
    {
        "merchandiseId": "212631",
        "merchandiseItemId": null,
        "quantity": 3,
        "updateDate": {
            "zoneId": "UTC",
            "language": "en",
            "country": "US",
            "variant": "",
            "day": 30,
            "month": 10,
            "year": 2020,
            "hour": 7,
            "minutes": 36,
            "seconds": 28,
            "nanoOfSecond": 0
        },
        "updateType": "CANCELLED"
    },
    {
        "merchandiseId": "212731",
        "merchandiseItemId": "1755631",
        "quantity": 1,
        "updateDate": {
            "zoneId": "UTC",
            "language": "en",
            "country": "US",
            "variant": "",
            "day": 30,
            "month": 10,
            "year": 2020,
            "hour": 7,
            "minutes": 36,
            "seconds": 28,
            "nanoOfSecond": 0
        },
        "updateType": "ADD_PURCHASE"
    },
}

```

```

{
  "merchandiseId": "212831",
  "merchandiseItemId": null,
  "quantity": 1,
  "updateDate": {
    "zoneId": "UTC",
    "language": "en",
    "country": "US",
    "variant": "",
    "day": 30,
    "month": 10,
    "year": 2020,
    "hour": 7,
    "minutes": 31,
    "seconds": 9,
    "nanoOfSecond": 0
  },
  "updateType": "SALE"
},
{
  "merchandiseId": "212631",
  "merchandiseItemId": null,
  "quantity": 1,
  "updateDate": {
    "zoneId": "UTC",
    "language": "en",
    "country": "US",
    "variant": "",
    "day": 30,
    "month": 10,
    "year": 2020,
    "hour": 7,
    "minutes": 31,
    "seconds": 9,
    "nanoOfSecond": 0
  },
  "updateType": "CANCELLED"
},
{
  "merchandiseId": "212631",
  "merchandiseItemId": null,
  "quantity": 5,
  "updateDate": {
    "zoneId": "UTC",
    "language": "en",
    "country": "US",
    "variant": "",
    "day": 30,
    "month": 10,
    "year": 2020,
    "hour": 7,
    "minutes": 29,

```

```

        "seconds": 8,
        "nanoOfSecond": 0
    },
    "updateType": "ADD_PURCHASE"
},
{
    "merchandiseId": "212731",
    "merchandiseItemId": "1755531",
    "quantity": 1,
    "updateDate": {
        "zoneId": "UTC",
        "language": "en",
        "country": "US",
        "variant": "",
        "day": 30,
        "month": 10,
        "year": 2020,
        "hour": 7,
        "minutes": 29,
        "seconds": 8,
        "nanoOfSecond": 0
    },
    "updateType": "ADD_PURCHASE"
}
],
"saleAmount": 44.00,
"balance": 34.00,
"groupIds": [],
"updateDate": {
    "zoneId": "UTC",
    "language": "en",
    "country": "US",
    "variant": "",
    "day": 30,
    "month": 10,
    "year": 2020,
    "hour": 5,
    "minutes": 29,
    "seconds": 41,
    "nanoOfSecond": 0
},
"updateType": "SALE"
}
],
"waitlistDetails": null
}
]

```

registration/summaryV3

NOTE

This API supersedes the "camps-registration-info-v2" and "camps-registration-info" APIs below, which will be removed in future.

Current and new applications should use this API instead of the "camps-registration-info-v2" and "camps-registration-info" APIs.

Request

```
{
  "seasonId": "",
  "sessionIds": [79728702],
  "merchandiseIds": []
}
```

Response

```
[
  {
    "sessionId": "79728702",
    "registrationCount": 2,
    "waitlistCount": 0,
    "waitlistDetails": null,
    "totalRevenue": 42.00,
    "registrationDetails": [
      {
        "sessionId": "79728702",
        "registrationId": "18474001",
        "personId": "1ce5797d-b7d4-45da-b1f1-6e3a4d7f22f6",
        "regDate": {
          "zoneId": "UTC",
          "language": "en",
          "country": "US",
          "variant": "",
          "day": 24,
          "month": 10,
          "year": 2019,
          "hour": 5,
          "minutes": 22,
          "seconds": 7,
          "nanoOfSecond": 0
        },
        "tuitionId": "259619002",
        "sessionOptions": null,
        "merchandiseItems": null,
        "saleAmount": 20.00,
        "balance": 0.00,
        "groupIds": [],
      }
    ]
  }
]
```

```

    "cancelled": false
  },
  {
    "sessionId": "79728702",
    "registrationId": "18474502",
    "personId": "1ce5797d-b7d4-45da-b1f1-6e3a4d7f22f6",
    "regDate": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 24,
      "month": 10,
      "year": 2019,
      "hour": 5,
      "minutes": 51,
      "seconds": 27,
      "nanoOfSecond": 0
    },
    "tuitionId": "259619002",
    "sessionOptions": [
      {
        "sessionOptionId": "23857002",
        "quantity": 1
      }
    ],
    "merchandiseItems": null,
    "saleAmount": 22.00,
    "balance": 0.00,
    "groupIds": [],
    "cancelled": false
  }
]
}
]

```

registration/summaryV2

NOTE

Deprecated API.

Current and new applications should use the "camps-registration-info-v3" API instead of this API.

Request

```
{
  "seasonId": "",
  "sessionIds": [79728702],
  "merchandiseIds": []
}
```

Response

```
[
  {
    "sessionId": "79728702",
    "registrationCount": 2,
    "waitlistCount": 0,
    "waitlistDetails": null,
    "totalRevenue": 42.00,
    "registrationDetails": [
      {
        "sessionId": "79728702",
        "registrationId": "18474001",
        "personId": "1ce5797d-b7d4-45da-b1f1-6e3a4d7f22f6",
        "regDate": {
          "zoneId": "UTC",
          "language": "en",
          "country": "US",
          "variant": "",
          "day": 24,
          "month": 10,
          "year": 2019,
          "hour": 5,
          "minutes": 22,
          "seconds": 7,
          "nanoOfSecond": 0
        },
        "tuitionId": "259619002",
        "sessionOptions": null,
        "merchandiseItems": null,
        "saleAmount": 20.00,
        "balance": 0.00,
        "groupIds": [],
        "cancelled": false
      }
    ]
  }
]
```

```

    },
    {
      "sessionId": "79728702",
      "registrationId": "18474502",
      "personId": "1ce5797d-b7d4-45da-b1f1-6e3a4d7f22f6",
      "regDate": {
        "zoneId": "UTC",
        "language": "en",
        "country": "US",
        "variant": "",
        "day": 24,
        "month": 10,
        "year": 2019,
        "hour": 5,
        "minutes": 51,
        "seconds": 27,
        "nanoOfSecond": 0
      },
      "tuitionId": "259619002",
      "sessionOptions": [
        {
          "sessionOptionId": "23857002",
          "quantity": 1
        }
      ],
      "merchandiseItems": null,
      "saleAmount": 22.00,
      "balance": 0.00,
      "groupIds": [],
      "cancelled": false
    }
  ]
}
]

```

registration/summary

NOTE

Deprecated API.

Current and new applications should use the "camps-registration-info-v3" API instead of this API.

Request

```
{
  "seasonId": "",
  "sessionIds": [79728702],
  "merchandiseIds": []
}
```

Response

```
[
  {
    "sessionId": "79728702",
    "registrationCount": 2,
    "waitlistCount": 0,
    "waitlistDetails": null,
    "totalRevenue": 42.00,
    "registrationDetails": [
      {
        "sessionId": "79728702",
        "registrationId": "18474001",
        "personId": "1ce5797d-b7d4-45da-b1f1-6e3a4d7f22f6",
        "regDate": {
          "zoneId": "UTC",
          "language": "en",
          "country": "US",
          "variant": "",
          "day": 24,
          "month": 10,
          "year": 2019,
          "hour": 5,
          "minutes": 22,
          "seconds": 7,
          "nanoOfSecond": 0
        },
        "tuitionId": "259619002",
        "sessionOptions": null,
        "saleAmount": 20.00,
        "balance": 0.00,
        "groupIds": [],
        "cancelled": false
      }
    ]
  }
],
```

```

    {
      "sessionId": "79728702",
      "registrationId": "18474502",
      "personId": "1ce5797d-b7d4-45da-b1f1-6e3a4d7f22f6",
      "regDate": {
        "zoneId": "UTC",
        "language": "en",
        "country": "US",
        "variant": "",
        "day": 24,
        "month": 10,
        "year": 2019,
        "hour": 5,
        "minutes": 51,
        "seconds": 27,
        "nanoOfSecond": 0
      },
      "tuitionId": "259619002",
      "sessionOptions": [
        {
          "sessionOptionId": "23857002",
          "quantity": 1
        }
      ],
      "saleAmount": 22.00,
      "balance": 0.00,
      "groupIds": [],
      "cancelled": false
    }
  ]
}
]

```

Payment information

payment/paymentInfo

Request

```
{  
  
  "startDate": {"day": 1, "month": 5, "year": 2016, "hour": 0, "minutes": 0, "seconds": 0},  
  
  "endDate": {"day": 1, "month": 6, "year": 2016, "hour": 23, "minutes": 59, "seconds": 59}  
  
}
```

Response

```
[  
  {  
    "createDate":  
      {  
        "zoneId": "UTC",  
        "language": "en",  
        "country": "US",  
        "variant": "",  
        "day": 11,  
        "month": 5,  
        "year": 2016,  
        "hour": 8,  
        "minutes": 33,  
        "seconds": 38,  
        "nanoOfSecond": 0  
      },  
    "orderInfo":  
      {  
        "orderNumber": "C-1NJJTJ20TX",  
        "registrationIds": [14957502]  
      },  
    "paymentMethod": "CREDIT",  
    "paymentDetails": "MASTER_CARD",  
    "seasonId": 1967802,  
    "personId": "d28ee4c2-fd3f-4660-947c-1d6bb6914e76",  
    "type": "Payment",  
    "amount": 110,  
    "paymentId": 276082102,  
    "paymentProcessId": "phmJMoJW82845522"  
  }  
]
```

payment/paymentAllocationInfo

Request

```
{
  "seasonId": [],
  "sessionIds": [79368802,79006302],
  "startDate": {
    "year": 2019,
    "month": 9,
    "day": 28,
    "hour": 6,
    "minutes": 56,
    "seconds": 20
  },
  "endDate": {
    "year": 2019,
    "month": 11,
    "day": 1,
    "hour": 6,
    "minutes": 56,
    "seconds": 20
  }
}
```

Response

```
[
  {
    "dateTime": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 29,
      "month": 9,
      "year": 2019,
      "hour": 3,
      "minutes": 2,
      "seconds": 25,
      "nanoOfSecond": 0
    },
    "paymentType": "CREDIT_CARD",
    "paymentId": "2000000000836788201",
    "orderId": "140969571459901",
    "seasonId": "43525601",
    "sessionId": "79368802",
    "lineItemType": "SESSION_OPTION",
    "lineItemId": "22254601",
    "amount": 10.00
  }
]
```

```

    "dateTime": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 17,
      "month": 10,
      "year": 2019,
      "hour": 6,
      "minutes": 45,
      "seconds": 50,
      "nanoOfSecond": 0
    },
    "paymentType": "CASH",
    "paymentId": "2000000000837039002",
    "orderId": "140969572315802",
    "seasonId": "43525601",
    "sessionId": "79006302",
    "lineItemType": "SESSION_OPTION",
    "lineItemId": "23831701",
    "amount": 22.00
  },
  {
    "dateTime": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 17,
      "month": 10,
      "year": 2019,
      "hour": 6,
      "minutes": 58,
      "seconds": 3,
      "nanoOfSecond": 0
    },
    "paymentType": "CASH",
    "paymentId": "2000000000837053002",
    "orderId": "140969572345002",
    "seasonId": "43525601",
    "sessionId": "79368802",
    "lineItemType": "SESSION_OPTION",
    "lineItemId": "23832001",
    "amount": 22.00
  },
  {
    "dateTime": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 17,

```

```
        "month": 10,  
        "year": 2019,  
        "hour": 6,  
        "minutes": 58,  
        "seconds": 3,  
        "nanoOfSecond": 0  
    },  
    "paymentType": "CASH",  
    "paymentId": "2000000000837053002",  
    "orderId": "140969572345002",  
    "seasonId": "43525601",  
    "sessionId": "79368802",  
    "lineItemType": "SESSION_OPTION",  
    "lineItemId": "23832101",  
    "amount": 44.00  
} ]
```

Person information

people/pickUpListInfo

Request

```
{
  "personId": "eb1f94ce-8af3-4a0c-97e9-96b2e8c74666"
}
```

Response

```
[
  {
    "firstName": "Xxdd",
    "lastName": "Dd",
    "homePhone": "3344444444"
  }
]
```

people/personBasicInfo

Request

```
{
  "startDate": {"day":27,"month":4,"year":2014,"hour":0,"minutes":0,"seconds":0},
  "endDate": {"day":27,"month":7,"year":2014,"hour":0,"minutes":0,"seconds":0}
}
```

Response

```
[
  {
    "personId": "ebd9990a-a5e4-4eb1-8c7c-0d117bdcc8e9",
    "firstName": "John",
    "middleName": null,
    "lastName": "Smith"
  },
  {
    "personId": "e5b1c30e-da96-4bbd-82b8-1d111cbd02e0",
    "firstName": "Susan",
    "middleName": "Rebecca",
    "lastName": "Smith"
  }
]
```

personDetailInfoV2

Request

```
{
  "personIds": [d5f2f311-a727-4bb9-a7f2-10e50c2f311],
  "lastUpdateDate":
  { "zoneId": "America/Chicago", "day": 3, "month": 11, "year": 2020,
    "hour": 2, "minutes": 19, "seconds": 30 }
}
```

Response

```
[
  {
    "personId": "d5f2f311-a727-4bb9-a7f2-10e50c2f311",
    "firstName": "Api_1_fn update2",
    "middleName": "",
    "lastName": "Api_1_ln update2",
    "homePhoneNumber":
    { "phoneNumber": "8888888888", "extension": null }
    ,
    "businessPhoneNumber":
    { "phoneNumber": "8888888888", "extension": "8888" }
    ,
    "cellPhoneNumber":
    { "phoneNumber": "8888888888", "extension": null }
    ,
    "dateOfBirth":
    { "day": 8, "month": 11, "year": 2008 }
    ,
    "email": "api1@paiupdate2.com",
    "gender": "FEMALE",
    "grade": "GRADE 5",
    "familyId": "22883331",
    "address":
    { "address1": "address1update2", "address2": "address2update2",
      "city": "san diego", "country": "US", "province": "CA", "postalCode":
      "56756" }
    ,
    "lastUpdateDate":
    { "zoneId": "UTC", "language": "en", "country": "US", "variant": "",
      "day": 3, "month": 11, "year": 2020, "hour": 2, "minutes": 36,
      "seconds": 0, "nanoOfSecond": 0 }
  }
]
```

```
"isPrimaryParent": "No",  
"isSecondaryParent": "No"  
}  
]
```

people/personDetailInfo

Request

```
{
  "personIds": ["1AE38AB4-E126-413C-91DF-02B218EB26B0", "334F93A8-4F8C-44A6-84DB-0348B67A356F"]
}
```

Response

```
[
  {
    "personId": "1ae38ab4-e126-413c-91df-02b218eb26b0",
    "firstName": "John",
    "middleName": "David",
    "lastName": "Smith",
    "homePhoneNumber": null,
    "businessPhoneNumber": null,
    "cellPhoneNumber": null,
    "dateOfBirth": null,
    "email": null,
    "gender": null,
    "grade": "K",
    "familyId": null,
    "address": {
      "address1": "524 W. 27th Avenue",
      "address2": "Ste. 100",
      "city": "Spokane",
      "country": "US",
      "province": "WA",
      "postalCode": "99203"
    },
    "isPrimaryParent": "No",
    "isSecondaryParent": "No"
  },
  {
    "personId": "334f93a8-4f8c-44a6-84db-0348b67a356f",
    "firstName": "William",
    "middleName": null,
    "lastName": "Wang",
    "homePhoneNumber": {
      "phoneNumber": "+111111111",
      "extension": null
    },
    "businessPhoneNumber": null,
    "cellPhoneNumber": null,
    "dateOfBirth": {
      "day": 1,

```

```
        "month": 1,  
        "year": 1984  
    },  
    "email": "email.address@email.com",  
    "gender": "MALE",  
    "grade": null,  
    "familyId": "14599502",  
    "address":  
    {  
        "address1": "123 Main Street",  
        "address2": "Apt A",  
        "city": "Haverford",  
        "country": "US",  
        "province": "PA",  
        "postalCode": "19041"  
    },  
    "isPrimaryParent": "No",  
    "isSecondaryParent": "No"  
}  
]
```

people/personDetailInfo/answerV3

Request

```
{
  "personIds": [
    "0963ECDE-CEF7-4252-935D-AD42502F6A15",
    "CE9B815E-9708-4EB2-BA53-09411F3CDE3B",
    "C462C398-C6FA-4C04-AD5F-5F60B8F66CBD"
  ],
  "lastUpdateDate": null,
  "visible": "INVISIBLE"
}
```

Response

```
[
  {
    "personId": "ce9b815e-9708-4eb2-ba53-09411f3cde3b",
    "questionAnswers": [
      {
        "label": "favorite color",
        "answer": "blue",
        "isDatetime": false,
        "isMultiOption": true,
        "lastUpdateDate": {
          "zoneId": "UTC",
          "language": "en",
          "country": "US",
          "variant": "",
          "day": 31,
          "month": 3,
          "year": 2022,
          "hour": 8,
          "minutes": 4,
          "seconds": 35,
          "nanoOfSecond": 0
        },
        "visible": false,
        "formQuestionId": "669730856255",
        "formQuestionCreateDate": {
          "zoneId": "UTC",
          "language": "en",
          "country": "US",
          "variant": "",
          "day": 7,
          "month": 3,
          "year": 2022,
          "hour": 6,
          "minutes": 4,
          "seconds": 47,
          "nanoOfSecond": 0
        }
      }
    ]
  }
]
```

```

    }
  }
]
},
{
  "personId":"c462c398-c6fa-4c04-ad5f-5f60b8f66cbd",
  "questionAnswers":[
    {
      "label":"favorite color",
      "answer":"blue",
      "isDatetime":false,
      "isMultiOption":true,
      "lastUpdateDate":{
        "zoneId":"UTC",
        "language":"en",
        "country":"US",
        "variant":"",
        "day":7,
        "month":3,
        "year":2022,
        "hour":6,
        "minutes":8,
        "seconds":50,
        "nanoOfSecond":0
      },
      "visible":false,
      "formQuestionId":"669730856255",
      "formQuestionCreateDate":{
        "zoneId":"UTC",
        "language":"en",
        "country":"US",
        "variant":"",
        "day":7,
        "month":3,
        "year":2022,
        "hour":6,
        "minutes":4,
        "seconds":47,
        "nanoOfSecond":0
      }
    }
  ]
}
]

```

people/personDetailInfo/answerV2

Request

```
{
  "personIds": [
    "3B9541E6-0DA6-4C03-8DC5-FED8763CEAA9",
    "033C59D4-5708-4D84-BB55-A88E8099CFDA"
  ],
  "lastUpdateDate": {
    "zoneId": "UTC",
    "day": 3,
    "month": 11,
    "year": 2020,
    "hour": 6,
    "minutes": 15,
    "seconds": 0
  }
}
```

Response

```
[
  {
    "personId": "3b9541e6-0da6-4c03-8dc5-fed8763ceaa9",
    "questionAnswers": [
      {
        "label": "session2 - multi choice - choose many",
        "answer": "s2 - choice 1,s2 - choice 2,s2 - choice 3",
        "isDatetime": false,
        "isMultiOption": true,
        "lastUpdateDate": {
          "zoneId": "UTC",
          "language": "en",
          "country": "US",
          "variant": "",
          "day": 3,
          "month": 11,
          "year": 2020,
          "hour": 3,
          "minutes": 0,
          "seconds": 1,
          "nanoOfSecond": 0
        }
      },
      {
        "label": "session2 - long answer",
        "answer": "answer long question in initial
registration. --- edited.",
        "isDatetime": false,
        "isMultiOption": false,
        "lastUpdateDate": {
```

```

        "zoneId": "UTC",
        "language": "en",
        "country": "US",
        "variant": "",
        "day": 3,
        "month": 11,
        "year": 2020,
        "hour": 3,
        "minutes": 0,
        "seconds": 1,
        "nanoOfSecond": 0
    }
}
]
},
{
    "personId": "033c59d4-5708-4d84-bb55-a88e8099cfda",
    "questionAnswers": [
        {
            "label": "session1 - Participant question 1",
            "answer": "choice 2",
            "isDatetime": false,
            "isMultiOption": true,
            "lastUpdateDate": {
                "zoneId": "UTC",
                "language": "en",
                "country": "US",
                "variant": "",
                "day": 3,
                "month": 11,
                "year": 2020,
                "hour": 2,
                "minutes": 56,
                "seconds": 46,
                "nanoOfSecond": 0
            }
        }
    ]
}
]
]

```

people/personDetailInfo/answer

Request

```
{
  "personIds": ["2217c199-a3dd-4af1-88f8-0870e587c649", "00b452f4-8e37-414e-8d8e-51eeb0221e6b"]
}
```

Response

```
[
  {
    "personId": "00b452f4-8e37-414e-8d8e-51eeb0221e6b",
    "questionAnswers": [
      {
        "label": "dropdown",
        "answer": "choice 1",
        "isDatetime": false
      },
      {
        "label": "choose many",
        "answer": "choice 1",
        "isDatetime": false
      },
      {
        "label": "long answer",
        "answer": "long answer",
        "isDatetime": false
      },
      {
        "label": "date",
        "answer": "12:00 AM 08/08/2014",
        "isDatetime": true
      },
      {
        "label": "internal question",
        "answer": "internal question",
        "isDatetime": false
      },
      {
        "label": "choose one",
        "answer": "choice2",
        "isDatetime": false
      },
      {
        "label": "Test",
        "answer": "TESTFNDCAMP-20644",
        "isDatetime": false
      },
      {

```

```

        "label": "MultipleTestMany",
        "answer": "option1,option2",
        "isDatetime": false
    },
    {
        "label": "Test test?",
        "answer": "ww",
        "isDatetime": false
    },
    {
        "label": "MultipleTestOne",
        "answer": "1",
        "isDatetime": false
    },
    {
        "label": "What is your favorite ice cream flavor",
        "answer": "Chocolate",
        "isDatetime": false
        "isMultiOption": false
    }
]
},
{
    "personId": "2217c199-a3dd-4af1-88f8-0870e587c649",
    "questionAnswers":
    [
        {
            "label": "Which animals do you like?",
            "answer": "cats,dogs",
            "isDatetime": false
            "isMultiOption": true
        },
        {
            "label": "long answer",
            "answer": "dddxxx",
            "isDatetime": false
            "isMultiOption": false
        },
        {
            "label": "short answer",
            "answer": "ddddxxxx1",
            "isDatetime": false
            "isMultiOption": false
        },
        {
            "label": "date",
            "answer": "12:00 AM 08/27/2014",
            "isDatetime": true
        }
    ]
}

```

```

    },
    {
      "label": "choose one",
      "answer": "chiocel",
      "isDatetime": false
      "isMultiOption": false
    },
    {
      "label": "internal question",
      "answer": "ddwadafafdsaffffffff",
      "isDatetime": false
      "isMultiOption": false
    },
    {
      "label": "Test",
      "answer": "Will102",
      "isDatetime": false
      "isMultiOption": false
    },
    {
      "label": "MultipleTestMany",
      "answer": "option1,option2,option3",
      "isDatetime": false
      "isMultiOption": false
    },
    {
      "label": "Test test?",
      "answer": "Will102",
      "isDatetime": false
      "isMultiOption": false
    },
    {
      "label": "MultipleTestOne",
      "answer": "1",
      "isDatetime": false
      "isMultiOption": true
    }
  ]
}
]

```

note/noteInfo

Request

```
{
  "personId": "0963ECDE-CEF7-4252-935D-AD42502F6A15",
  "includeFamilyNote": false
}
```

Response

```
[
  {
    "id": "609532",
    "isFamilyNote": false,
    "important": true,
    "personId": "1c9df52e-705a-49d8-b6c2-a3e2f8b333ed",
    "personFirstName": "Cindy",
    "personLastName": "Family",
    "familyGroupId": null,
    "familyName": null,
    "authorPersonId": "85419325-3d99-46c3-9fd0-805b1ad10dbe",
    "authorFirstName": "camps1",
    "authorLastName": "active",
    "modifiedPersonId": "85419325-3d99-46c3-9fd0-805b1ad10dbe",
    "modifiedPersonFirstName": "camps1",
    "modifiedPersonLastName": "active",
    "type": "General",
    "content": "cindy note",
    "typeId": null,
    "primaryParentId": null,
    "needFamilyName": false,
    "camperNoteTypeDto": {
      "id": "100",
      "agencyId": null,
      "name": "General",
      "noteCount": "5",
      "authorPersonId": null,
      "authorFirstName": null,
      "authorLastName": null,
      "modifiedPersonId": null,
      "modifiedPersonFirstName": null,
      "modifiedPersonLastName": null
    },
    "noteOrigin": null
  }
]
```

people/familyInfoV3

NOTE

This API supersedes the "camps-family-info-v2" API below, which will be removed in future.

Current and new applications should use this API instead of the "camps-family-info-v2" API.

Request

```
{
  "personIds": [
    "CE9B815E-9708-4EB2-BA53-09411F3CDE3B"
  ],
  "dateRange": {
    "startDate": {
      "day": 28,
      "month": 9,
      "year": 2021,
      "hour": 0,
      "minutes": 35,
      "seconds": 56
    },
    "endDate": {
      "day": 28,
      "month": 12,
      "year": 2021,
      "hour": 0,
      "minutes": 35,
      "seconds": 56
    }
  }
}
```

Response

```
[
  {
    "personId": "ce9b815e-9708-4eb2-ba53-09411f3cde3b",
    "familyId": null,
    "isChild": "NO",
    "isPrimaryParent": "No",
    "isSecondaryParent": "No",
    "lastModifiedDate": {
      "day": 28,
      "month": 10,
      "year": 2021,
      "hour": 0,
      "minutes": 35,
      "seconds": 56
    }
  }
]
```

]

people/familyInfoV2

NOTE

This API supersedes the "camps-family-info" API below, which will be removed in future.

Current and new applications should use this API instead of the "camps-family-info" API.

Request

```
{
  "personIds": ["b40b98f6-cf31-4d7b-bf7a-fba5eaf9a0e1", "227d14b0-dfe3-42fc-87ec-b5b4c42e9d89"]
}
```

Response

```
[
  {
    "personId": "227d14b0-dfe3-42fc-87ec-b5b4c42e9d89",
    "familyId": "15520902",
    "isPrimaryParent": "No",
    "isSecondaryParent": "No",
    "isChild": "Yes"
  },
  {
    "personId": "0577285a-9f52-4564-8f20-c232ba96ea23",
    "familyId": "15520902",
    "isPrimaryParent": "No",
    "isSecondaryParent": "No",
    "isChild": "Yes"
  },
  {
    "personId": "7a8c3cf4-31bf-425c-806a-d3caca943e90",
    "familyId": "15520902",
    "isPrimaryParent": "No",
    "isSecondaryParent": "No",
    "isChild": "Yes"
  },
  {
    "personId": "1c0a48cf-1d08-42b2-90b9-e1e4cb8c9d02",
    "familyId": "15520902",
    "isPrimaryParent": "Yes",
    "isSecondaryParent": "No",
    "isChild": "No"
  },
  {
    "personId": "2b88a310-132c-4890-aba9-f5057030d5c6",
    "familyId": "15520902",
    "isPrimaryParent": "No",
    "isSecondaryParent": "No",
    "isChild": "Yes"
  }
]
```

```
    },  
    {  
      "personId": "b40b98f6-cf31-4d7b-bf7a-fba5eaf9a0e1",  
      "familyId": null,  
      "isPrimaryParent": "NO",  
      "isSecondaryParent": "NO",  
      "isChild": "NO"  
    }  
  ]
```

people/familyInfo

NOTE

This API has been superseded by the above "camps-registration-info-v2" API and will be removed in future.

Current and new applications should use the above "camps-registration-info-v2" API instead of this API.

Request

```
{
  "personId": "2217c199-a3dd-4af1-88f8-0870e587c649"
}
```

Response

```
[
  {
    "id": "2217c199-a3dd-4af1-88f8-0870e587c649",
    "familyId": "13873301",
    "isPrimaryParent": "No",
    "isSecondaryParent": "Yes",
    "isChild": "No"
  },
  {
    "id": "00b452f4-8e37-414e-8d8e-51eeb0221e6b",
    "familyId": "13873301",
    "isPrimaryParent": "Yes",
    "isSecondaryParent": "No",
    "isChild": "No"
  },
  {
    "id": "4ec8b789-2f5c-4b90-9ca4-b57cba5a95c1",
    "familyId": "13873301",
    "isPrimaryParent": "No",
    "isSecondaryParent": "No",
    "isChild": "Yes"
  }
]
```

Group information

groupAssignment/groupAssignmentsV2

Request

```
{
  "seasonIds": "44470532"
}
```

Response

```
{
  "44470532": [
    {
      "id": "379932",
      "name": "Team",
      "sessions": [
        "81675132"
      ],
      "groupControl":
      { "displayCondition": "INACTIVE", "enableIndividualRegistration":
        null, "maximumNumberOfGroup": null, "groupRegistrationRestriction":
        null, "defaultGroupCapacity": null, "enableSetCreatorAsCaptain": null,
        "passwordStrategy": null }
    },
    {
      "id": "380232",
      "name": "Bunk",
      "sessions": [],
      "groupControl":
      { "displayCondition": "INACTIVE", "enableIndividualRegistration":
        null, "maximumNumberOfGroup": null, "groupRegistrationRestriction":
        null, "defaultGroupCapacity": null, "enableSetCreatorAsCaptain": null,
        "passwordStrategy": null }
    }
  ]
}
```

groupAssignment/groupAssignments

Request

```
{
  "seasonId": "625801"
}
```

Response

```
[
  {
    "id": "68302",
    "name": "Group",
    "sessions": [
      "2447702",
      "2447602",
      "2447501"
    ],
    "groupControl": {
      "displayCondition": "INACTIVE",
      "enableIndividualRegistration": null,
      "maximumNumberOfGroup": null,
      "groupRegistrationRestriction": null,
      "defaultGroupCapacity": null,
      "enableSetCreatorAsCaptain": null,
      "passwordStrategy": null
    }
  },
  {
    "id": "230001",
    "name": "Team",
    "sessions": [],
    "groupControl": {
      "displayCondition": "ONLINE",
      "enableIndividualRegistration": true,
      "maximumNumberOfGroup": 3,
      "groupRegistrationRestriction": "CREATE_OR_JOIN_GROUP",
      "defaultGroupCapacity": 11,
      "enableSetCreatorAsCaptain": true,
      "passwordStrategy": "OPTIONAL"
    }
  }
]
```

groupAssignment/groupsV2

Request

```
{  
  "groupAssignmentIds": [379932, 380032, 380131, 380232]  
}
```

Response

```
{  
  "380032": [  
  
    { "id": "67331", "name": "kevin-test-groupassignment-class",  
      "genderRestriction": "MALE", "capacity": 50, "captain": null,  
      "password": null }  
  ],  
  "379932": [  
  
    { "id": "67232", "name": "kevin-test-team", "genderRestriction": null,  
      "capacity": null, "captain": null, "password": null }  
  ]  
}
```

groupAssignment/groups

Request

```
{
  "groupAssignmentId": "68302"
}
```

Response

```
[
  {
    "id": "128801",
    "name": "group1",
    "genderRestriction": null,
    "capacity": 5,
    "captain": null,
    "password": null
  },
  {
    "id": "128802",
    "name": "gourp2",
    "genderRestriction": null,
    "capacity": 2,
    "captain": null,
    "password": null
  }
]
```

groupAssignment/participantsV2

Request

```
{
  "groupIds": [67331,67232]
}
```

Response

```
{
  "67232": [
    { "registrationId": "19499232", "personId": "0963ecde-cef7-4252-935d-ad42502f6a15" }
    ,
    { "registrationId": "19499931", "personId": "ce9b815e-9708-4eb2-ba53-09411f3cde3b" }
    ,
    { "registrationId": "19508031", "personId": "4ce70511-ad17-4d6b-adbc-796e90fb5be0" }
    ,
    { "registrationId": "19521932", "personId": "4ea3c9d9-8d2a-4984-bd3e-66277b25f519" }
    ,
    { "registrationId": "19522231", "personId": "0d745237-94a1-4451-8371-655749a07a6e" }
  ],
  "67331": [
    { "registrationId": "19499232", "personId": "0963ecde-cef7-4252-935d-ad42502f6a15" }
    ,
    { "registrationId": "19521932", "personId": "4ea3c9d9-8d2a-4984-bd3e-66277b25f519" }
  ]
}
```

groupAssignment/participants

Request

```
{
  "groupId": "128802"
}
```

Response

```
[
  {
    "registrationId": "8466702",
    "personId": "97d6f88f-8593-4cdf-9693-4184209cd085"
  },
  {
    "registrationId": "8466801",
    "personId": "a69cfbfd-ac4c-44f4-a865-52a4286cf042"
  }
]
```

Merchandise

merchandise/merchandiseDetailInfoV2

Request

```
{
  "merchandiseIds": [
    216632
  ],
  "dateRange": {
    "startDate": {
      "zoneId": "UTC",
      "day": 28,
      "month": 10,
      "year": 2021,
      "hour": 0,
      "minutes": 35,
      "seconds": 56
    },
    "endDate": {
      "zoneId": "UTC",
      "day": 28,
      "month": 12,
      "year": 2021,
      "hour": 0,
      "minutes": 35,
      "seconds": 56
    }
  }
}
```

Response

```
[
  {
    "id": "216632",
    "name": "Kevin-test-merchandise",
    "price": 15,
    "description": "",
    "quantity": 100,
    "availableFrom": null,
    "availableTo": null,
    "visibility": "ONLINE",
    "supplierInfo": "made in US",
    "sku": "111",
    "glCodeId": "27632",
    "inactive": false,
    "numberSold": 2,
    "remaining": 98,
    "dollarAmountSold": 30,
  }
]
```

```
    "lastModifiedDateTime":{
      "zoneId":"UTC",
      "language":"en",
      "country":"US",
      "variant":"",
      "day":23,
      "month":11,
      "year":2021,
      "hour":6,
      "minutes":26,
      "seconds":33,
      "nanoOfSecond":117000000
    }
  ]
```

merchandise/merchandiseDetailInfo

Request

```
{
  "merchandiseIds": [147302, 147401, 147402]
}
```

Response

```
[
  {
    "id": "147302",
    "name": "MerchandiseA",
    "price": 10,
    "description": "",
    "quantity": 999999999,
    "availableFrom": null,
    "availableTo": null,
    "visibility": "ONLINE",
    "supplierInfo": "",
    "sku": "",
    "glCodeId": null,
    "inactive": false,
    "numberSold": 5,
    "remaining": 999999999,
    "dollarAmountSold": 50
  },
  {
    "id": "147401",
    "name": "MerchandiseB",
    "price": 20,
    "description": "",
    "quantity": 999999999,
    "availableFrom": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",
      "variant": "",
      "day": 11,
      "month": 5,
      "year": 2017,
      "hour": 8,
      "minutes": 32,
      "seconds": 37,
      "nanoOfSecond": 0
    },
    "availableTo": {
      "zoneId": "UTC",
      "language": "en",
      "country": "US",

```

```

        "variant": "",
        "day": 11,
        "month": 8
        "year": 2017,
        "hour": 8,
        "minutes": 32,
        "seconds": 37,
        "nanoOfSecond": 0
    },
    "visibility": "ONLINE",
    "supplierInfo": "",
    "sku": "",
    "glCodeId": null,
    "inactive": false,
    "numberSold": 4,
    "remaining": 999999999,
    "dollarAmountSold": 80
},
{
    "id": "147402",
    "name": "MerchandiseC",
    "price": 30,
    "description": "",
    "quantity": 999999999,
    "availableFrom": null,
    "availableTo": null,
    "visibility": "ONLINE",
    "supplierInfo": "",
    "sku": "",
    "glCodeId": null,
    "inactive": false,
    "numberSold": 2,
    "remaining": 999999999,
    "dollarAmountSold": 60
}
]

```

merchandise/merchandisePurchaseInfoV2

Request

```
{
  "startDate":{"day":1,"month":1,"year":2016,"hour":0,"minutes":0,"seconds":0},
  "endDate":{"day":4,"month":1,"year":2017,"hour":23,"minutes":59,"seconds":59},
  "merchandiseIds":[148302,148201],
  "participantIds":["a6df16e2-a6f0-474d-bbb7-179aa4e4a8e6","aaf64668-7e2d-4ef9-8585-250127ede788"],
  "registrationIds":[18499602,18498901]
}
```

Response

```
[
  {
    "merchandiseItemId": "148302",
    "quantity": 2,
    "purchaseDate":
    {
      "zoneId": "UTC",
      "language": "en"
      "country": "US",
      "variant": "",
      "day": 3,
      "month": 1,
      "year": 2017,
      "hour": 8,
      "minutes": 27,
      "seconds": 35,
      "nanoOfSecond": 0
    },
    "participantId": "aaf64668-7e2d-4ef9-8585-250127ede788",
    "registrationId": "18499602",
    "purchasePrice": 20,
    "fulfilled": false,
    "glCodeId": "27632",
    "cancelled": true
  },
  {
    "merchandiseItemId": "148201",
    "quantity": 1,
    "purchaseDate":
    {
      "zoneId": "UTC",
      "language": "en"
      "country": "US",
      "variant": "",

```

```
        "day": 3,  
        "month": 1,  
        "year": 2017,  
        "hour": 8,  
        "minutes": 37,  
        "seconds": 15,  
        "nanoOfSecond": 0  
    },  
    "participantId": "a6df16e2-a6f0-474d-bbb7-179aa4e4a8e6",  
    "registrationId": "18498901",  
    "purchasePrice": 20,  
    "fulfilled": false,  
    "glCodeId": "27632",  
    "cancelled": true  
} ]
```

merchandise/merchandisePurchaseInfo

Request

```
{
  "startDate":{"day":1,"month":1,"year":2016,"hour":0,"minutes":0,"seconds":0},
  "endDate":{"day":4,"month":1,"year":2017,"hour":23,"minutes":59,"seconds":59},
  "merchandiseIds":[148302,148201],
  "participantIds":["a6df16e2-a6f0-474d-bbb7-179aa4e4a8e6","3e0953dc-3901-4fb2-8f77-23bc6ca1eb2f"],
  "registrationIds":[18498901,18502501]
}
```

Response

```
[
  {
    "merchandiseItemId": "148201",
    "quantity": 1,
    "purchaseDate":
      {
        "zoneId": "UTC",
        "language": "en"
        "country": "US",
        "variant": "",
        "day": 3,
        "month": 1,
        "year": 2017,
        "hour": 8,
        "minutes": 37,
        "seconds": 15,
        "nanoOfSecond": 0
      },
    "participantId": "a6df16e2-a6f0-474d-bbb7-179aa4e4a8e6",
    "registrationId": "18498901",
    "purchasePrice": 20,
    "fulfilled": false,
    "cancelled": true
  },
  {
    "merchandiseItemId": "148201",
    "quantity": 1,
    "purchaseDate":
      {
        "zoneId": "UTC",
        "language": "en"
        "country": "US",
        "variant": "",
        "day": 3,
        "month": 1,
```

```
        "year": 2017,  
        "hour": 9,  
        "minutes": 15,  
        "seconds": 37,  
        "nanoOfSecond": 0  
    },  
    "participantId": "3e0953dc-3901-4fb2-8f77-23bc6ca1eb2f",  
    "registrationId": "18502501",  
    "purchasePrice": 22,  
    "fulfilled": false,  
    "cancelled": false  
},  
]
```

Custom Financial Report information

`report/financial/generate`

Request

```
{  
  "savedReportId": 29832  
}
```

Response

```
{  
  "savedReportId": 29832,  
  "reportRequestId": 3561802  
}
```

report/financial/reportStatus

Request

```
{  
  "reportRequestId": 3561802  
}
```

Response

```
{  
  "reportRequestId": 3561802,  
  "requestStatus": "", #PROCESSING/FAILED/EXPIRE/SUCCEED  
  "pagination": {  
    "maxRowsPerPage": 2000,  
    "pageNumber": 4,  
    "totalRows": 6001  
  },  
  "message": ""  
}
```

report/financial/fetchReportByPage

Request

```
{
  "reportRequestId": 3561802,
  "pageIndex": 4 }
}
```

Response

```
{
  "reportData": [

    { "transaction_type": "SALE", "order_number": "C-76X5QTZ9KTM",
      "session_name": "Test Auto Waitlist", "season_name": "Season35429",
      "date": "03/04/2022", "time": "23:41:49 ", "amount": "10.00",
      "check_number": "", "location_name": "Location name is very
      longLocation name is veryend", "city": "test", "state": "AS",
      "country": "US", "item_name": "Price 10", "Item GL code name":
      "Unassigned", "Item GL code": "", "first_name": "jason", "last_name":
      "chen", "Participant ID": "ccl1cle18-97f0-400f-aaa8-fa3d948813e4",
      "Family ID": "", "Registration ID": "2030807131", "parent_first_name":
      "", "parent_last_name": "", "payment_balance": "0.00",
      "billing_first_name": "", "billing_last_name": "", "billing_address":
      "", "billing_city": "", "billing_state": "", "billing_country": "",
      "billing_zip_code": "", "session_start_date": "", "session_end_date":
      "", "Session GL code name": "", "Session GL code": "", "session_type":
      "", "entered_by": "jason chen", "payment_id": "", "item_type": "",
      "unique_id": "", "payment_method": "" }

    ],
  "paginationInfo":

  { "reportRequestId": 3561802, "pageSize": 1, "pageNumber": 4,
    "currentIndex": 4 }

}
```