

**ACTIVE Network: Integrating with
ACTIVE Works Endurance Service
(version 12, Endurance 3.49)**

Contents

ACTIVE Network™	3
Revision History	4
Integrating with ACTIVE Works Endurance Service	5
Event methods	5
Participant methods	5
Ledger methods	6
Merchandise methods	7
Integration checklist	8
ExternalEnduranceReportServiceSOAPEndPoint interface: Methods and Classes	9
getAgencyRevenueLedgerReportPaginated method	9
runAgencyRevenueLedgerReportPaginated method	12
getCustomRegistrationReport method	12
runCustomRegistrationReport method	16
getEventDetails method	17
getEventParticipants method	18
getEvents method	21
getLedgerStatusByOrderNumbers method	22
getProspectiveRegistrationReport method	23
runProspectiveRegistrationReport method	24
getRemittanceCyclesByCheckNumbers method	25
getVolunteerRegistrationReport method	26
runVolunteerRegistrationReport method	28
get3rdPartyMerchandiseRevenueLedgerReport method	29
get3rdPartyMerchandiseReport method	31
get3rdPartyMerchandiseFailedPaymentReport method	32
Example calls and responses	35
getAgencyRevenueLedgerReportPaginated example	35
runAgencyRevenueLedgerReportPaginated example	36
getCustomRegistrationReport example	37
runCustomRegistrationReport example	75
getEventDetails example	75
getEventParticipants example	77
getEvents example	86
getLedgerStatusByOrderNumbers example	87
getProspectiveRegistrationReport example	88
runProspectiveRegistrationReport example	90
getRemittanceCyclesByCheckNumbers example	90
getVolunteerRegistrationReport example	91
runVolunteerRegistrationReport example	98
get3rdPartyMerchandiseRevenueLedgerReport example	99
get3rdPartyMerchandiseReport example	100
get3rdPartyMerchandiseFailedPaymentReport example	102
ExternalEnduranceReportServiceSOAPEndPoint exceptions	104
RESTful Web APIs	105
getEvents	105
getEventParticipants	107
getMerchandise	115

ACTIVE Network™

© 2020 ACTIVE Network, LLC, and/or its affiliates and licensors. All rights reserved. Trademarks and logos are the intellectual property of ACTIVE Network, LLC.

The content of this document is for information purposes only and is subject to change without notice. ACTIVE Network, LLC assumes no liability or responsibility for any error that may appear within this document. The material herein should not be construed as a commitment or warranty.

All other copyrights, trademarks, and tradenames are the property of their respective owners.

The Digital Millennium Copyright Act of 1998 provides recourse for copyright owners who believe that material appearing on the Internet infringes their rights under U.S. copyright law. For more information on this subject, see [Copyright policy](#).

ACTIVE Network, LLC
717 North Harwood Street
Suite 2500
Dallas, TX 75201

858.964.3800

About ACTIVE Network, LLC

ACTIVE Network, LLC is a technology and media company that helps millions of people find and register for things to do and helps organizations increase participation in their activities and events.

For more information about ACTIVE Network™ products and services, please visit [ACTIVEnetwork.com](https://activenetwork.com).

Revision History

The following table shows recent revisions to *ACTIVE Network: Integrating with ACTIVE Works Endurance Service*.

Version	Date	Description
12	Apr 7, 2020	Endurance 3.49 - added getAgencyRevenueLedgerReportPaginatedResponse > ledgerDescription
11	Nov 27, 2019	Endurance 3.43 - added getCustomRegistrationReport > registrationStatus > TRANSFERRED
10	Nov 28, 2018	Endurance 3.10 - corrected missing registrationId in RESTful Web API > getEventParticipants
9	Dec 7, 2017	Endurance 3.10
8	Aug 2, 2017	Endurance 3.04
7	June 28, 2016	Endurance 2.86
6	June 14, 2016	Endurance 2.85
5	March 1, 2016	Endurance 2.80
4	June 2, 2015	Endurance 2.68
3	December 3, 2014	Endurance 2.58
2	October 24, 2014	Endurance 2.55
1	September 12, 2014	Endurance 2.55

Integrating with ACTIVE Works Endurance Service

Endurance Service gives 's Endurance customers access to registrant and financial data for use in third-party systems such as financial applications and CRM applications.

Most methods require one of the following parameters to run:

- agency ID
- root event number
- root event ID

The agency ID is available from your account manager.

The root event number and root event ID are available through the `getEvents` method.

The methods can be grouped into four types: methods that deal with events, participants, ledger, and merchandise information.

Event methods

getEvents method

The `getEvents` method returns all the events that the calling entity has access to. Use this method to get root event numbers and root event IDs.

See [getEvents method](#) on page 21.

getEventDetails method

The `getEventDetails` method returns the details of an event such as the date, location, and URL by its root event number.

See [getEventDetails method](#) on page 17.

Participant methods

getEventParticipants method

The `getEventParticipants` method returns participant data such as name, date of birth, and email address for a specific event.

See [getEventParticipants method](#) on page 18.

getCustomRegistrationReport method

The "Custom Registration Report" contains information about participants and registrations. It also includes some financial information; however, you should obtain most of your financial information from the ledger methods.

The report includes registrations of participants whose payment has failed for some reason, for example, because their eCheck was returned for insufficient funds.

You obtain the "Custom Registration Report" by first calling the `runCustomRegistrationReport` method and then the `getCustomRegistrationReport` method.

See [getCustomRegistrationReport method](#) on page 12.

getProspectiveRegistrationReport method

The "Prospective Registration Report" contains the email addresses of prospective registrants. Prospective registrants are consumers who visited an event site but didn't actually register. Use this report to convert previous site visitors into paying customers through marketing strategies.

You obtain the "Prospective Registration Report" by first calling the `runProspectiveRegistrationReport` method and then the `getProspectiveRegistrationReport` method.

See [getProspectiveRegistrationReport method](#) on page 23.

getVolunteerRegistrationReport method

The "Volunteer Registration Report" contains information about volunteers and registrations. It also includes some financial information; however, you should obtain most of your financial information from the ledger methods.

The report includes registrations of participants whose payment has failed for some reason, for example, because their eCheck was returned for insufficient funds.

You obtain the "Volunteer Registration Report" by first calling the `runVolunteerRegistrationReport` method and then the `getCustomRegistrationReport` method.

See [getCustomRegistrationReport method](#) on page 12.

Ledger methods

getAgencyRevenueLedgerReportPaginated method

The Agency Revenue Ledger Report includes order records. An order might have one or many order records, i.e., one or many order items such as the registration, a contribution, and an add-on.

See [getAgencyRevenueLedgerReportPaginated method](#) on page 9.

getLedgerStatusByOrderNumbers method

The `getLedgerStatusByOrderNumbers` method returns the payment status of orders by their order number.

See [getLedgerStatusByOrderNumbers method](#) on page 22.

Merchandise methods

get3rdPartyMerchandiseRevenueLedgerReport method

The 3rd Party Merchandise Revenue Ledger Report returns a list of payments from Active and transactions by participants for your organization.

See [get3rdPartyMerchandiseRevenueLedgerReport method](#) on page 29

get3rdPartyMerchandiseReport method

The 3rd Party Merchandise Report returns a list of payments from Active and transactions received from your merchandise.

See [get3rdPartyMerchandiseReport method](#) on page 31.

get3rdPartyMerchandiseFailedPaymentReport method

The 3rd Party Merchandise Failed Payment Report returns a list of failed payment records.

See [get3rdPartyMerchandiseFailedPaymentReport method](#) on page 32.

Integration checklist

Use the following checklist to identify the tasks required for a successful integration with Endurance Service.

If you require assistance at any point along the way, contact the Technical Account Team.

Item	Integration task
1	Find out what your agency ID is. Contact your account manager
2	Obtain an app token. Contact your account manager
3	Develop a web-service client for making calls and receiving responses
4	Test web-service client for making calls and receiving responses

ExternalEnduranceReportServiceSOAPEndPoint interface: Methods and Classes

The **ExternalEnduranceReportServiceSOAPEndPoint** interface is in the **com.active.services.endurancereport.api.v1.soap** package.

The WSDL is available here: <https://awapi.active.com/external-endurance-report-service?wsdl>.

getAgencyRevenueLedgerReportPaginated method

The `getAgencyRevenueLedgerReportPaginated` method returns the "Agency Revenue Ledger Report" in paginated form for a given request ID.

To obtain a request ID, request `runAgencyRevenueLedgerReportPaginated`. This method invokes the report to run. See [runAgencyRevenueLedgerReportPaginated method](#) on page 12. The report may take some time to run, recommends to poll the request until the result returned is no longer null.



Note: The report expires one hour after it is generated. You cannot retrieve the report after it has expired.

The report has 5,000 records per page.

The `getAgencyRevenueLedgerReportPaginated` method returns a `getAgencyRevenueLedgerReportPaginatedResponse` object.

See also [getAgencyRevenueLedgerReportPaginated example](#) on page 35.

The following table describes the parameters and sub-parameters used for calling the `getAgencyRevenueLedgerReportPaginated` method.

Table 1: getAgencyRevenueLedgerReportPaginated call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a <code>context</code> object
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
requestId	long	x	Request ID

getAgencyRevenueLedgerReportPaginatedResponse class

The following table describes the parameters and sub-parameters of the `getAgencyRevenueLedgerReportPaginatedResponse` class.

Table 2: getAgencyRevenueLedgerReportPaginatedResponse class

Parameter — Sub-parameter	Type	Req.	Description
page	—		One page of records for the report List of ExternalAgencyRevenueLedgerReportRecord objects
— accountName	string		Name on the remittance account
— comment	string		Comments about the order
— currencyCode	string		Currency code used in the transaction
— description	string max		Description of the event
— ledgerDescription	string		Description of the ledger entry
— eventName	string 300		Root event name
— eventNumber	string		Root event number
— glCode	string		General ledger code for the transaction
— orderAmount	string		Order amount of the transaction
— orderDateTime	date time		Date and time that the order took place
— orderNumber	string		Order number of the transaction
— originalOrderNumber	string		Original order number
— participant CheckNumber	string		Number on the check that was used to pay for the registration
— participantFullName	string		Full name of the participant in the format first name last name; for example, John Smith
— paymentStatus	string		Payment status for the registration Options are: • FAILED • PAID • PENDING
— paymentType	string		Payment type of the transaction Options are: • CASH • CHECK • CREDIT_CARD • ECHECK
— priceType	string		Lowest level event category/division that the registrant entered, for example, Individual - Open Male
— productId	string		ID of the product (for example, registration or add-on) that was purchased

Parameter — Sub-parameter	Type	Req.	Description
— productName	string		Name of the product that was purchased
— productType	string		Type of product that was purchased Options are: • AA_MEMBERSHIP • ADDON • CHARGE • DONATION • MEMBERSHIP • MERCHANDISE • REGISTRATION
— quantity	string		Quantity that was purchased
— registrationCategory	string		Registration category that the participant is registered in
— registrationNumber	string		Number assigned to the registration
— registrationType	string		Type of registration Options are: • ADMIN: Order is submitted through admin interface • PUBLIC: Order is submitted through public portal
— remittanceAmount	string		Amount that ACTIVE remitted to the agency for this registration
— remittanceCheckNumber	string		Status of remittance Options are: • PENDING: Remittance processing hasn't yet begun for this payment cycle • PROCESSING: Payment cycle has come to an end but remittance has not yet been generated • Check number: Remittance has been processed and the check number is shown Number of the check from that included the remittance for this registration
— transactionType	string		Type of transaction Options are: • AA_DISCOUNT • CANCELLATION • DISCOUNT • DISCOUNT_CANCELLATION • PROCESSING_FEES • PURCHASE • REFUND

Parameter — Sub-parameter	Type	Req.	Description
— unitPrice	string		Unit price of the product that was purchased

runAgencyRevenueLedgerReportPaginated method

The `runAgencyRevenueLedgerReportPaginated` method returns a request ID of type long for use with the `getAgencyRevenueLedgerReportPaginated` method.

See also [runAgencyRevenueLedgerReportPaginated example](#) on page 36.

The following table describes the parameters and sub-parameters used for calling the `runAgencyRevenueLedgerReportPaginated` method.

Table 3: runAgencyRevenueLedgerReportPaginated call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a <code>Context</code> object
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
request	—	x	Contains a <code>RunExternalAgencyRevenueLedgerReportPaginatedRequest</code> object
— agencyId	long	x	Agency ID
— endDateTime	date time		End date and time in UTC for the report
— startDateTime	date time		Start date and time in UTC for the report

getCustomRegistrationReport method

The `getCustomRegistrationReport` method returns the "Custom Registration Report" in paginated form for a given request ID.

To obtain a request ID, request `runCustomRegistrationReport`. This method invokes the report to run. See [runCustomRegistrationReport method](#) on page 16. The report may take some time to run. It is recommended to poll the request until the result returned is no longer null.



Note: The report expires one hour after it is generated. You cannot retrieve the report after it has expired.

The `getCustomRegistrationReport` method returns a `GetCustomRegistrationReportResult` object.

See also [getCustomRegistrationReport example](#) on page 37.

The following table describes the parameters and sub-parameters used for calling the `getCustomRegistrationReport` method.

Table 4: getCustomRegistrationReport call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a context object
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
requestId	long	x	Request ID

GetCustomRegistrationReportResult class

The following table describes the parameters and sub-parameters of the `GetCustomRegistrationReportResult` class.

Table 5: GetCustomRegistrationReportResult class

Parameter — Sub-parameter	Type	Req.	Description
externalCustomRegistrationReportRecords	—		List of ExternalCustomRegistrationReportRecord objects
— addOnProducts	—		List of add-on products that the registrant purchased along with their event registration
— — addOnProduct Name	string		Name of the add-on product
— — quantityPurchased	integer		Quantity of the add-on product purchased
— addressLine1	string		Line 1 from the registrant's address
— addressLine2	string		Line 2 from the registrant's address
— age	integer		Current age of the registrant
— ageAtEndOfYear	integer		Age of the registrant at the end of the year
— bibNumber	string 255		Registrant's bib number
— city	string		City from the registrant's address
— country	string		Country from the registrant's address
— customQuestions	—		List of custom questions and answers from the event registration form Contains a list of ExternalCustomQuestion objects
— — answer	string		Registrant's answer
— — question	string		Registration form's custom question
— dateOfBirth	string		Registrant's date of birth
— dayPhone	string		Registrant's daytime phone number

Parameter — Sub-parameter	Type	Req.	Description
— discountCode	string		Code of the discount used on this registration
— discountName	string		Name of the discount used on this registration
— educationLevel	string 255		Education level
— email	string		Registrant's email address
— emergencyContact Name	string		Name of the registrant's emergency contact
— emergencyContact Phone	string		Phone number of the registrant's emergency contact
— eventNumber	string		Event number
— eventStartDate	string		Start date of the event
— gender	string		Registrant's gender Options are: • FEMALE • MALE
— householdIncome	string 255		Registrant's household income
— isFundraiser	string		Flag that indicates whether the registrant is raising funds for the event Options are: • NO • YES
— isTeamCaptain	string		Flag that indicates whether the registrant is the team captain Options are: • NO • YES
— locale	string	x	Locale Options are: • da_DK: Danish, Denmark • de_AT: German, Austria • de_CH: German, Switzerland • de_DE: German, Germany • en_AU: English, Australia • en_CA: English, Canada • en_GB: English, Great Britain • en_IE: English, Ireland • en_NZ: English, New Zealand • en_US: English, United States • en_ZA: English, South Africa • es_ES: Spanish, Spain • fr_CA: French, Canada

Parameter — Sub-parameter	Type	Req.	Description
			• fr_CH: French, Switzerland • fr_FR: French, France • it_CH: Italian, Switzerland • it_IT: Italian, Italy • pt_BR: Portuguese, Brazil • sv_SE: Swedish, Sweden • zh_HK: Chinese, Hong Kong • zh_SG: Chinese, Singapore
— paymentStatus	string		Payment status for this registration Options are: • FAILED • PAID • PENDING
— postalCode	string		Postal code from the registrant's address
— priceType	string		Lowest level event category/division that the registrant entered, for example, Individual - Open Male
— referredBy	string		Registrant's response to question, "How did you hear about this event?"
— registrantFirstName	string		Registrant's given name
— registrantLastName	string		Registrant's surname
— registrantName	string		Full name of the registrant in the format first name last name; for example, John Smith
— registration CancellationDate	date time		Date and time in UTC that the registration was canceled
— registrationCategory	string		Category of the event that the registrant has entered, for example 5K
— registrationDate	date time		Date and time in UTC that the registrant registered for the event
— registrationDiscount	double		Code of the discount used on this registration
— registration GrossRevenue	double		Gross amount charged for the registration
— registrationId	string		Unique ID of the registration record
— registrationInterface	string		Method used to capture this registration Options are: • ADMIN: Order is submitted through admin interface • PUBLIC: Order is submitted through public portal
— registration ModifiedDate	date time		Date and time in UTC that the registrant modified their registration information
— registrationNumber	string		Number assigned to this particular registration

Parameter — Sub-parameter	Type	Req.	Description
— registrationStatus	string		Status of this registration Options are: • CONFIRMED • CANCELLED • TRANSFERRED • PENDING_LOTTERY • PENDING_PAYMENT • NOT_SELECTED
— stateProvince	string		State or province from the registrant's address
— teamCaptainName	string		Name of the captain of the team that this registrant belongs to
— teamCreationDate	date time		Date and time in UTC that the team was created
— teamName	string		Name of the team
— teamRole	string		Role of this registrant on the team
— waiverStatus	string		Flag that indicates whether this registrant has signed the waiver Options are: • SIGNED • UNSIGNED
— uniquePersonId	string		Unique ID of the person. Persons in different agencies with the same uniquePersonId are all the same person.
recordCount	int		Number of records returned in this report

runCustomRegistrationReport method

The `runCustomRegistrationReport` method returns a request ID of type long for use with the `getCustomRegistrationReport` method.

See also [runCustomRegistrationReport example](#) on page 75.

The following table describes the parameters and sub-parameters used for calling the `runCustomRegistrationReport` method.

Table 6: runCustomRegistrationReport call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a <code>context</code> object
— appToken	string	x	
request	—	x	Contains a <code>RunCustomRegistrationReportRequest</code> object

Parameter — Sub-parameter	Type	Req.	Description
— endDateTime	date time		End date and time in UTC for the report
— filteredByLast ModifiedDateTime	Boolean		Flag that indicates whether to filter the result set by last modified date rather than created date
— rootEventNumber	string	x	Event number for the root (parent) event to retrieve registrant data for
— startDateTime	date time		Start date and time in UTC for the report

getEventDetails method

The `getEventDetails` method returns the details of an event by its root event number.

The `getEventDetails` method returns a `GetEventDetailsResult` object.

See also [getEventDetails example](#) on page 75.

The following table describes the parameters and sub-parameters used for calling the `getEventDetails` method.

Table 7: getEventDetails call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a <code>context</code> object
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
request	—	x	Contains a <code>GetEventDetailsRequest</code> object
— rootEventNumber	string	x	Root event number

GetEventDetailsResult class

Table 8: GetEventDetailsResult class

Parameter — Sub-parameter	Type	Req.	Description
categoryNames	string		List of the names of the event's categories
eventDate	local date		Date of event
eventLocation	—		Contains an <code>ExternalEventLocation</code> object
— addressLine1	string		Line 1 from the location's address
— addressLine2	string		Line 2 from the location's address

Parameter — Sub-parameter	Type	Req.	Description
— city	string		City from the location's address
— country	string		Country from the location's address
— locationName	string		Name of the location
— postalCode	string		Postal code from the location's address
— stateProvince	string		State or province from the location's address
priceTypeNames	string		List of the names of the event's price types
registrationQuestions	string		List of the questions from the registration form
registrationUrl	string		URL of the event's registration page

getEventParticipants method

The `getEventParticipants` method returns the participant data for a specific event.

The `getEventParticipants` method returns a `GetEventParticipantsResult` object.

See also [getEventParticipants example](#) on page 77.

The following table describes the parameters and sub-parameters used for calling the `getEventParticipants` method.

Table 9: getEventParticipants call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a <code>context</code> object
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
request	—	x	Contains a <code>GetEventParticipantsRequest</code> object
— endDateTime	date time	o	Date and time before which to include participants, that is, the method returns only participants that have been modified up to this date and time For example, to return all records up to July 31, 2014, enter 07-31-2014 23:59:59:997
— lastResult	integer	*	For pagination, last result from the last page of data *Optional for the first page of data. Required for additional pages: Set to the last record number that was returned on the previous page
— rootEventNumber	string	x	Root event number

Parameter — Sub-parameter	Type	Req.	Description
— startDateTime	date time		Date and time after which to include participants, that is, the method returns only participants that have been modified after this date and time

GetEventParticipantsResult class

Paginated results of the `getEventParticipants` method.

This information represents one page of a larger event participant list.

The following table describes the parameters and sub-parameters of the `GetEventParticipantsResult` method.

Table 10: GetEventParticipantsResult class

Parameter — Sub-parameter	Type	Req.	Description
pageCount	integer		Number of participants on the page
paginatedEndingResult	integer		Number of the last participant in this list in relation to the overall number of event participants returned by the method call Compare to <code>totalResultCount</code> to determine if there are more pages to get
paginatedParticipantPage	—		List of <code>ExternalEventParticipant</code> objects. List represents, in most cases, one page of the overall super set of participants
— age	integer		Age of the participant
— ageAtEndOf RaceYear	integer		Age of the participant at the end of the calendar year that the race is being held in
— bibNumber	string		Participant's bib number
— dateOfBirth	local date		Participant's date of birth
— email	string		Participant's email address
— estimatedFinishTime	string 25		Participant's estimated finish time
— firstName	string		Participant's given name
— gender	string		Participant's gender
— lastName	string		Participant's surname
— membershipStatus			Status of the participant's membership If it is a normal membership, then the option is: • Membership number If it is a USAT membership, then options are: • 1-day adult USAT • Annual adult USAT

Parameter — Sub-parameter	Type	Req.	Description
			• 1-day youth USAT • Annual youth USAT
— membershipSnapshot	string 255		Snapshot of the participant's membership information If it is a normal membership, then options are: • blank: No membership • EXPIRED • INVALID • UNVERIFIED • VALID Options are followed by the membership number, e.g., VALID - 12345 If it is a USAT membership, then options are: • 1-day adult USAT • Annual adult USAT • 1-day youth USAT • Annual youth USAT
— ngbWaiverSigned	Boolean	x	Flag that indicates whether the participant has signed the national governing body's waiver
— priceType	string		Price category that the participant belongs to
— registrationCategory	string		Registration category that the participant is entered in
— registrationLast ModifiedDate	date time		Date and time in UTC that the participant's registration information was last modified
— registrationNumber	string		Participant's registration number
— teamName	string		Name of the team that the participant belongs to for this event
— tshirtSize	string		Participant's T-shirt size
— uniquePersonId	string		Unique ID of the person. Persons in different agencies with the same uniquePersonId are all the same person.
— usatMembership	string		Flag that indicates whether the participant has acquired a USAT membership If it is a normal membership, then options are: • blank: No membership • EXPIRED • INVALID • UNVERIFIED • VALID If it is a USAT membership, then options are: • 1-day adult USAT

Parameter — Sub-parameter	Type	Req.	Description
			• Annual adult USAT • 1-day youth USAT • Annual youth USAT
— waiverSigned	Boolean	x	Flag that indicates whether the participant has signed the waiver for the event
paginatedStartingResult	integer		Number of the first participant in this list in relation to the overall number of event participants returned by the method call
totalResultCount	integer		Total result count  Note: Populated only for the first page of results

getEvents method

The `getEvents` method returns all the events that the calling entity has access to.

The `getEvents` method returns a `GetEventsResult` object.

See also [getEvents example](#) on page 86.

The following table describes the parameters and sub-parameters used for calling the `getEvents` method.

Table 11: getEvents call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a <code>context</code> object
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
request	—	x	Contains a <code>GetEventsRequest</code> object

GetEventsResult class

The following table describes the parameters and sub-parameters of the `GetEventsResult` class.

Table 12: GetEventsResult class

Parameter — Sub-parameter	Type	Req.	Description
accessibleEvents	—		List of <code>ExternalAccessibleEvent</code> objects

Parameter — Sub-parameter	Type	Req.	Description
— eventDate	local date		Root event's date
— eventName	string		Root event's name
— rootEventId	long		Root event's ID
— rootEventNumber	string		Root event's number
count	integer		Number of events returned

getLedgerStatusByOrderNumbers method

The `getLedgerStatusByOrderNumbers` method returns payment status of orders by the order number.

The `getLedgerStatusByOrderNumbers` method returns a `GetLedgerStatusByOrderNumbersResult` object.

See also [getLedgerStatusByOrderNumbers example](#) on page 87.

The following table describes the parameters and sub-parameters used for calling the `getLedgerStatusByOrderNumbers` method.

Table 13: getLedgerStatusByOrderNumbers call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a <code>Context</code> object
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
request	—	x	Contains a <code>GetLedgerStatusByOrderNumbersRequest</code> object
— agencyId	long	x	Agency ID
— orderNumbers	string	x	List of order numbers

GetLedgerStatusByOrderNumbersResult class

The following table describes the parameters and sub-parameters of the `GetLedgerStatusByOrderNumbersResult` class.

Table 14: GetLedgerStatusByOrderNumbersResult class

Parameter — Sub-parameter	Type	Req.	Description
ledgerStatuses	—		List of LedgerStatus objects
— checkNumber	string		Status of remittance Options are: • PENDING: Remittance processing hasn't yet begun for this payment cycle • PROCESSING: Payment cycle has come to an end but remittance has not yet been generated • Check number: Remittance has been processed and the check number is shown Number of the check from that included the remittance for this registration
— orderNumber	string		Order number
— paymentStatus	string		Payment status Options are: • APPROVED • PROCESSING

getProspectiveRegistrationReport method

The `getProspectiveRegistrationReport` method returns the email addresses of prospective registrants.

To obtain a request ID, request `runProspectiveRegistrationReport`. This method invokes the report to run. See [runProspectiveRegistrationReport method](#) on page 24. The report may take some time to run. recommends to poll the request until the result returned is no longer null.

The `getProspectiveRegistrationReport` method returns a `GetExternalProspectiveRegistrationReport` object.

See also [getProspectiveRegistrationReport example](#) on page 88.

The following table describes the parameters and sub-parameters used for calling the `getProspectiveRegistrationReport` method.

Table 15: getProspectiveRegistrationReport call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a context object

Parameter — Sub-parameter	Type	Req.	Description
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
requestId	long	x	Request ID

GetExternalProspectiveRegistrationReport class

The following table describes the parameters and sub-parameters of the `GetExternalProspectiveRegistrationReport` class.

Table 16: GetExternalProspectiveRegistrationReport class

Parameter — Sub-parameter	Type	Req.	Description
page	—		List of <code>ExternalProspectiveRegistrationReportRecord</code> objects
— emailAddress	string		Email address of the prospective registrant
— recordedDate	date time		Date that the prospective registrant visited the event site

runProspectiveRegistrationReport method

The `runProspectiveRegistrationReport` method returns a request ID of type long for use with the `getProspectiveRegistrationReport` method.

See also [runProspectiveRegistrationReport example](#) on page 90.

The following table describes the parameters and sub-parameters used for calling the `runProspectiveRegistrationReport` method.

Table 17: runProspectiveRegistrationReport call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a <code>Context</code> object
— appToken	string	x	
request	—	x	Contains a <code>RunExternalProspectiveRegistrationReportRequest</code> object
— agencyId	long	x	Agency ID
— endDateTime	date time		End date and time in UTC for the report
— rootEventId	long	x	Root event ID
— startDateTime	date time		Start date and time in UTC for the report

getRemittanceCyclesByCheckNumbers method

The `getRemittanceCyclesByCheckNumbersMethod` method returns remittance cycles by the check number.

The `getRemittanceCyclesByCheckNumbers` method returns a `getRemittanceCyclesByCheckNumbersResult` object.

See also [getRemittanceCyclesByCheckNumbers example](#) on page 90.

The following table describes the parameters and sub-parameters used for calling the `getRemittanceCyclesByCheckNumbers`.

Table 18: getRemittanceCyclesByCheckNumbers call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a context object
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
request	—	x	Contains a GetLedgerStatusByOrderNumbersRequest object
— agencyId	long	x	Agency ID
— checkNumbers	string	x	List of check numbers

getRemittanceCyclesByCheckNumbersResult class

The following table describes the parameters and sub-parameters of the `getRemittanceCyclesByCheckNumbersResult` class.

Table 19: getRemittanceCyclesByCheckNumbersResult class

Parameter — Sub-parameter	Type	Req.	Description
cycles	—		List of remittance cycles objects
— startDate	date time		Start date and time in UTC of the remittance cycle
— endDate	date time		End date and time in UTC of the remittance cycle
— checkNumber	string		Check number that included the remittance for this registration
— checkDate	date time		Date and time in UTC of the check

getVolunteerRegistrationReport method

The `getVolunteerRegistrationReport` method returns the "Volunteer Registration Report" for a given request ID.

To obtain a request ID, request `runVolunteerRegistrationReport`. This method invokes the report to run. See [runVolunteerRegistrationReport method](#) on page 28. The report may take some time to run. It is recommended to poll the request until the result returned is no longer null.



Note: The report expires one hour after it is generated. You cannot retrieve the report after it has expired.

The `getVolunteerRegistrationReport` method returns a `GetVolunteerRegistrationReportResult` object.

See also [getVolunteerRegistrationReport example](#) on page 91.

The following table describes the parameters and sub-parameters used for calling the `getVolunteerRegistrationReport` method.

Table 20: getVolunteerRegistrationReport call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a <code>Context</code> object
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
requestId	long	x	Request ID

GetVolunteerRegistrationReportResult class

The following table describes the parameters and sub-parameters of the `GetVolunteerRegistrationReportResult` class.

Table 21: GetVolunteerRegistrationReportResult class

Parameter — Sub-parameter	Type	Req.	Description
volunteerRegistrationReportRecords	—		List of <code>volunteerRegistrationReportRecords</code> objects
— addressLine1	string		Line 1 from the volunteer's address
— addressLine2	string		Line 2 from the volunteer's address
— assignmentId	integer		ID to identify a volunteer from a job
— city	string		City from the volunteer's address

Parameter — Sub-parameter	Type	Req.	Description
— country	string		Country from the volunteer's address
— customQuestions	—		List of custom questions and answers from the event registration form Contains a list of CustomQuestion objects Note: the Included t-shirt object is selected by default
— — answer	string		Volunteer's answer
— — question	string		Volunteer form's custom question
— dateOfBirth	string		Volunteer's date of birth
— email	string		Volunteer's email address
— eventId	integer		Volunteer event ID
— eventName	string		Name of the volunteer event
— eventStartDate	string		Start date of the event
— gender			Volunteer's gender Options are: • FEMALE • MALE
— groupName	string		Name of the job group
— isCaptain	string		Flag that indicates whether the volunteer is the volunteer captain Options are: • true • false
— jobName	string		Name of the volunteer job
— jobDescription	string		Descriptions of the volunteer job
— jobLocation	string		Location for the volunteer job
— jobStartDateTime	date time		Start date and time of the volunteer job
— jobEndDateTime	date time		End date and time of the volunteer job
— jobAdditionalInformation	string		Additional information of the volunteer job
— jobCaptain	string		Name of the job captain in the format "first name last name"; for example, John Smith
— phone	integer		Phone number of the volunteer
— registrationTime	string		Time in UTC that the volunteer registered for the volunteer event
— state	string		State from the volunteer's address

Parameter — Sub-parameter	Type	Req.	Description
— status	string		Status of this registration Options are: •Registered •Checked in •Job completed
— uniquePersonId	string		Unique ID of the person. Persons in different agencies with the same uniquePersonId are all the same person.
— volunteerFirstName	string		Volunteer's given name
— volunteerLastName	string		Volunteer's surname
— volunteerName	string		Full name of the volunteer in the format first name last name; for example, John Smith
— waiverStatuses	—		List of waiver names and statuses Contains a list of waiverStatus objects
— — signed	boolean		Flag that indicates whether this volunteer has signed the waiver Options are: •true •false
— — name	string		Name of the waiver
— zip	integer		Zip code number of the volunteer's address

runVolunteerRegistrationReport method

The `runVolunteerRegistrationReport` method returns a request ID of type long for use with the `getVolunteerRegistrationReport` method.

See also [runVolunteerRegistrationReport example](#) on page 98.

The following table describes the parameters and sub-parameters used for calling the `runVolunteerRegistrationReport` method.

Table 22: runVolunteerRegistrationReport call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a <code>context</code> object
— appToken	string	x	
request	—	x	Contains agency ID and event group ID
— agencyId	integer		ID of an agency

Parameter — Sub-parameter	Type	Req.	Description
— endDateTime	date time		End date and time in UTC for the report
— eventGroupId	integer		ID of a volunteer event group
— startDateTime	date time		Start date and time in UTC for the report

get3rdPartyMerchandiseRevenueLedgerReport method

The get3rdPartyMerchandiseRevenueLedgerReport method returns a list of payments from Active and transactions by participants.

The get3rdPartyMerchandiseRevenueLedgerReport method returns a get3rdPartyMerchandiseRevenueLedgerReportResult object.

See also [get3rdPartyMerchandiseRevenueLedgerReport example](#) on page 99 .

The following table describes the parameters and sub-parameters used for calling the get3rdPartyMerchandiseRevenueLedgerReport method.

Table 23: get3rdPartyMerchandiseRevenueLedgerReport call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a Context object
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
request	—	x	Contains a get3rdPartyMerchandiseRevenueLedgerReportRequest object
— agencyId	long	x	Agency ID
— startDateTime	date time		Start date and time in UTC for the report
— endDateTime	date time		End date and time in UTC for the report

get3rdPartyMerchandiseRevenueLedgerReport class

The following table describes the parameters and sub-parameters of the get3rdPartyMerchandiseRevenueLedgerReport class.

Table 24: get3rdPartyMerchandiseRevenueLedgerReportclass

Parameter — Sub-parameter	Type	Req.	Description
firstResult	integer		For pagination, first result from the first page of data

Parameter — Sub-parameter	Type	Req.	Description
pageSize	integer		Max number of records on one page
totalCount	integer		Total number of query results
totalPages	integer		Total number of pages
results	—		One page of records for the report List of get3rdPartyMerchandiseRevenueLedgerReportResult objects
— accountName	string		Name on the remittance account
— currencyCode	string		Currency code used in the transaction
— description	string		Description of the event
— eventName	string		Root event name
— orderAmount	string		Order amount of the transaction
— orderDateTime	date time		Date and time that the order took place
— orderNumber	string		Order number of the transaction
— participantFullName	string		Full name of the participant in the format first name last name; for example, John Smith
— partnerName	string		Name of the third-party merchandiser
— productName	string		Name of the product that was purchased
— quantity	string		Quantity that was purchased
— remittanceAmount	string		Amount that ACTIVE remitted to the agency for this registration
— totalRecordsCounts	string		Name of the merchandise item
— transactionType	string		Type of transaction Options are: • AA_DISCOUNT • CANCELLATION • DISCOUNT • DISCOUNT_CANCELLATION • PROCESSING_FEES • PURCHASE • REFUND
— unitPrice	string		Unit price of the product that was purchased

get3rdPartyMerchandiseReport method

The `get3rdPartyMerchandiseReport` method returns a list of payments from Active and transactions received from your merchandise. .

The `get3rdPartyMerchandiseReport` method returns a `get3rdPartyMerchandiseReportResult` object.

See also [get3rdPartyMerchandiseReport example](#) on page 100.

The following table describes the parameters and sub-parameters used for calling the `get3rdPartyMerchandiseReport` method.

Table 25: get3rdPartyMerchandiseReport call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a context object
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
request	—	x	Contains a get3rdPartyMerchandiseReportRequest object
— agencyId	long	x	Agency ID
— startDateTime	date time		Start date and time in UTC for the report
— endDateTime	date time		End date and time in UTC for the report

get3rdPartyMerchandiseReport class

The following table describes the parameters and sub-parameters of the `get3rdPartyMerchandiseReport` class.

Table 26: get3rdPartyMerchandiseReport class

Parameter — Sub-parameter	Type	Req.	Description
firstResult	integer		For pagination, first result from the first page of data
pageSize	integer		Max number of records on one page
totalCount	integer		Total number of query results
totalPages	integer		Total number of pages
results	—		One page of records for the report List of <code>get3rdPartyMerchandiseReportResult</code> objects
— address	string		Line 1 from the location's address
— address2	string		Line 2 from the location's address

Parameter — Sub-parameter	Type	Req.	Description
— amount	string		Price of the merchandise
— city	string		City from the location's address
— country	string		Country from the location's address
— currencyCode	string		Currency code used in the transaction
— dateOfBirth	local date		Participant's date of birth
— email	string		Participant's email address
— firstName	string		Participant's given name
— lastName	string		Participant's surname
— gender	string		Participant's gender
— itemDescriptions	string		Descriptions of the merchandise item
— itemName	string		Name of the merchandise item
— participantName	string		Full name of the participant in the format first name last name; for example, John Smith
— partnerName	string		Name of the third-party merchandiser
— phoneNumber	integer		Phone number of the participant
— postalCode	string		Postal code from the registrant's address
— productId	string		ID of the merchandise item that was purchased
— purchaseDate	date time		Date when the merchandise item was purchased
— quantity	integer		Number that was purchased
— registrationNumber	string		Participant's registration number
— reportLabel	string		Report label of the merchandise item
— rootEventId	string		Root event ID
— rootEventName	string		Name of the root event
— rowNumber	string		Row number of this record
— state	string		State from the location's address
— totalRecordsCounts	string		Total number of records returned in tis report
— unitPrice	string		Unit price of the product that was purchased

get3rdPartyMerchandiseFailedPaymentReport method

The get3rdPartyMerchandiseFailedPaymentReport method returns a list of failed payment records.

The get3rdPartyMerchandiseFailedPaymentReport method returns a get3rdPartyMerchandiseFailedPaymentReportResult object.

See also [get3rdPartyMerchandiseFailedPaymentReport example](#) on page 102.

The following table describes the parameters and sub-parameters used for calling the `get3rdPartyMerchandiseFailedPaymentReport` method.

Table 27: `get3rdPartyMerchandiseFailedPaymentReport` call parameters

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a <code>Context</code> object
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
request	—	x	Contains a <code>get3rdPartyMerchandiseFailedPaymentReportRequest</code> object
— agencyId	long	x	Agency ID
— startDateTime	date time		Start date and time in UTC for the report
— endDateTime	date time		End date and time in UTC for the report

`get3rdPartyMerchandiseFailedPaymentReport` class

The following table describes the parameters and sub-parameters of the `get3rdPartyMerchandiseFailedPaymentReport` class.

Table 28: `get3rdPartyMerchandiseFailedPaymentReport` class

Parameter — Sub-parameter	Type	Req.	Description
firstResult	integer		For pagination, first result from the first page of data
pageSize	integer		Max number of records on one page
totalCount	integer		Total number of query results
totalPages	integer		Total number of pages
results	—		One page of records for the report List of <code>get3rdPartyMerchandiseFailedPaymentReportResult</code> objects
— amount	string		Price of the merchandise
— currency	string		Currency code used in the transaction
— date	date		Date that the order took place
— emailAddress	string		Participant's email address
— eventName	string		Name of the event that the participant registered
— keyerName	string		Name of the person who registered on behalf of the registrant
— orderId	string		ID of the transaction

Parameter — Sub-parameter	Type	Req.	Description
— orderNumber	string		Order number of the transaction
— partnerName	string		Name of the third-party merchandiser
— phoneNumber	integer		Phone number of the participant
— registrantName	string		Full name of the registrant in the format first name last name; for example, John Smith

Example calls and responses

getAgencyRevenueLedgerReportPaginated example

Endurance 3.49

getAgencyRevenueLedgerReportPaginated call

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://www.active.com/api/external-endurance-report/v1">
  <soapenv:Header/>
  <soapenv:Body>
    <v1:getAgencyRevenueLedgerReportPaginated>
      <!--Optional:-->
      <v1:context>
        <!--Optional:-->
      </v1:context>
      <appToken>*****</appToken>
      <!--Optional:-->
      <v1:requestId>29900677</v1:requestId>
    </v1:getAgencyRevenueLedgerReportPaginated>
  </soapenv:Body>
</soapenv:Envelope>
```

getAgencyRevenueLedgerReportPaginated response

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:getAgencyRevenueLedgerReportPaginatedResponse
      xmlns:ns2="http://www.active.com/api/external-endurance-report/v1">
      <ns2:return>
        <ns2:startIndex>1</ns2:startIndex>
        <ns2:endIndex>215</ns2:endIndex>
        <ns2:pageSize>215</ns2:pageSize>
        <ns2:totalResultSize>215</ns2:totalResultSize>
        <ns2:page>
          <ns2:agencyRevenueLedgerRecord>
            <ns2:eventName>Event 0001</ns2:eventName>
            <ns2:eventNumber>E-00SR0WLZ</ns2:eventNumber>
            <ns2:description>Registration: Running-1 Mile - 100
Individual</ns2:description>
            <ns2:participantFullName>fionaone
zhou</ns2:participantFullName>
            <ns2:priceType>100 Individual</ns2:priceType>
            <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
          </ns2:agencyRevenueLedgerRecord>
          <ns2:registrationNumber>R-10PT40J5JG9</ns2:registrationNumber>
            <ns2:registrationType>Public</ns2:registrationType>
            <ns2:orderNumber>C-76X5HLNRHGw</ns2:orderNumber>
          </ns2:page>
        </ns2:return>
      </ns2:getAgencyRevenueLedgerReportPaginatedResponse>
    </soap:Body>
  </soap:Envelope>
```

```

        <ns2:productName>Event 0001 - Running-1 Mile - 100
Individual</ns2:productName>
        <ns2:unitPrice>100.00</ns2:unitPrice>
        <ns2:quantity>1</ns2:quantity>
        <ns2:orderAmount>100.00</ns2:orderAmount>
        <ns2:remittanceAmount>0.00</ns2:remittanceAmount>
        <ns2:transactionType>Purchase</ns2:transactionType>
        <ns2:paymentType>Credit card</ns2:paymentType>
        <ns2:paymentStatus>APPROVED</ns2:paymentStatus>

<ns2:remittanceCheckNumber>PROCESSING</ns2:remittanceCheckNumber>
        <ns2:accountName>FZ_TAX_AgencyAbsorb</ns2:accountName>
        <ns2:currencyCode>USD</ns2:currencyCode>
</ns2:agencyRevenueLedgerRecord>
<ns2:agencyRevenueLedgerRecord>
        <ns2:eventName>Event 0001</ns2:eventName>
        <ns2:eventNumber>E-00SR0WLZ</ns2:eventNumber>
        <ns2:description>Registration: Running-1 Mile - 100
Individual</ns2:description>
        <ns2:participantFullName>fionaone
zhou</ns2:participantFullName>
        <ns2:priceType>100 Individual</ns2:priceType>
        <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>

<ns2:registrationNumber>R-10PT40J5JG9</ns2:registrationNumber>
        <ns2:registrationType>Public</ns2:registrationType>
        <ns2:orderNumber>C-76X5HLNRHW</ns2:orderNumber>

<ns2:orderDateTime>2020-03-18T03:57:12.953Z</ns2:orderDateTime>
        <ns2:productId>277253628</ns2:productId>
        <ns2:productType>REGISTRATION</ns2:productType>
        <ns2:productName>Event 0001 - Running-1 Mile - 100
Individual</ns2:productName>
        <ns2:unitPrice>-5.00</ns2:unitPrice>
        <ns2:quantity>1</ns2:quantity>
        <ns2:orderAmount>-5.00</ns2:orderAmount>
        <ns2:remittanceAmount>-5.00</ns2:remittanceAmount>
        <ns2:transactionType>Processing fees</ns2:transactionType>

        <ns2:paymentType>Credit card</ns2:paymentType>
        <ns2:paymentStatus>APPROVED</ns2:paymentStatus>

<ns2:remittanceCheckNumber>PROCESSING</ns2:remittanceCheckNumber>
        <ns2:accountName>FZ_TAX_AgencyAbsorb</ns2:accountName>
        <ns2:currencyCode>USD</ns2:currencyCode>
        <ns2:ledgerDescription>Agency Absorbed Product Processing
Fee</ns2:ledgerDescription>
</ns2:agencyRevenueLedgerRecord>
</ns2:page>
</ns2:return>
</ns2:getAgencyRevenueLedgerReportPaginatedResponse>
</soap:Body>
</soap:Envelope>

```

runAgencyRevenueLedgerReportPaginated example

Endurance 2.54

runAgencyRevenueLedgerReportPaginated call

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://www.active.com/api/external-endurance-report/v1">
  <soapenv:Header/>
  <soapenv:Body>
    <v1:runAgencyRevenueLedgerReportPaginated>
      <!--Optional:-->
      <v1:context>
        <!--Optional:-->
        <appToken>*****</appToken>
      </v1:context>
      <!--Optional:-->
      <v1:request>
        <v1:version>1.0</v1:version>
        <!--Optional:-->
        <v1:lastIndex></v1:lastIndex>
        <v1:agencyId>187404</v1:agencyId>
        <v1:startDateTime>2014-01-01</v1:startDateTime>
        <v1:endDateTime>2014-05-05</v1:endDateTime>
      </v1:request>
    </v1:runAgencyRevenueLedgerReportPaginated>
  </soapenv:Body>
</soapenv:Envelope>
```

runAgencyRevenueLedgerReportPaginated response

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:runAgencyRevenueLedgerReportPaginatedResponse
      xmlns:ns2="http://www.active.com/api/external-endurance-report/v1">
      <ns2:return>29900677</ns2:return>
    </ns2:runAgencyRevenueLedgerReportPaginatedResponse>
  </soap:Body>
</soap:Envelope>
```

getCustomRegistrationReport example

Endurance 2.54

getCustomRegistrationReport call

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://www.active.com/api/external-endurance-report/v1">
  <soapenv:Header/>
  <soapenv:Body>
    <v1:getCustomRegistrationReport>
      <!--Optional:-->
      <v1:context>
        <!--Optional:-->
        <appToken>*****</appToken>
      </v1:context>
      <!--Optional:-->
      <v1:requestId>4676</v1:requestId>
    </v1:getCustomRegistrationReport>
  </soapenv:Body>
</soapenv:Envelope>
```

getCustomRegistrationReport response

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:getCustomRegistrationReportResponse
xmlns:ns2="http://www.active.com/api/external-endurance-report/v1">
      <ns2:result>
        <ns2:externalCustomRegistrationReportRecords>
          <ns2:externalCustomRegistrationReportRecord>
            <ns2:registrationId>27039683186501</ns2:registrationId>

<ns2:registrationNumber>R-10PT3SJ96V7</ns2:registrationNumber>

<ns2:uniquePersonId>4117B074-20D9-4B1D-B1A8-66941696ACB1</ns2:uniquePersonId>

            <ns2:registrantName>g4g423, frgf42</ns2:registrantName>
            <ns2:registrantLastName>g4g423</ns2:registrantLastName>
            <ns2:registrantFirstName>frgf42</ns2:registrantFirstName>

            <ns2:gender>MALE</ns2:gender>
            <ns2:age>42</ns2:age>
            <ns2:dateOfBirth>10/13/1979</ns2:dateOfBirth>
            <ns2:ageAtEndOfYear>43</ns2:ageAtEndOfYear>
            <ns2:email>testdatatracking@test.com</ns2:email>
            <ns2:dayPhone>3232323223</ns2:dayPhone>
            <ns2:addressLine1>fwefwe</ns2:addressLine1>
            <ns2:addressLine2>grew</ns2:addressLine2>
            <ns2:city>gerwgew</ns2:city>
            <ns2:stateProvince>FL</ns2:stateProvince>
            <ns2:country>US</ns2:country>
            <ns2:postalCode>32323</ns2:postalCode>
            <ns2:bibNumber>2005</ns2:bibNumber>
            <ns2:referredBy/>
            <ns2:eventNumber>E-00MGGBHB</ns2:eventNumber>
            <ns2:eventStartDate>04/10/2022</ns2:eventStartDate>
            <ns2:priceType>Individual</ns2:priceType>
            <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>

            <ns2:registrationDate>2017-11-27T07:20:55.297Z</ns2:registrationDate>

            <ns2:registrationModifiedDate>2017-11-27T08:00:09.367Z</ns2:registrationModifiedDate>

            <ns2:registrationStatus>CONFIRMED</ns2:registrationStatus>

            <ns2:registrationInterface>Public</ns2:registrationInterface>

            <ns2:registrationGrossRevenue>10.0</ns2:registrationGrossRevenue>
            <ns2:registrationDiscount>0.0</ns2:registrationDiscount>

            <ns2:locale>en_US</ns2:locale>
            <ns2:paymentStatus>Paid</ns2:paymentStatus>
            <ns2:isTeamCaptain>No</ns2:isTeamCaptain>
            <ns2:isFundraiser>No</ns2:isFundraiser>
            <ns2:waiverStatus>Not signed</ns2:waiverStatus>
            <ns2:registrationSource>web
browser</ns2:registrationSource>
            <ns2:addOnProducts>
              <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
```

```

size:Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Tshirt
size:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>1</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Tshirt
size:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Tshirt size:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Custom</ns2:addOnProductName>

    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Jersey:SS</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Jersey:MM</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Jersey:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>1</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Jersey:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts:Extra
large</ns2:addOnProductName>

```

```

        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Small</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts 1:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Small</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Extra large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
</ns2:addOnProducts>
</ns2:externalCustomRegistrationReportRecord>
<ns2:externalCustomRegistrationReportRecord>
    <ns2:registrationId>27039683186601</ns2:registrationId>

<ns2:registrationNumber>R-10PT3SJ9B2L</ns2:registrationNumber>

<ns2:uniquePersonId>4117B074-20D9-4B1D-B1A8-66941696ACB1</ns2:uniquePersonId>

    <ns2:registrantName>g4g423, frgf42</ns2:registrantName>
    <ns2:registrantLastName>g4g423</ns2:registrantLastName>
    <ns2:registrantFirstName>frgf42</ns2:registrantFirstName>

    <ns2:gender>MALE</ns2:gender>
    <ns2:age>42</ns2:age>
    <ns2:dateOfBirth>10/13/1979</ns2:dateOfBirth>
    <ns2:ageAtEndOfYear>43</ns2:ageAtEndOfYear>
    <ns2:email>testdatatracking@test.com</ns2:email>
    <ns2:dayPhone>3232323223</ns2:dayPhone>

```

```

        <ns2:addressLine1>fwefwe</ns2:addressLine1>
        <ns2:addressLine2>grew</ns2:addressLine2>
        <ns2:city>gerwgew</ns2:city>
        <ns2:stateProvince>FL</ns2:stateProvince>
        <ns2:country>US</ns2:country>
        <ns2:postalCode>32323</ns2:postalCode>
        <ns2:bibNumber>2006</ns2:bibNumber>
        <ns2:referredBy/>
        <ns2:eventNumber>E-00MGGBHB</ns2:eventNumber>
        <ns2:eventStartDate>04/10/2022</ns2:eventStartDate>
        <ns2:priceType>Self B</ns2:priceType>
        <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>

<ns2:registrationDate>2017-11-27T07:20:55.303Z</ns2:registrationDate>
<ns2:registrationModifiedDate>2017-11-27T08:00:09.367Z</ns2:registrationModifiedDate>

        <ns2:registrationStatus>CONFIRMED</ns2:registrationStatus>

<ns2:registrationInterface>Public</ns2:registrationInterface>
<ns2:registrationGrossRevenue>200.0</ns2:registrationGrossRevenue>
        <ns2:registrationDiscount>0.0</ns2:registrationDiscount>

        <ns2:locale>en_US</ns2:locale>
        <ns2:paymentStatus>Paid</ns2:paymentStatus>
        <ns2:isTeamCaptain>No</ns2:isTeamCaptain>
        <ns2:isFundraiser>No</ns2:isFundraiser>
        <ns2:waiverStatus>Not signed</ns2:waiverStatus>
        <ns2:registrationSource>web
browser</ns2:registrationSource>
        <ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Small</ns2:addOnProductName>
                <ns2:quantityPurchased>1</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Medium</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Large</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt size:Extra
large</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Custom</ns2:addOnProductName>

                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

```

```

<ns2:addOnProductName>Jersey:SS</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Jersey:MM</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Jersey:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Jersey:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts 1:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Small</ns2:addOnProductName>

```

```

        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Extra large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    </ns2:addOnProducts>
</ns2:externalCustomRegistrationReportRecord>
<ns2:externalCustomRegistrationReportRecord>
    <ns2:registrationId>27039683152301</ns2:registrationId>
<ns2:registrationNumber>R-10PT3SH4MM7</ns2:registrationNumber>
<ns2:uniquePersonId>99AED761-08C2-414C-AB69-4F270977E871</ns2:uniquePersonId>

    <ns2:registrantName>Gerry, MEC</ns2:registrantName>
    <ns2:registrantLastName>Gerry</ns2:registrantLastName>
    <ns2:registrantFirstName>MEC</ns2:registrantFirstName>
    <ns2:gender>MALE</ns2:gender>
    <ns2:age>35</ns2:age>
    <ns2:dateOfBirth>04/13/1986</ns2:dateOfBirth>
    <ns2:ageAtEndOfYear>35</ns2:ageAtEndOfYear>
    <ns2:email>mec20171124@mailinator.com</ns2:email>
    <ns2:dayPhone>3232233232</ns2:dayPhone>
    <ns2:addressLine1>address</ns2:addressLine1>
    <ns2:addressLine2/>
    <ns2:city>city</ns2:city>
    <ns2:stateProvince>KS</ns2:stateProvince>
    <ns2:country>US</ns2:country>
    <ns2:postalCode>85632</ns2:postalCode>
    <ns2:bibNumber>4000</ns2:bibNumber>
    <ns2:referredBy/>
    <ns2:eventNumber>E-00MGGBHB</ns2:eventNumber>
    <ns2:eventStartDate>05/01/2021</ns2:eventStartDate>
    <ns2:priceType>Individual2</ns2:priceType>
    <ns2:registrationCategory>Triathlon-Super
Sprint</ns2:registrationCategory>
<ns2:registrationDate>2017-11-24T06:11:02.417Z</ns2:registrationDate>
<ns2:registrationModifiedDate>2017-11-24T06:11:20.547Z</ns2:registrationModifiedDate>

    <ns2:registrationStatus>CONFIRMED</ns2:registrationStatus>

<ns2:registrationInterface>Public</ns2:registrationInterface>
<ns2:registrationGrossRevenue>50.0</ns2:registrationGrossRevenue>
    <ns2:registrationDiscount>0.0</ns2:registrationDiscount>

```

```

        <ns2:locale>en_US</ns2:locale>
        <ns2:paymentStatus>Paid</ns2:paymentStatus>
        <ns2:isTeamCaptain>No</ns2:isTeamCaptain>
        <ns2:isFundraiser>No</ns2:isFundraiser>
        <ns2:waiverStatus>Not signed</ns2:waiverStatus>
        <ns2:registrationSource>express
registration</ns2:registrationSource>
        <ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Small</ns2:addOnProductName>
                <ns2:quantityPurchased>1</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Medium</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Large</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt size:Extra
large</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Custom</ns2:addOnProductName>

                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

<ns2:addOnProductName>Jersey:SS</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

<ns2:addOnProductName>Jersey:MM</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

<ns2:addOnProductName>Jersey:Large</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Jersey:Extra
large</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Small</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Medium</ns2:addOnProductName>

```

```

<ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
  <ns2:addOnProductName>Shorts:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Shorts:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Shorts 1:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Extra large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
</ns2:addOnProducts>
</ns2:externalCustomRegistrationReportRecord>
<ns2:externalCustomRegistrationReportRecord>
  <ns2:registrationId>27039683151101</ns2:registrationId>
</ns2:externalCustomRegistrationReportRecord>
<ns2:registrationNumber>R-10PT3SH3CX7</ns2:registrationNumber>
<ns2:uniquePersonId>A4EFF597-E10D-4E5D-9034-EBF6794EC217</ns2:uniquePersonId>

```

```

        <ns2:registrantName>Last import, Impoort
gerry</ns2:registrantName>
        <ns2:registrantLastName>Last
import</ns2:registrantLastName>
        <ns2:registrantFirstName>Impoort
gerry</ns2:registrantFirstName>
        <ns2:gender>FEMALE</ns2:gender>
        <ns2:age>31</ns2:age>
        <ns2:dateOfBirth>11/11/1990</ns2:dateOfBirth>
        <ns2:ageAtEndOfYear>32</ns2:ageAtEndOfYear>
        <ns2:email>massimport@mailinator.com</ns2:email>
        <ns2:dayPhone>21122121</ns2:dayPhone>
        <ns2:addressLine1>addresss</ns2:addressLine1>
        <ns2:addressLine2>line2</ns2:addressLine2>
        <ns2:city>AP0</ns2:city>
        <ns2:stateProvince>AP0</ns2:stateProvince>
        <ns2:country>US</ns2:country>
        <ns2:postalCode>23323</ns2:postalCode>
        <ns2:emergencyContactName>contact
name</ns2:emergencyContactName>

<ns2:emergencyContactPhone>32328989</ns2:emergencyContactPhone>
        <ns2:bibNumber>2001</ns2:bibNumber>
        <ns2:eventNumber>E-00MGGBHB</ns2:eventNumber>
        <ns2:eventStartDate>04/10/2022</ns2:eventStartDate>
        <ns2:priceType>create only</ns2:priceType>
        <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>

<ns2:registrationDate>2017-11-23T10:10:00.000Z</ns2:registrationDate>

<ns2:registrationModifiedDate>2017-11-24T05:26:31.500Z</ns2:registrationModifiedDate>

        <ns2:registrationStatus>CONFIRMED</ns2:registrationStatus>

<ns2:registrationInterface>Admin</ns2:registrationInterface>

<ns2:registrationGrossRevenue>100.0</ns2:registrationGrossRevenue>
        <ns2:registrationDiscount>0.0</ns2:registrationDiscount>

        <ns2:locale>en_US</ns2:locale>
        <ns2:paymentStatus>Paid</ns2:paymentStatus>
        <ns2:teamName>mass import team</ns2:teamName>
        <ns2:teamCaptainName>Last import, Impoort
gerry</ns2:teamCaptainName>

<ns2:teamCreationDate>2017-11-24T03:20:50.847Z</ns2:teamCreationDate>
        <ns2:isTeamCaptain>Yes</ns2:isTeamCaptain>
        <ns2:isFundraiser>No</ns2:isFundraiser>
        <ns2:waiverStatus>Not signed</ns2:waiverStatus>
        <ns2:registrationSource>offline
registration</ns2:registrationSource>
        <ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Small</ns2:addOnProductName>
                <ns2:quantityPurchased>1</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt

```

```

size:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Tshirt
size:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Tshirt size:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Custom</ns2:addOnProductName>

    <ns2:quantityPurchased>1</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Jersey:SS</ns2:addOnProductName>
    <ns2:quantityPurchased>1</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Jersey:MM</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Jersey:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Jersey:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Small</ns2:addOnProductName>
    <ns2:quantityPurchased>1</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Small</ns2:addOnProductName>

```

```

        <ns2:quantityPurchased>1</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>1</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts 1:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Small</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Extra large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    </ns2:addOnProducts>
</ns2:externalCustomRegistrationReportRecord>
<ns2:externalCustomRegistrationReportRecord>
    <ns2:registrationId>27039683151302</ns2:registrationId>

<ns2:registrationNumber>R-10PT3SH3LDY</ns2:registrationNumber>

<ns2:uniquePersonId>AE10D390-BEA8-44DE-BAAB-F07FCF467084</ns2:uniquePersonId>

        <ns2:registrantName>Last import, Impoort
gerry</ns2:registrantName>
        <ns2:registrantLastName>Last
import</ns2:registrantLastName>
        <ns2:registrantFirstName>Impoort
gerry</ns2:registrantFirstName>
        <ns2:gender>FEMALE</ns2:gender>
        <ns2:age>31</ns2:age>
        <ns2:dateOfBirth>11/11/1990</ns2:dateOfBirth>
        <ns2:ageAtEndOfYear>32</ns2:ageAtEndOfYear>
        <ns2:email>massimport@mailinator.com</ns2:email>
        <ns2:dayPhone>89898888</ns2:dayPhone>
        <ns2:bibNumber>2003</ns2:bibNumber>
        <ns2:eventNumber>E-00MGGBHB</ns2:eventNumber>
        <ns2:eventStartDate>04/10/2022</ns2:eventStartDate>

```

```

        <ns2:priceType>Individual</ns2:priceType>
        <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>

<ns2:registrationDate>2017-11-24T05:29:40.207Z</ns2:registrationDate>

<ns2:registrationModifiedDate>2017-11-24T06:00:00.207Z</ns2:registrationModifiedDate>

        <ns2:registrationStatus>CONFIRMED</ns2:registrationStatus>

<ns2:registrationInterface>Admin</ns2:registrationInterface>

<ns2:registrationGrossRevenue>10.0</ns2:registrationGrossRevenue>
        <ns2:registrationDiscount>0.0</ns2:registrationDiscount>

        <ns2:locale>en_US</ns2:locale>
        <ns2:paymentStatus>Paid</ns2:paymentStatus>
        <ns2:isTeamCaptain>No</ns2:isTeamCaptain>
        <ns2:isFundraiser>No</ns2:isFundraiser>
        <ns2:waiverStatus>Not signed</ns2:waiverStatus>
        <ns2:registrationSource>front desk
registration</ns2:registrationSource>
        <ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Small</ns2:addOnProductName>
                <ns2:quantityPurchased>1</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Medium</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Large</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt size:Extra
large</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Custom</ns2:addOnProductName>

                <ns2:quantityPurchased>1</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

<ns2:addOnProductName>Jersey:SS</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

<ns2:addOnProductName>Jersey:MM</ns2:addOnProductName>
                <ns2:quantityPurchased>1</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

```

```

<ns2:addOnProductName>Jersey:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Jersey:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>1</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Shorts:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>1</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Shorts 1:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
  </ns2:addOnProducts>
  <ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Large</ns2:addOnProductName>

```

```

        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Extra large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
</ns2:addOnProducts>
</ns2:externalCustomRegistrationReportRecord>
<ns2:externalCustomRegistrationReportRecord>
    <ns2:registrationId>27039683151901</ns2:registrationId>
<ns2:registrationNumber>R-10PT3SH46QX</ns2:registrationNumber>
<ns2:uniquePersonId>A4EFF597-E10D-4E5D-9034-EBF6794EC217</ns2:uniquePersonId>

    <ns2:registrantName>Last import, Impoort
gerry</ns2:registrantName>
    <ns2:registrantLastName>Last
import</ns2:registrantLastName>
    <ns2:registrantFirstName>Impoort
gerry</ns2:registrantFirstName>
    <ns2:gender>FEMALE</ns2:gender>
    <ns2:age>31</ns2:age>
    <ns2:dateOfBirth>11/11/1990</ns2:dateOfBirth>
    <ns2:ageAtEndOfYear>32</ns2:ageAtEndOfYear>
    <ns2:email>massimport@mailinator.com</ns2:email>
    <ns2:dayPhone>21122121</ns2:dayPhone>
    <ns2:addressLine1>addresss</ns2:addressLine1>
    <ns2:addressLine2>line2</ns2:addressLine2>
    <ns2:city>AP0</ns2:city>
    <ns2:stateProvince>AP0</ns2:stateProvince>
    <ns2:country>US</ns2:country>
    <ns2:postalCode>23323</ns2:postalCode>
    <ns2:emergencyContactName>contact
name</ns2:emergencyContactName>
<ns2:emergencyContactPhone>32328989</ns2:emergencyContactPhone>
    <ns2:bibNumber>2002</ns2:bibNumber>
    <ns2:eventNumber>E-00MGGBHB</ns2:eventNumber>
    <ns2:eventStartDate>04/10/2022</ns2:eventStartDate>
    <ns2:priceType>create only</ns2:priceType>
    <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
<ns2:registrationDate>2017-11-23T10:10:00.000Z</ns2:registrationDate>
<ns2:registrationModifiedDate>2017-11-24T06:00:01.733Z</ns2:registrationModifiedDate>

    <ns2:registrationStatus>CONFIRMED</ns2:registrationStatus>

<ns2:registrationInterface>Admin</ns2:registrationInterface>
<ns2:registrationGrossRevenue>100.0</ns2:registrationGrossRevenue>
    <ns2:registrationDiscount>0.0</ns2:registrationDiscount>

    <ns2:locale>en_US</ns2:locale>
    <ns2:paymentStatus>Paid</ns2:paymentStatus>
    <ns2:teamName>mass import team</ns2:teamName>
    <ns2:teamCaptainName>Last import, Impoort

```

```

gerry</ns2:teamCaptainName>

<ns2:teamCreationDate>2017-11-24T03:20:50.847Z</ns2:teamCreationDate>
  <ns2:isTeamCaptain>Yes</ns2:isTeamCaptain>
  <ns2:isFundraiser>No</ns2:isFundraiser>
  <ns2:waiverStatus>Not signed</ns2:waiverStatus>
  <ns2:registrationSource>offline
registration</ns2:registrationSource>
  <ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Tshirt
size:Small</ns2:addOnProductName>
      <ns2:quantityPurchased>1</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Tshirt
size:Medium</ns2:addOnProductName>
      <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Tshirt
size:Large</ns2:addOnProductName>
      <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Tshirt size:Extra
large</ns2:addOnProductName>
      <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Custom</ns2:addOnProductName>

      <ns2:quantityPurchased>1</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>

<ns2:addOnProductName>Jersey:SS</ns2:addOnProductName>
  <ns2:quantityPurchased>1</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Jersey:MM</ns2:addOnProductName>
  <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Jersey:Large</ns2:addOnProductName>
  <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
  <ns2:addOnProductName>Jersey:Extra
large</ns2:addOnProductName>
  <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Small</ns2:addOnProductName>
  <ns2:quantityPurchased>1</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

```

```

<ns2:addOnProductName>Shorts:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts:Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Small</ns2:addOnProductName>
        <ns2:quantityPurchased>1</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>1</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts 1:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Small</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Extra large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
</ns2:addOnProducts>
</ns2:externalCustomRegistrationReportRecord>
<ns2:externalCustomRegistrationReportRecord>
    <ns2:registrationId>27039683147402</ns2:registrationId>
</ns2:externalCustomRegistrationReportRecord>
<ns2:registrationNumber>R-10PT3SGZJLX</ns2:registrationNumber>
<ns2:uniquePersonId>66C848FF-53E8-4FF9-8288-94C8CE00D4B3</ns2:uniquePersonId>

```

```

        <ns2:registrantName>merchandise, Gerry</ns2:registrantName>

<ns2:registrantLastName>merchandise</ns2:registrantLastName>
    <ns2:registrantFirstName>Gerry</ns2:registrantFirstName>

        <ns2:gender>FEMALE</ns2:gender>
        <ns2:age>31</ns2:age>
        <ns2:dateOfBirth>05/11/1990</ns2:dateOfBirth>
        <ns2:ageAtEndOfYear>32</ns2:ageAtEndOfYear>
<ns2:email>merchandise@fulfillment@20170223.com</ns2:email>

        <ns2:dayPhone>689989898</ns2:dayPhone>
        <ns2:addressLine1>address</ns2:addressLine1>
        <ns2:addressLine2/>
        <ns2:city>city</ns2:city>
        <ns2:stateProvince>FP0</ns2:stateProvince>
        <ns2:country>US</ns2:country>
        <ns2:postalCode>23333</ns2:postalCode>
        <ns2:bibNumber>2000</ns2:bibNumber>
        <ns2:referredBy/>
        <ns2:eventNumber>E-00MGGBHB</ns2:eventNumber>
        <ns2:eventStartDate>04/10/2022</ns2:eventStartDate>
        <ns2:priceType>create only</ns2:priceType>
        <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>

<ns2:registrationDate>2017-11-23T06:56:38.447Z</ns2:registrationDate>

<ns2:registrationModifiedDate>2017-11-23T08:00:02.410Z</ns2:registrationModifiedDate>

        <ns2:registrationStatus>CONFIRMED</ns2:registrationStatus>

<ns2:registrationInterface>Public</ns2:registrationInterface>

<ns2:registrationGrossRevenue>100.0</ns2:registrationGrossRevenue>
    <ns2:registrationDiscount>0.0</ns2:registrationDiscount>

        <ns2:locale>en_US</ns2:locale>
        <ns2:paymentStatus>Paid</ns2:paymentStatus>
        <ns2:teamName>Self Team 1</ns2:teamName>
        <ns2:teamCaptainName>merchandise,
Gerry</ns2:teamCaptainName>

<ns2:teamCreationDate>2017-11-23T06:57:16.943Z</ns2:teamCreationDate>
    <ns2:isTeamCaptain>Yes</ns2:isTeamCaptain>
    <ns2:isFundraiser>No</ns2:isFundraiser>
    <ns2:waiverStatus>Not signed</ns2:waiverStatus>
    <ns2:registrationSource>web
browser</ns2:registrationSource>
    <ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Tshirt
size:Small</ns2:addOnProductName>
            <ns2:quantityPurchased>1</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Tshirt
size:Medium</ns2:addOnProductName>
    
```

```

        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Tshirt
size:Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Tshirt size:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Custom</ns2:addOnProductName>

        <ns2:quantityPurchased>1</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>

    <ns2:addOnProductName>Jersey:SS</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>

    <ns2:addOnProductName>Jersey:MM</ns2:addOnProductName>
        <ns2:quantityPurchased>4</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>

    <ns2:addOnProductName>Jersey:Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Jersey:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>

    <ns2:addOnProductName>Shorts:Small</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>

    <ns2:addOnProductName>Shorts:Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>

    <ns2:addOnProductName>Shorts:Large</ns2:addOnProductName>
        <ns2:quantityPurchased>1</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Small</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>

```

```

        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Shorts
1:Medium</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Shorts
1:Large</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Shorts 1:Extra
large</ns2:addOnProductName>
            <ns2:quantityPurchased>1</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Small</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Medium</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Large</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Extra large</ns2:addOnProductName>
            <ns2:quantityPurchased>1</ns2:quantityPurchased>
        </ns2:addOnProducts>
    </ns2:addOnProducts>
</ns2:externalCustomRegistrationReportRecord>
<ns2:externalCustomRegistrationReportRecord>
    <ns2:registrationId>27039683147502</ns2:registrationId>

<ns2:registrationNumber>R-10PT3SGZMT7</ns2:registrationNumber>

<ns2:uniquePersonId>D8116C09-07B2-4227-A50F-4F9646228E7D</ns2:uniquePersonId>

    <ns2:registrantName>merchandise, Gerry</ns2:registrantName>

<ns2:registrantLastName>merchandise</ns2:registrantLastName>
    <ns2:registrantFirstName>Gerry</ns2:registrantFirstName>

    <ns2:gender>FEMALE</ns2:gender>
    <ns2:age>14</ns2:age>
    <ns2:dateOfBirth>05/11/2008</ns2:dateOfBirth>
    <ns2:ageAtEndOfYear>14</ns2:ageAtEndOfYear>
    <ns2:email>merchandise@fulfillment@20170223.com</ns2:email>

    <ns2:dayPhone>689989898</ns2:dayPhone>
    <ns2:referredBy/>
    <ns2:eventNumber>E-00MGGBHB</ns2:eventNumber>
    <ns2:eventStartDate>06/20/2022</ns2:eventStartDate>

```

```

        <ns2:priceType>Group-N-T</ns2:priceType>
        <ns2:registrationCategory>Cycling-12
Hour</ns2:registrationCategory>
<ns2:registrationDate>2017-11-23T06:56:38.497Z</ns2:registrationDate>
<ns2:registrationModifiedDate>2017-11-23T08:00:02.410Z</ns2:registrationModifiedDate>
        <ns2:registrationStatus>CONFIRMED</ns2:registrationStatus>

<ns2:registrationInterface>Public</ns2:registrationInterface>
<ns2:registrationGrossRevenue>0.0</ns2:registrationGrossRevenue>
        <ns2:registrationDiscount>0.0</ns2:registrationDiscount>

        <ns2:locale>en_US</ns2:locale>
        <ns2:paymentStatus>Paid</ns2:paymentStatus>
        <ns2:teamName>Group Team1</ns2:teamName>
        <ns2:teamCaptainName>merchandise,
Gerry</ns2:teamCaptainName>
<ns2:teamCreationDate>2017-11-23T06:57:17.307Z</ns2:teamCreationDate>
        <ns2:isTeamCaptain>No</ns2:isTeamCaptain>
        <ns2:isFundraiser>No</ns2:isFundraiser>
        <ns2:waiverStatus>Not signed</ns2:waiverStatus>
        <ns2:registrationSource>web
browser</ns2:registrationSource>
        <ns2:addOnProducts>
        <ns2:addOnProducts>
        <ns2:addOnProductName>Tshirt
size:Small</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
        <ns2:addOnProductName>Tshirt
size:Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>1</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
        <ns2:addOnProductName>Tshirt
size:Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
        <ns2:addOnProductName>Tshirt size:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
        <ns2:addOnProductName>Custom</ns2:addOnProductName>

        <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>

<ns2:addOnProductName>Jersey:SS</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>

```

```

<ns2:addOnProductName>Jersey:MM</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Jersey:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Jersey:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts 1:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Medium</ns2:addOnProductName>

```

```

        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Extra large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    </ns2:addOnProducts>
</ns2:externalCustomRegistrationReportRecord>
<ns2:externalCustomRegistrationReportRecord>
    <ns2:registrationId>27039683147602</ns2:registrationId>
<ns2:registrationNumber>R-10PT3SGZR1L</ns2:registrationNumber>
<ns2:uniquePersonId>66C848FF-53E8-4FF9-8288-94C8CE00D4B3</ns2:uniquePersonId>

    <ns2:registrantName>merchandise, Gerry</ns2:registrantName>
    <ns2:registrantLastName>merchandise</ns2:registrantLastName>
    <ns2:registrantFirstName>Gerry</ns2:registrantFirstName>

    <ns2:gender>FEMALE</ns2:gender>
    <ns2:age>32</ns2:age>
    <ns2:dateOfBirth>05/11/1990</ns2:dateOfBirth>
    <ns2:ageAtEndOfYear>32</ns2:ageAtEndOfYear>
    <ns2:email>merchandisefulfillment@20170223.com</ns2:email>

    <ns2:dayPhone>689989898</ns2:dayPhone>
    <ns2:addressLine1>addresss</ns2:addressLine1>
    <ns2:addressLine2/>
    <ns2:city>cityy</ns2:city>
    <ns2:stateProvince>FP0</ns2:stateProvince>
    <ns2:country>US</ns2:country>
    <ns2:postalCode>23333</ns2:postalCode>
    <ns2:referredBy/>
    <ns2:eventNumber>E-00MGGBHB</ns2:eventNumber>
    <ns2:eventStartDate>06/20/2022</ns2:eventStartDate>
    <ns2:priceType>Group-N-T</ns2:priceType>
    <ns2:registrationCategory>Cycling-12
Hour</ns2:registrationCategory>
<ns2:registrationDate>2017-11-23T06:56:38.483Z</ns2:registrationDate>
<ns2:registrationModifiedDate>2017-11-23T08:00:02.410Z</ns2:registrationModifiedDate>

    <ns2:registrationStatus>CONFIRMED</ns2:registrationStatus>

<ns2:registrationInterface>Public</ns2:registrationInterface>
<ns2:registrationGrossRevenue>100.0</ns2:registrationGrossRevenue>
    <ns2:registrationDiscount>0.0</ns2:registrationDiscount>

    <ns2:locale>en_US</ns2:locale>
    <ns2:paymentStatus>Paid</ns2:paymentStatus>

```

```

        <ns2:teamName>Group Team1</ns2:teamName>
        <ns2:teamCaptainName>merchandise,
Gerry</ns2:teamCaptainName>

<ns2:teamCreationDate>2017-11-23T06:57:17.307Z</ns2:teamCreationDate>
        <ns2:isTeamCaptain>Yes</ns2:isTeamCaptain>
        <ns2:isFundraiser>No</ns2:isFundraiser>
        <ns2:waiverStatus>Not signed</ns2:waiverStatus>
        <ns2:registrationSource>web
browser</ns2:registrationSource>
        <ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Small</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Medium</ns2:addOnProductName>
                <ns2:quantityPurchased>1</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Large</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt size:Extra
large</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Custom</ns2:addOnProductName>

                <ns2:quantityPurchased>1</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

<ns2:addOnProductName>Jersey:SS</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

<ns2:addOnProductName>Jersey:MM</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

<ns2:addOnProductName>Jersey:Large</ns2:addOnProductName>
                <ns2:quantityPurchased>4</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Jersey:Extra
large</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Small</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>

```

```

        <ns2:addOnProducts>
<ns2:addOnProductName>Shorts:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
<ns2:addOnProductName>Shorts:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>1</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>1</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts 1:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Large</ns2:addOnProductName>
    <ns2:quantityPurchased>1</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Extra large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
</ns2:addOnProducts>
</ns2:externalCustomRegistrationReportRecord>
<ns2:externalCustomRegistrationReportRecord>
    <ns2:registrationId>27039683303502</ns2:registrationId>
</ns2:externalCustomRegistrationReportRecord>
<ns2:registrationNumber>R-10PT3SN6Z28</ns2:registrationNumber>

```

```

<ns2:uniquePersonId>14337B50-F51C-4F41-82A1-24204D4785D8</ns2:uniquePersonId>
      <ns2:registrantName>offer20171128,
magazine</ns2:registrantName>
<ns2:registrantLastName>offer20171128</ns2:registrantLastName>
      <ns2:registrantFirstName>magazine</ns2:registrantFirstName>
            <ns2:gender>FEMALE</ns2:gender>
            <ns2:age>31</ns2:age>
            <ns2:dateOfBirth>01/02/1991</ns2:dateOfBirth>
            <ns2:ageAtEndOfYear>31</ns2:ageAtEndOfYear>
            <ns2:email>magazine20171124@mailinator.com</ns2:email>
            <ns2:dayPhone>323223232332</ns2:dayPhone>
            <ns2:addressLine1>vdasf</ns2:addressLine1>
            <ns2:addressLine2>vsdaf</ns2:addressLine2>
            <ns2:city>bvfdsab</ns2:city>
            <ns2:stateProvince>AA</ns2:stateProvince>
            <ns2:country>US</ns2:country>
            <ns2:postalCode>32333</ns2:postalCode>
            <ns2:bibNumber>2009</ns2:bibNumber>
            <ns2:referredBy/>
            <ns2:eventNumber>E-00MGGBHB</ns2:eventNumber>
            <ns2:eventStartDate>04/10/2022</ns2:eventStartDate>
            <ns2:priceType>Individual</ns2:priceType>
            <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
<ns2:registrationDate>2017-11-28T07:29:53.507Z</ns2:registrationDate>
<ns2:registrationModifiedDate>2017-11-28T08:00:09.833Z</ns2:registrationModifiedDate>
      <ns2:registrationStatus>CONFIRMED</ns2:registrationStatus>

<ns2:registrationInterface>Public</ns2:registrationInterface>
<ns2:registrationGrossRevenue>10.0</ns2:registrationGrossRevenue>
      <ns2:registrationDiscount>0.0</ns2:registrationDiscount>
            <ns2:locale>en_US</ns2:locale>
            <ns2:paymentStatus>Paid</ns2:paymentStatus>
            <ns2:isTeamCaptain>No</ns2:isTeamCaptain>
            <ns2:isFundraiser>No</ns2:isFundraiser>
            <ns2:waiverStatus>Not signed</ns2:waiverStatus>
            <ns2:registrationSource>web
browser</ns2:registrationSource>
      <ns2:addOnProducts>
        <ns2:addOnProducts>
          <ns2:addOnProductName>Tshirt
size:Small</ns2:addOnProductName>
          <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
          <ns2:addOnProductName>Tshirt
size:Medium</ns2:addOnProductName>
          <ns2:quantityPurchased>1</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
          <ns2:addOnProductName>Tshirt

```

```

size:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Tshirt size:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Custom</ns2:addOnProductName>

    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Jersey:SS</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Jersey:MM</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Jersey:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Jersey:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts:Extra
large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Medium</ns2:addOnProductName>

```

```

        <ns2:quantityPurchased>1</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts 1:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Small</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Extra large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
</ns2:addOnProducts>
</ns2:externalCustomRegistrationReportRecord>
<ns2:externalCustomRegistrationReportRecord>
    <ns2:registrationId>27039683303602</ns2:registrationId>

<ns2:registrationNumber>R-10PT3SN729M</ns2:registrationNumber>

<ns2:uniquePersonId>26FB6C94-87DD-41E3-B399-19EDDA2CC55A</ns2:uniquePersonId>

    <ns2:registrantName>offer20171128,
magazine</ns2:registrantName>

<ns2:registrantLastName>offer20171128</ns2:registrantLastName>
    <ns2:registrantFirstName>magazine</ns2:registrantFirstName>

    <ns2:gender>FEMALE</ns2:gender>
    <ns2:age>31</ns2:age>
    <ns2:dateOfBirth>01/02/1991</ns2:dateOfBirth>
    <ns2:ageAtEndOfYear>31</ns2:ageAtEndOfYear>
    <ns2:email>magazine20171124@mailinator.com</ns2:email>
    <ns2:dayPhone>323223232332</ns2:dayPhone>
    <ns2:addressLine1>vdasf</ns2:addressLine1>
    <ns2:addressLine2>vsdaf</ns2:addressLine2>
    <ns2:city>bvfdsab</ns2:city>
    <ns2:stateProvince>AA</ns2:stateProvince>
    <ns2:country>US</ns2:country>
    <ns2:postalCode>32333</ns2:postalCode>
    <ns2:bibNumber>2010</ns2:bibNumber>
    <ns2:referredBy/>

```

```

        <ns2:eventNumber>E-00MGGBHB</ns2:eventNumber>
        <ns2:eventStartDate>04/10/2022</ns2:eventStartDate>
        <ns2:priceType>Self B</ns2:priceType>
        <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>

<ns2:registrationDate>2017-11-28T07:29:53.587Z</ns2:registrationDate>

<ns2:registrationModifiedDate>2017-11-28T08:00:09.833Z</ns2:registrationModifiedDate>

        <ns2:registrationStatus>CONFIRMED</ns2:registrationStatus>

<ns2:registrationInterface>Public</ns2:registrationInterface>

<ns2:registrationGrossRevenue>200.0</ns2:registrationGrossRevenue>
        <ns2:registrationDiscount>0.0</ns2:registrationDiscount>

        <ns2:locale>en_US</ns2:locale>
        <ns2:paymentStatus>Paid</ns2:paymentStatus>
        <ns2:isTeamCaptain>No</ns2:isTeamCaptain>
        <ns2:isFundraiser>No</ns2:isFundraiser>
        <ns2:waiverStatus>Not signed</ns2:waiverStatus>
        <ns2:registrationSource>web
browser</ns2:registrationSource>
        <ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Small</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Medium</ns2:addOnProductName>
                <ns2:quantityPurchased>1</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt
size:Large</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Tshirt size:Extra
large</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>
                <ns2:addOnProductName>Custom</ns2:addOnProductName>

                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

<ns2:addOnProductName>Jersey:SS</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>
            <ns2:addOnProducts>

<ns2:addOnProductName>Jersey:MM</ns2:addOnProductName>
                <ns2:quantityPurchased>0</ns2:quantityPurchased>
            </ns2:addOnProducts>

```

```

        <ns2:addOnProducts>

<ns2:addOnProductName>Jersey:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Jersey:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
    <ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Small</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
    <ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Medium</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
    <ns2:addOnProducts>

<ns2:addOnProductName>Shorts:Large</ns2:addOnProductName>
    <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>1</ns2:quantityPurchased>
</ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Small</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts 1:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Small</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
    <ns2:addOnProducts>

```

```

        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Extra large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
</ns2:addOnProducts>
</ns2:externalCustomRegistrationReportRecord>
<ns2:externalCustomRegistrationReportRecord>
    <ns2:registrationId>27039683151502</ns2:registrationId>
<ns2:registrationNumber>R-10PT3SH3SVL</ns2:registrationNumber>
<ns2:uniquePersonId>4F4F65DA-5579-4CC8-9EC2-DF89E2834AEE</ns2:uniquePersonId>

    <ns2:registrantName>son, my</ns2:registrantName>
    <ns2:registrantLastName>son</ns2:registrantLastName>
    <ns2:registrantFirstName>my</ns2:registrantFirstName>
    <ns2:gender>FEMALE</ns2:gender>
    <ns2:age>17</ns2:age>
    <ns2:dateOfBirth>03/13/2005</ns2:dateOfBirth>
    <ns2:ageAtEndOfYear>17</ns2:ageAtEndOfYear>
    <ns2:email>mec20171124@mailinator.com</ns2:email>
    <ns2:dayPhone>89898888</ns2:dayPhone>
    <ns2:addressLine1>addresss</ns2:addressLine1>
    <ns2:addressLine2/>
    <ns2:city>city</ns2:city>
    <ns2:stateProvince>CA</ns2:stateProvince>
    <ns2:country>US</ns2:country>
    <ns2:postalCode>23232</ns2:postalCode>
    <ns2:bibNumber>2004</ns2:bibNumber>
    <ns2:referredBy>Past participant</ns2:referredBy>
    <ns2:eventNumber>E-00MGGBHB</ns2:eventNumber>
    <ns2:eventStartDate>04/10/2022</ns2:eventStartDate>
    <ns2:priceType>Self B</ns2:priceType>
    <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
<ns2:registrationDate>2017-11-24T06:20:44.293Z</ns2:registrationDate>
<ns2:registrationModifiedDate>2017-11-24T06:21:27.280Z</ns2:registrationModifiedDate>

    <ns2:registrationStatus>CONFIRMED</ns2:registrationStatus>

<ns2:registrationInterface>Public</ns2:registrationInterface>
<ns2:registrationGrossRevenue>200.0</ns2:registrationGrossRevenue>
    <ns2:registrationDiscount>0.0</ns2:registrationDiscount>

    <ns2:locale>en_US</ns2:locale>
    <ns2:paymentStatus>Paid</ns2:paymentStatus>
    <ns2:isTeamCaptain>No</ns2:isTeamCaptain>
    <ns2:isFundraiser>No</ns2:isFundraiser>
    <ns2:waiverStatus>Not signed</ns2:waiverStatus>
    <ns2:registrationSource>web
browser</ns2:registrationSource>
    <ns2:addOnProducts>

```

```

        <ns2:addOnProducts>
            <ns2:addOnProductName>Tshirt
size:Small</ns2:addOnProductName>
            <ns2:quantityPurchased>1</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Tshirt
size:Medium</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Tshirt
size:Large</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Tshirt size:Extra
large</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Custom</ns2:addOnProductName>

            <ns2:quantityPurchased>1</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>

        <ns2:addOnProductName>Jersey:SS</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>

        <ns2:addOnProductName>Jersey:MM</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>

        <ns2:addOnProductName>Jersey:Large</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Jersey:Extra
large</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>

        <ns2:addOnProductName>Shorts:Small</ns2:addOnProductName>
            <ns2:quantityPurchased>1</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>

        <ns2:addOnProductName>Shorts:Medium</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>

        <ns2:addOnProductName>Shorts:Large</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>

```

```

        <ns2:addOnProductName>Shorts:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
        <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Small</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
        <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
        <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts
1:Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
        <ns2:addOnProducts>
        <ns2:addOnProductName>Shorts 1:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
        <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Small</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
        <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
        <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
        <ns2:addOnProducts>
        <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Extra large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
</ns2:addOnProducts>
        <ns2:packetPickupGroup>Tiland Massimport
20171124</ns2:packetPickupGroup>
        </ns2:externalCustomRegistrationReportRecord>
        <ns2:externalCustomRegistrationReportRecord>
        <ns2:registrationId>27039683301401</ns2:registrationId>

<ns2:registrationNumber>R-10PT3SN4S97</ns2:registrationNumber>

<ns2:uniquePersonId>4916C417-2F92-4BCB-948C-F8523CB5164E</ns2:uniquePersonId>

        <ns2:registrantName>tracking, test</ns2:registrantName>
        <ns2:registrantLastName>tracking</ns2:registrantLastName>

        <ns2:registrantFirstName>test</ns2:registrantFirstName>
        <ns2:gender>FEMALE</ns2:gender>
        <ns2:age>36</ns2:age>

```

```

<ns2:dateOfBirth>10/16/1985</ns2:dateOfBirth>
<ns2:ageAtEndOfYear>37</ns2:ageAtEndOfYear>
<ns2:email>testtracking@mailinator.com</ns2:email>
<ns2:dayPhone>3232322332</ns2:dayPhone>
<ns2:addressLine1>address</ns2:addressLine1>
<ns2:addressLine2/>
<ns2:city>cityyy</ns2:city>
<ns2:stateProvince>FP0</ns2:stateProvince>
<ns2:country>US</ns2:country>
<ns2:postalCode>35689</ns2:postalCode>
<ns2:bibNumber>2007</ns2:bibNumber>
<ns2:referredBy/>
<ns2:eventNumber>E-00MGBHB</ns2:eventNumber>
<ns2:eventStartDate>04/10/2022</ns2:eventStartDate>
<ns2:priceType>Individual</ns2:priceType>
<ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>

<ns2:registrationDate>2017-11-28T05:55:36.360Z</ns2:registrationDate>

<ns2:registrationModifiedDate>2017-11-28T06:00:03.933Z</ns2:registrationModifiedDate>

<ns2:registrationStatus>CONFIRMED</ns2:registrationStatus>

<ns2:registrationInterface>Public</ns2:registrationInterface>

<ns2:registrationGrossRevenue>10.0</ns2:registrationGrossRevenue>
<ns2:registrationDiscount>0.0</ns2:registrationDiscount>

<ns2:locale>en_US</ns2:locale>
<ns2:paymentStatus>Paid</ns2:paymentStatus>
<ns2:isTeamCaptain>No</ns2:isTeamCaptain>
<ns2:isFundraiser>No</ns2:isFundraiser>
<ns2:waiverStatus>Not signed</ns2:waiverStatus>
<ns2:registrationSource>web
browser</ns2:registrationSource>
<ns2:addOnProducts>
<ns2:addOnProducts>
<ns2:addOnProductName>Tshirt
size:Small</ns2:addOnProductName>
<ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
<ns2:addOnProductName>Tshirt
size:Medium</ns2:addOnProductName>
<ns2:quantityPurchased>1</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
<ns2:addOnProductName>Tshirt
size:Large</ns2:addOnProductName>
<ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
<ns2:addOnProductName>Tshirt size:Extra
large</ns2:addOnProductName>
<ns2:quantityPurchased>0</ns2:quantityPurchased>
</ns2:addOnProducts>
<ns2:addOnProducts>
<ns2:addOnProductName>Custom</ns2:addOnProductName>

```



```

        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Small</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Medium</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Large</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
        <ns2:addOnProducts>
            <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Extra large</ns2:addOnProductName>
            <ns2:quantityPurchased>0</ns2:quantityPurchased>
        </ns2:addOnProducts>
    </ns2:addOnProducts>
</ns2:externalCustomRegistrationReportRecord>
<ns2:externalCustomRegistrationReportRecord>
    <ns2:registrationId>27039683301501</ns2:registrationId>
<ns2:registrationNumber>R-10PT3SN4WJK</ns2:registrationNumber>
<ns2:uniquePersonId>4916C417-2F92-4BCB-948C-F8523CB5164E</ns2:uniquePersonId>

    <ns2:registrantName>tracking, test</ns2:registrantName>
    <ns2:registrantLastName>tracking</ns2:registrantLastName>

    <ns2:registrantFirstName>test</ns2:registrantFirstName>
    <ns2:gender>FEMALE</ns2:gender>
    <ns2:age>36</ns2:age>
    <ns2:dateOfBirth>10/16/1985</ns2:dateOfBirth>
    <ns2:ageAtEndOfYear>37</ns2:ageAtEndOfYear>
    <ns2:email>testtracking@mailinator.com</ns2:email>
    <ns2:dayPhone>3232322332</ns2:dayPhone>
    <ns2:addressLine1>address</ns2:addressLine1>
    <ns2:addressLine2/>
    <ns2:city>cityyyy</ns2:city>
    <ns2:stateProvince>FP0</ns2:stateProvince>
    <ns2:country>US</ns2:country>
    <ns2:postalCode>35689</ns2:postalCode>
    <ns2:bibNumber>2008</ns2:bibNumber>
    <ns2:referredBy/>
    <ns2:eventNumber>E-00MGGBHB</ns2:eventNumber>
    <ns2:eventStartDate>04/10/2022</ns2:eventStartDate>
    <ns2:priceType>Self B</ns2:priceType>
    <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
<ns2:registrationDate>2017-11-28T05:55:36.367Z</ns2:registrationDate>
<ns2:registrationModifiedDate>2017-11-28T06:00:03.933Z</ns2:registrationModifiedDate>

    <ns2:registrationStatus>CONFIRMED</ns2:registrationStatus>

```

```

<ns2:registrationInterface>Public</ns2:registrationInterface>
<ns2:registrationGrossRevenue>200.0</ns2:registrationGrossRevenue>
  <ns2:registrationDiscount>0.0</ns2:registrationDiscount>
    <ns2:locale>en_US</ns2:locale>
    <ns2:paymentStatus>Paid</ns2:paymentStatus>
    <ns2:isTeamCaptain>No</ns2:isTeamCaptain>
    <ns2:isFundraiser>No</ns2:isFundraiser>
    <ns2:waiverStatus>Not signed</ns2:waiverStatus>
    <ns2:registrationSource>web
browser</ns2:registrationSource>
  <ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Tshirt
size:Small</ns2:addOnProductName>
      <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Tshirt
size:Medium</ns2:addOnProductName>
      <ns2:quantityPurchased>1</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Tshirt
size:Large</ns2:addOnProductName>
      <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Tshirt size:Extra
large</ns2:addOnProductName>
      <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Custom</ns2:addOnProductName>
      <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Jersey:SS</ns2:addOnProductName>
      <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Jersey:MM</ns2:addOnProductName>
      <ns2:quantityPurchased>1</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Jersey:Large</ns2:addOnProductName>
      <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Jersey:Extra
large</ns2:addOnProductName>
      <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
    <ns2:addOnProducts>
      <ns2:addOnProductName>Shorts:Small</ns2:addOnProductName>

```

```

        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts:Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts:Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Small</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts
1:Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Shorts 1:Extra
large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Small</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Medium</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
<ns2:addOnProducts>
    <ns2:addOnProductName>Pants2 (Offered by Gerry
ThirdParty):Extra large</ns2:addOnProductName>
        <ns2:quantityPurchased>0</ns2:quantityPurchased>
    </ns2:addOnProducts>
</ns2:addOnProducts>
</ns2:externalCustomRegistrationReportRecord>
</ns2:externalCustomRegistrationReportRecords>
<ns2:recordCount>14</ns2:recordCount>

```

```

        </ns2:result>
    </ns2:getCustomRegistrationReportResponse>
</soap:Body>
</soap:Envelope>

```

runCustomRegistrationReport example

Endurance 2.54

runCustomRegistrationReport call

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://www.active.com/api/external-endurance-report/v1">
  <soapenv:Header/>
  <soapenv:Body>
    <v1:runCustomRegistrationReport>
      <!--Optional:-->
      <v1:context>
        <!--Optional:-->
        <appToken>*****</appToken>
      </v1:context>
      <!--Optional:-->
      <v1:request>
        <v1:version>1.0</v1:version>
        <v1:rootEventNumber>E-00MGGBHB</v1:rootEventNumber>
        <!--Optional:-->
        <v1:startDateTime>2012-1-1</v1:startDateTime>
        <!--Optional:-->
        <v1:endDateTime>2018-1-1</v1:endDateTime>
        <!--Optional:-->
      </v1:request>
      <v1:filterByLastModifiedDateTime>?</v1:filterByLastModifiedDateTime>
    </v1:runCustomRegistrationReport>
  </soapenv:Body>
</soapenv:Envelope>

```

runCustomRegistrationReport response

```

<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:runCustomRegistrationReportResponse
      xmlns:ns2="http://www.active.com/api/external-endurance-report/v1">
      <ns2:result>4676</ns2:result>
    </ns2:runCustomRegistrationReportResponse>
  </soap:Body>
</soap:Envelope>

```

getEventDetails example

Endurance 2.54

getEventDetails call

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://www.active.com/api/external-endurance-report/v1">
  <soapenv:Header/>
  <soapenv:Body>

```

```

    <v1:getEventDetails>
      <v1:context>
        <appToken>*****</appToken>
      </v1:context>
      <v1:request>
        <v1:version>1.0</v1:version>
        <v1:rootEventNumber>E-005XYFW9</v1:rootEventNumber>
      </v1:request>
    </v1:getEventDetails>
  </soapenv:Body>
</soapenv:Envelope>

```

getEventDetails response

```

<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:getEventDetailsResponse
xmlns:ns2="http://www.active.com/api/external-endurance-report/v1">
      <ns2:result>
        <ns2:eventDate>2014-02-01</ns2:eventDate>
        <ns2:eventLocation>
          <ns2:locationName>Active</ns2:locationName>
          <ns2:addressLine1>10182 Telesis Court, Suite
100</ns2:addressLine1>
          <ns2:city>San Diego</ns2:city>
          <ns2:stateProvince>California</ns2:stateProvince>
          <ns2:postalCode>92121</ns2:postalCode>
          <ns2:country>United States</ns2:country>
        </ns2:eventLocation>
        <ns2:registrationUrl>http://www.active.com/san-diego-ca/cycling/camps/endr-13174-2014</ns2:registrationUrl>
        <ns2:categoryNames>
          <ns2:categoryName>Running-5K</ns2:categoryName>
          <ns2:categoryName>Running-10K</ns2:categoryName>
          <ns2:categoryName>Running-8K</ns2:categoryName>
          <ns2:categoryName>Triathlon-Sprint</ns2:categoryName>
          <ns2:categoryName>Cycling-12 Hour</ns2:categoryName>
          <ns2:categoryName>1 capacity
Clinic/camp-One-day</ns2:categoryName>
          <ns2:categoryName>1 capacity</ns2:categoryName>
        </ns2:categoryNames>
        <ns2:priceTypeNames>
          <ns2:priceTypeName>Individual Age
group/open</ns2:priceTypeName>
          <ns2:priceTypeName>Group-registration team Age
group/open</ns2:priceTypeName>
          <ns2:priceTypeName>Self Individual Age
group/open</ns2:priceTypeName>
          <ns2:priceTypeName>Individual Age
group/open</ns2:priceTypeName>
          <ns2:priceTypeName>Group-registration team Age
group/open</ns2:priceTypeName>
          <ns2:priceTypeName>Group-registration team Age
group/open</ns2:priceTypeName>
          <ns2:priceTypeName>Group-registration team Age
group/open</ns2:priceTypeName>
          <ns2:priceTypeName>only one spot</ns2:priceTypeName>
          <ns2:priceTypeName>Individual Age
group/open</ns2:priceTypeName>
          <ns2:priceTypeName>Individual Age

```

```

group/open</ns2:priceTypeName>
    <ns2:priceTypeName>Group-registration team Age
group/open</ns2:priceTypeName>
    <ns2:priceTypeName>Group-registration team Age
group/open</ns2:priceTypeName>
    <ns2:priceTypeName>Group-registration team Age
group/open</ns2:priceTypeName>
    </ns2:priceTypeNames>
    <ns2:registrationQuestions>
        <ns2:registrationQuestion>Participant
name</ns2:registrationQuestion>
        <ns2:registrationQuestion>Gender</ns2:registrationQuestion>

        <ns2:registrationQuestion>Date of
birth</ns2:registrationQuestion>
        <ns2:registrationQuestion>Email
address</ns2:registrationQuestion>
        <ns2:registrationQuestion>Day phone</ns2:registrationQuestion>

        <ns2:registrationQuestion>Contact
address</ns2:registrationQuestion>
        <ns2:registrationQuestion>Emergency contact
name</ns2:registrationQuestion>
        <ns2:registrationQuestion>Emergency contact
phone</ns2:registrationQuestion>
        <ns2:registrationQuestion>How did you hear about this
event?</ns2:registrationQuestion>
        <ns2:registrationQuestion>Team name</ns2:registrationQuestion>

        <ns2:registrationQuestion>Number of team
members</ns2:registrationQuestion>
        <ns2:registrationQuestion>Team
description</ns2:registrationQuestion>
        <ns2:registrationQuestion>Participant
name</ns2:registrationQuestion>
        <ns2:registrationQuestion>Gender</ns2:registrationQuestion>

        <ns2:registrationQuestion>Date of
birth</ns2:registrationQuestion>
        <ns2:registrationQuestion>Email
address</ns2:registrationQuestion>
        <ns2:registrationQuestion>Day phone</ns2:registrationQuestion>

        <ns2:registrationQuestion>How did you hear about this
event?</ns2:registrationQuestion>
        <ns2:registrationQuestion>Select a role of the relay to
complete (1 capacity Clinic/camp-One-day Group-registration team Age
group/open)</ns2:registrationQuestion>
    </ns2:registrationQuestions>
</ns2:result>
</ns2:getEventDetailsResponse>
</soap:Body>
</soap:Envelope>

```

getEventParticipants example

Endurance 2.54

getEventParticipants call

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://www.active.com/api/external-endurance-report/v1">
  <soapenv:Header/>
  <soapenv:Body>
    <v1:getEventParticipants>
      <!--Optional:-->
      <v1:context>
        <!--Optional:-->
        <appToken>*****</appToken>
      </v1:context>
      <!--Optional:-->
      <v1:request>
        <v1:version>1.0</v1:version>
        <v1:rootEventNumber>E-00MGGBHB</v1:rootEventNumber>
        <!--Optional:-->
        <v1:startDateTime>2016-1-1</v1:startDateTime>
        <!--Optional:-->
        <v1:endDateTime>2017-12-20</v1:endDateTime>
        <!--Optional:-->
        <v1:lastResult>0</v1:lastResult>
      </v1:request>
    </v1:getEventParticipants>
  </soapenv:Body>
</soapenv:Envelope>
```

getEventParticipants response

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:getEventParticipantsResponse
      xmlns:ns2="http://www.active.com/api/external-endurance-report/v1">
      <ns2:result>
        <ns2:paginatedParticipantPage>
          <ns2:paginatedParticipant>
            <ns2:bibNumber>2009</ns2:bibNumber>
            <ns2:distance>1 Mile</ns2:distance>
            <ns2:firstName>magazine</ns2:firstName>
            <ns2:lastName>offer20171128</ns2:lastName>
            <ns2:gender>FEMALE</ns2:gender>
            <ns2:age>26</ns2:age>
            <ns2:ageAtEndOfRaceYear>31</ns2:ageAtEndOfRaceYear>
            <ns2:dateOfBirth>1991-01-02</ns2:dateOfBirth>

            <ns2:registrationNumber>R-10PT3SN6Z28</ns2:registrationNumber>
            <ns2:registrationCategory>Running-1
            Mile</ns2:registrationCategory>
            <ns2:priceType>Individual</ns2:priceType>
            <ns2:tshirtSize>Medium</ns2:tshirtSize>
            <ns2:waiverSigned>false</ns2:waiverSigned>
            <ns2:ngbWaiverSigned>false</ns2:ngbWaiverSigned>
            <ns2:membershipSnapshot>-</ns2:membershipSnapshot>
            <ns2:email>magazine20171124@mailinator.com</ns2:email>

            <ns2:registrationLastModifiedDate>2017-11-28T08:00:09.833Z</ns2:registrationLastModifiedDate>

            <ns2:personId>604e23b4-7dcb-4385-ba51-185aa2a842b3</ns2:personId>
            <ns2:uniquePersonId>14337b50-f51c-4f41-82a1-24204d4785d8</ns2:uniquePersonId>
```

```

        </ns2:paginatedParticipant>
        <ns2:paginatedParticipant>
            <ns2:bibNumber>2010</ns2:bibNumber>
            <ns2:distance>1 Mile</ns2:distance>
            <ns2:firstName>magazine</ns2:firstName>
            <ns2:lastName>offer20171128</ns2:lastName>
            <ns2:gender>FEMALE</ns2:gender>
            <ns2:age>26</ns2:age>
            <ns2:ageAtEndOfRaceYear>31</ns2:ageAtEndOfRaceYear>
            <ns2:dateOfBirth>1991-01-02</ns2:dateOfBirth>

<ns2:registrationNumber>R-10PT3SN729M</ns2:registrationNumber>
    <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
    <ns2:priceType>Self B</ns2:priceType>
    <ns2:tshirtSize>Medium</ns2:tshirtSize>
    <ns2:waiverSigned>false</ns2:waiverSigned>
    <ns2:ngbWaiverSigned>false</ns2:ngbWaiverSigned>
    <ns2:membershipSnapshot>-</ns2:membershipSnapshot>
    <ns2:email>magazine20171124@mailinator.com</ns2:email>

<ns2:registrationLastModifiedDate>2017-11-28T08:00:09.833Z</ns2:registrationLastModifiedDate>

<ns2:personId>69335e4c-b940-4d7e-a0a0-7ea5a969a8cf</ns2:personId>

<ns2:uniquePersonId>26fb6c94-87dd-41e3-b399-19edda2cc55a</ns2:uniquePersonId>

        </ns2:paginatedParticipant>
        <ns2:paginatedParticipant>
            <ns2:bibNumber>2007</ns2:bibNumber>
            <ns2:distance>1 Mile</ns2:distance>
            <ns2:firstName>test</ns2:firstName>
            <ns2:lastName>tracking</ns2:lastName>
            <ns2:gender>FEMALE</ns2:gender>
            <ns2:age>32</ns2:age>
            <ns2:ageAtEndOfRaceYear>37</ns2:ageAtEndOfRaceYear>
            <ns2:dateOfBirth>1985-10-16</ns2:dateOfBirth>

<ns2:registrationNumber>R-10PT3SN4S97</ns2:registrationNumber>
    <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
    <ns2:priceType>Individual</ns2:priceType>
    <ns2:tshirtSize>Medium</ns2:tshirtSize>
    <ns2:waiverSigned>false</ns2:waiverSigned>
    <ns2:ngbWaiverSigned>false</ns2:ngbWaiverSigned>
    <ns2:membershipSnapshot>-</ns2:membershipSnapshot>
    <ns2:email>testtracking@mailinator.com</ns2:email>

<ns2:registrationLastModifiedDate>2017-11-28T06:00:03.933Z</ns2:registrationLastModifiedDate>

<ns2:personId>428a7f3d-a483-409c-ad41-db6b6d298c6b</ns2:personId>

<ns2:uniquePersonId>4916c417-2f92-4bcb-948c-f8523cb5164e</ns2:uniquePersonId>

        </ns2:paginatedParticipant>
        <ns2:paginatedParticipant>
            <ns2:bibNumber>2008</ns2:bibNumber>
            <ns2:distance>1 Mile</ns2:distance>

```

```

        <ns2:firstName>test</ns2:firstName>
        <ns2:lastName>tracking</ns2:lastName>
        <ns2:gender>FEMALE</ns2:gender>
        <ns2:age>32</ns2:age>
        <ns2:ageAtEndOfRaceYear>37</ns2:ageAtEndOfRaceYear>
        <ns2:dateOfBirth>1985-10-16</ns2:dateOfBirth>

<ns2:registrationNumber>R-10PT3SN4WJK</ns2:registrationNumber>
    <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
    <ns2:priceType>Self B</ns2:priceType>
    <ns2:tshirtSize>Medium</ns2:tshirtSize>
    <ns2:waiverSigned>false</ns2:waiverSigned>
    <ns2:ngbWaiverSigned>false</ns2:ngbWaiverSigned>
    <ns2:membershipSnapshot>-</ns2:membershipSnapshot>
    <ns2:email>testtracking@mailinator.com</ns2:email>

<ns2:registrationLastModifiedDate>2017-11-28T06:00:03.933Z</ns2:registrationLastModifiedDate>

<ns2:personId>428a7f3d-a483-409c-ad41-db6b6d298c6b</ns2:personId>

<ns2:uniquePersonId>4916c417-2f92-4bcb-948c-f8523cb5164e</ns2:uniquePersonId>

    </ns2:paginatedParticipant>
    <ns2:paginatedParticipant>
        <ns2:bibNumber>2005</ns2:bibNumber>
        <ns2:distance>1 Mile</ns2:distance>
        <ns2:firstName>frgf42</ns2:firstName>
        <ns2:lastName>g4g423</ns2:lastName>
        <ns2:gender>MALE</ns2:gender>
        <ns2:age>38</ns2:age>
        <ns2:ageAtEndOfRaceYear>43</ns2:ageAtEndOfRaceYear>
        <ns2:dateOfBirth>1979-10-13</ns2:dateOfBirth>

<ns2:registrationNumber>R-10PT3SJ96V7</ns2:registrationNumber>
    <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
    <ns2:priceType>Individual</ns2:priceType>
    <ns2:tshirtSize>Medium</ns2:tshirtSize>
    <ns2:waiverSigned>false</ns2:waiverSigned>
    <ns2:ngbWaiverSigned>false</ns2:ngbWaiverSigned>
    <ns2:membershipSnapshot>-</ns2:membershipSnapshot>
    <ns2:email>testdatatracking@test.com</ns2:email>

<ns2:registrationLastModifiedDate>2017-11-27T08:00:09.367Z</ns2:registrationLastModifiedDate>

<ns2:personId>44a95953-b56b-4134-a94a-b2904171f12a</ns2:personId>

<ns2:uniquePersonId>4117b074-20d9-4b1d-b1a8-66941696acb1</ns2:uniquePersonId>

    </ns2:paginatedParticipant>
    <ns2:paginatedParticipant>
        <ns2:bibNumber>2006</ns2:bibNumber>
        <ns2:distance>1 Mile</ns2:distance>
        <ns2:firstName>frgf42</ns2:firstName>
        <ns2:lastName>g4g423</ns2:lastName>
        <ns2:gender>MALE</ns2:gender>
        <ns2:age>38</ns2:age>
        <ns2:ageAtEndOfRaceYear>43</ns2:ageAtEndOfRaceYear>

```

```

        <ns2:dateOfBirth>1979-10-13</ns2:dateOfBirth>

<ns2:registrationNumber>R-10PT3SJ9B2L</ns2:registrationNumber>
    <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
    <ns2:priceType>Self B</ns2:priceType>
    <ns2:tshirtSize>Small</ns2:tshirtSize>
    <ns2:waiverSigned>false</ns2:waiverSigned>
    <ns2:ngbWaiverSigned>false</ns2:ngbWaiverSigned>
    <ns2:membershipSnapshot>-</ns2:membershipSnapshot>
    <ns2:email>testdatatracking@test.com</ns2:email>

<ns2:registrationLastModifiedDate>2017-11-27T08:00:09.367Z</ns2:registrationLastModifiedDate>

<ns2:personId>44a95953-b56b-4134-a94a-b2904171f12a</ns2:personId>

<ns2:uniquePersonId>4117b074-20d9-4b1d-b1a8-66941696acb1</ns2:uniquePersonId>

    </ns2:paginatedParticipant>
    <ns2:paginatedParticipant>
        <ns2:bibNumber>2004</ns2:bibNumber>
        <ns2:distance>1 Mile</ns2:distance>
        <ns2:firstName>my</ns2:firstName>
        <ns2:lastName>son</ns2:lastName>
        <ns2:gender>FEMALE</ns2:gender>
        <ns2:age>12</ns2:age>
        <ns2:ageAtEndOfRaceYear>17</ns2:ageAtEndOfRaceYear>
        <ns2:dateOfBirth>2005-03-13</ns2:dateOfBirth>

<ns2:registrationNumber>R-10PT3SH3SVL</ns2:registrationNumber>
    <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
    <ns2:priceType>Self B</ns2:priceType>
    <ns2:tshirtSize>Small</ns2:tshirtSize>
    <ns2:waiverSigned>false</ns2:waiverSigned>
    <ns2:ngbWaiverSigned>false</ns2:ngbWaiverSigned>
    <ns2:membershipSnapshot>-</ns2:membershipSnapshot>
    <ns2:email>mec20171124@mailinator.com</ns2:email>

<ns2:registrationLastModifiedDate>2017-11-24T06:21:27.280Z</ns2:registrationLastModifiedDate>

<ns2:personId>7b25d7c7-423f-4dc3-bf81-bf21aee888b7</ns2:personId>

<ns2:uniquePersonId>4f4f65da-5579-4cc8-9ec2-df89e2834aee</ns2:uniquePersonId>

    </ns2:paginatedParticipant>
    <ns2:paginatedParticipant>
        <ns2:bibNumber>4000</ns2:bibNumber>
        <ns2:distance>Super Sprint</ns2:distance>
        <ns2:firstName>MEC</ns2:firstName>
        <ns2:lastName>Gerry</ns2:lastName>
        <ns2:gender>MALE</ns2:gender>
        <ns2:age>31</ns2:age>
        <ns2:ageAtEndOfRaceYear>35</ns2:ageAtEndOfRaceYear>
        <ns2:dateOfBirth>1986-04-13</ns2:dateOfBirth>

<ns2:registrationNumber>R-10PT3SH4MM7</ns2:registrationNumber>
    <ns2:registrationCategory>Triathlon-Super
Sprint</ns2:registrationCategory>

```

```

        <ns2:priceType>Individual2</ns2:priceType>
        <ns2:tshirtSize>Small</ns2:tshirtSize>
        <ns2:waiverSigned>false</ns2:waiverSigned>
        <ns2:ngbWaiverSigned>false</ns2:ngbWaiverSigned>
        <ns2:membershipSnapshot>-</ns2:membershipSnapshot>
        <ns2:email>mec20171124@mailinator.com</ns2:email>

<ns2:registrationLastModifiedDate>2017-11-24T06:11:20.547Z</ns2:registrationLastModifiedDate>

<ns2:personId>eb424e6d-d2a2-44d9-8ad8-8da88e3cebb6</ns2:personId>

<ns2:uniquePersonId>99aed761-08c2-414c-ab69-4f270977e871</ns2:uniquePersonId>

    </ns2:paginatedParticipant>
    <ns2:paginatedParticipant>
        <ns2:bibNumber>2002</ns2:bibNumber>
        <ns2:distance>1 Mile</ns2:distance>
        <ns2:firstName>Impoort gerry</ns2:firstName>
        <ns2:lastName>Last import</ns2:lastName>
        <ns2:gender>FEMALE</ns2:gender>
        <ns2:age>27</ns2:age>
        <ns2:ageAtEndOfRaceYear>32</ns2:ageAtEndOfRaceYear>
        <ns2:dateOfBirth>1990-11-11</ns2:dateOfBirth>

<ns2:registrationNumber>R-10PT3SH46QX</ns2:registrationNumber>
    <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
    <ns2:priceType>create only</ns2:priceType>
    <ns2:tshirtSize>Small</ns2:tshirtSize>
    <ns2:teamName>mass import team</ns2:teamName>
    <ns2:waiverSigned>false</ns2:waiverSigned>
    <ns2:ngbWaiverSigned>false</ns2:ngbWaiverSigned>
    <ns2:membershipSnapshot>-</ns2:membershipSnapshot>
    <ns2:email>massimport@mailinator.com</ns2:email>

<ns2:registrationLastModifiedDate>2017-11-24T06:00:01.733Z</ns2:registrationLastModifiedDate>

<ns2:personId>c24d1306-8480-4187-8ad3-6510cca9d66b</ns2:personId>

<ns2:uniquePersonId>a4eff597-e10d-4e5d-9034-ebf6794ec217</ns2:uniquePersonId>

    </ns2:paginatedParticipant>
    <ns2:paginatedParticipant>
        <ns2:bibNumber>2003</ns2:bibNumber>
        <ns2:distance>1 Mile</ns2:distance>
        <ns2:firstName>Impoort gerry</ns2:firstName>
        <ns2:lastName>Last import</ns2:lastName>
        <ns2:gender>FEMALE</ns2:gender>
        <ns2:age>27</ns2:age>
        <ns2:ageAtEndOfRaceYear>32</ns2:ageAtEndOfRaceYear>
        <ns2:dateOfBirth>1990-11-11</ns2:dateOfBirth>

<ns2:registrationNumber>R-10PT3SH3LDY</ns2:registrationNumber>
    <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
    <ns2:priceType>Individual</ns2:priceType>
    <ns2:tshirtSize>Small</ns2:tshirtSize>
    <ns2:waiverSigned>false</ns2:waiverSigned>
    <ns2:ngbWaiverSigned>false</ns2:ngbWaiverSigned>

```

```

        <ns2:membershipSnapshot>-</ns2:membershipSnapshot>
        <ns2:email>massimport@mailinator.com</ns2:email>

<ns2:registrationLastModifiedDate>2017-11-24T06:00:00.207Z</ns2:registrationLastModifiedDate>

<ns2:personId>4f87d4d0-adf5-451e-a1ff-798e13c4ec30</ns2:personId>

<ns2:uniquePersonId>ae10d390-bea8-44de-baab-f07fcf467084</ns2:uniquePersonId>

        </ns2:paginatedParticipant>
        <ns2:paginatedParticipant>
                <ns2:bibNumber>2001</ns2:bibNumber>
                <ns2:distance>1 Mile</ns2:distance>
                <ns2:firstName>Impoort gerry</ns2:firstName>
                <ns2:lastName>Last import</ns2:lastName>
                <ns2:gender>FEMALE</ns2:gender>
                <ns2:age>27</ns2:age>
                <ns2:ageAtEndOfRaceYear>32</ns2:ageAtEndOfRaceYear>
                <ns2:dateOfBirth>1990-11-11</ns2:dateOfBirth>

<ns2:registrationNumber>R-10PT3SH3CX7</ns2:registrationNumber>
        <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
        <ns2:priceType>create only</ns2:priceType>
        <ns2:tshirtSize>Small</ns2:tshirtSize>
        <ns2:teamName>mass import team</ns2:teamName>
        <ns2:waiverSigned>false</ns2:waiverSigned>
        <ns2:ngbWaiverSigned>false</ns2:ngbWaiverSigned>
        <ns2:membershipSnapshot>-</ns2:membershipSnapshot>
        <ns2:email>massimport@mailinator.com</ns2:email>

<ns2:registrationLastModifiedDate>2017-11-24T05:26:31.500Z</ns2:registrationLastModifiedDate>

<ns2:personId>c24d1306-8480-4187-8ad3-6510cca9d66b</ns2:personId>

<ns2:uniquePersonId>a4eff597-e10d-4e5d-9034-ebf6794ec217</ns2:uniquePersonId>

        </ns2:paginatedParticipant>
        <ns2:paginatedParticipant>
                <ns2:bibNumber>2000</ns2:bibNumber>
                <ns2:distance>1 Mile</ns2:distance>
                <ns2:firstName>Gerry</ns2:firstName>
                <ns2:lastName>merchandise</ns2:lastName>
                <ns2:gender>FEMALE</ns2:gender>
                <ns2:age>27</ns2:age>
                <ns2:ageAtEndOfRaceYear>32</ns2:ageAtEndOfRaceYear>
                <ns2:dateOfBirth>1990-05-11</ns2:dateOfBirth>

<ns2:registrationNumber>R-10PT3SGZJLX</ns2:registrationNumber>
        <ns2:registrationCategory>Running-1
Mile</ns2:registrationCategory>
        <ns2:priceType>create only</ns2:priceType>
        <ns2:tshirtSize>Small</ns2:tshirtSize>
        <ns2:teamName>Self Team 1</ns2:teamName>
        <ns2:waiverSigned>false</ns2:waiverSigned>
        <ns2:ngbWaiverSigned>false</ns2:ngbWaiverSigned>
        <ns2:membershipSnapshot>-</ns2:membershipSnapshot>
        <ns2:email>merchandisefulfillment@20170223.com</ns2:email>

```

```

<ns2:registrationLastModifiedDate>2017-11-23T08:00:02.410Z</ns2:registrationLastModifiedDate>

<ns2:personId>4c547b1a-daef-4839-960c-19715b606efc</ns2:personId>

<ns2:uniquePersonId>66c848ff-53e8-4ff9-8288-94c8ce00d4b3</ns2:uniquePersonId>

    </ns2:paginatedParticipant>
    <ns2:paginatedParticipant>
        <ns2:distance>12 Hour</ns2:distance>
        <ns2:firstName>Gerry</ns2:firstName>
        <ns2:lastName>merchandise</ns2:lastName>
        <ns2:gender>FEMALE</ns2:gender>
        <ns2:age>9</ns2:age>
        <ns2:ageAtEndOfRaceYear>14</ns2:ageAtEndOfRaceYear>
        <ns2:dateOfBirth>2008-05-11</ns2:dateOfBirth>

<ns2:registrationNumber>R-10PT3SGZMT7</ns2:registrationNumber>
    <ns2:registrationCategory>Cycling-12
Hour</ns2:registrationCategory>
    <ns2:priceType>Group-N-T</ns2:priceType>
    <ns2:tshirtSize>Medium</ns2:tshirtSize>
    <ns2:teamName>Group Team1</ns2:teamName>
    <ns2:waiverSigned>false</ns2:waiverSigned>
    <ns2:ngbWaiverSigned>false</ns2:ngbWaiverSigned>
    <ns2:membershipSnapshot>-</ns2:membershipSnapshot>
    <ns2:email>merchandisefulfillment@20170223.com</ns2:email>

<ns2:registrationLastModifiedDate>2017-11-23T08:00:02.410Z</ns2:registrationLastModifiedDate>

<ns2:personId>74cc4c3f-439e-418c-a449-37471edb6cc2</ns2:personId>

<ns2:uniquePersonId>d8116c09-07b2-4227-a50f-4f9646228e7d</ns2:uniquePersonId>

    </ns2:paginatedParticipant>
    <ns2:paginatedParticipant>
        <ns2:distance>12 Hour</ns2:distance>
        <ns2:firstName>Gerry</ns2:firstName>
        <ns2:lastName>merchandise</ns2:lastName>
        <ns2:gender>FEMALE</ns2:gender>
        <ns2:age>27</ns2:age>
        <ns2:ageAtEndOfRaceYear>32</ns2:ageAtEndOfRaceYear>
        <ns2:dateOfBirth>1990-05-11</ns2:dateOfBirth>

<ns2:registrationNumber>R-10PT3SGZR1L</ns2:registrationNumber>
    <ns2:registrationCategory>Cycling-12
Hour</ns2:registrationCategory>
    <ns2:priceType>Group-N-T</ns2:priceType>
    <ns2:tshirtSize>Medium</ns2:tshirtSize>
    <ns2:teamName>Group Team1</ns2:teamName>
    <ns2:waiverSigned>false</ns2:waiverSigned>
    <ns2:ngbWaiverSigned>false</ns2:ngbWaiverSigned>
    <ns2:membershipSnapshot>-</ns2:membershipSnapshot>
    <ns2:email>merchandisefulfillment@20170223.com</ns2:email>

<ns2:registrationLastModifiedDate>2017-11-23T08:00:02.410Z</ns2:registrationLastModifiedDate>

```

```

<ns2:personId>4c547b1a-daef-4839-960c-19715b606efc</ns2:personId>
<ns2:uniquePersonId>66c848ff-53e8-4ff9-8288-94c8ce00d4b3</ns2:uniquePersonId>
    </ns2:paginatedParticipant>
</ns2:paginatedParticipantPage>
<ns2:paginatedStartingResult>1</ns2:paginatedStartingResult>
<ns2:paginatedEndingResult>14</ns2:paginatedEndingResult>
<ns2:pageCount>14</ns2:pageCount>
<ns2:totalResultCount>14</ns2:totalResultCount>
</ns2:result>
</ns2:getEventParticipantsResponse>
</soap:Body>
</soap:Envelope>

```

USAT getEventParticipants response

```

<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:getEventParticipantsResponse
xmlns:ns2="http://www.active.com/api/external-endurance-report/v1">
      <ns2:result>
        <ns2:paginatedParticipantPage>
          <ns2:paginatedParticipant>
            <ns2:distance>5k run/30k bike/5k run</ns2:distance>
            <ns2:firstName>John</ns2:firstName>
            <ns2:lastName>Smith</ns2:lastName>
            <ns2:gender>MALE</ns2:gender>
            <ns2:age>28</ns2:age>
            <ns2:ageAtEndOfRaceYear>30</ns2:ageAtEndOfRaceYear>
            <ns2:dateOfBirth>1988-01-01</ns2:dateOfBirth>
            <ns2:registrationNumber>R-31FPB3PB</ns2:registrationNumber>
            <ns2:registrationCategory>Duathlon-5k run/30k bike/5k
run</ns2:registrationCategory>
            <ns2:priceType>Individual AA</ns2:priceType>
            <ns2:tshirtSize>Large</ns2:tshirtSize>
            <ns2:waiverSigned>>false</ns2:waiverSigned>
            <ns2:ngbWaiverSigned>>false</ns2:ngbWaiverSigned>
            <ns2:usatMembership>1-day adult USAT</ns2:usatMembership>
            <ns2:membershipSnapshot>1-day adult USAT
membership</ns2:membershipSnapshot>
            <ns2:membershipStatus>1-day adult
USAT</ns2:membershipStatus>
            <ns2:email>john.smith@test.com</ns2:email>
            <ns2:registrationLastModifiedDate>2016-03-17T10:09:19.413Z</ns2:registrationLastModifiedDate>
          </ns2:paginatedParticipant>
          ...
        </ns2:paginatedParticipantPage>
        <ns2:paginatedStartingResult>1</ns2:paginatedStartingResult>
        <ns2:paginatedEndingResult>9</ns2:paginatedEndingResult>
        <ns2:pageCount>9</ns2:pageCount>
        <ns2:totalResultCount>9</ns2:totalResultCount>
      </ns2:result>
    </ns2:getEventParticipantsResponse>
  </soap:Body>
</soap:Envelope>

```

```
</soap:Body>
</soap:Envelope>
```

getEvents example

Endurance 2.54

getEvents call

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://www.active.com/api/external-endurance-report/v1">
  <soapenv:Header/>
  <soapenv:Body>
    <v1:getEvents>
      <!--Optional:-->
      <v1:context>
        <!--Optional:-->
        <appToken>*****</appToken>
      </v1:context>
      <!--Optional:-->
      <v1:request>
        <v1:version>1.0</v1:version>
      </v1:request>
    </v1:getEvents>
  </soapenv:Body>
</soapenv:Envelope>
```

getEvents response

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:getEventsResponse
      xmlns:ns2="http://www.active.com/api/external-endurance-report/v1">
      <ns2:result>
        <ns2:count>161</ns2:count>
        <ns2:accessibleEvents>
          <ns2:accessibleEvent>
            <ns2:rootEventNumber>E-008LKJHD</ns2:rootEventNumber>
            <ns2:eventName>Event Company - Saturday, July 12th
2014</ns2:eventName>
            <ns2:rootEventId>7941254</ns2:rootEventId>
            <ns2:eventDate>2014-07-12</ns2:eventDate>
          </ns2:accessibleEvent>
          <ns2:accessibleEvent>
            <ns2:rootEventNumber>E-008JP7YM</ns2:rootEventNumber>
            <ns2:eventName>Event Company - Sunday, September 21st
2014</ns2:eventName>
            <ns2:rootEventId>7885251</ns2:rootEventId>
            <ns2:eventDate>2014-09-21</ns2:eventDate>
          </ns2:accessibleEvent>
        </ns2:accessibleEvents>
      </ns2:result>
    </ns2:getEventsResponse>
```

```
</soap:Body>
</soap:Envelope>
```

getLedgerStatusByOrderNumbers example

Endurance 2.54

getLedgerStatusByOrderNumbers call

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://www.active.com/api/external-endurance-report/v1">
  <soapenv:Header/>
  <soapenv:Body>
    <v1:getLedgerStatusByOrderNumbers>
      <v1:context>
        <appToken>****</appToken>
      </v1:context>
      <v1:request>
        <v1:agencyId>185901</v1:agencyId>
        <v1:orderNumbers>C-05W8B4ND</v1:orderNumbers>
        <v1:orderNumbers>C-05WP9FJY</v1:orderNumbers>
        <v1:orderNumbers>C-05WPP98Y</v1:orderNumbers>
        <v1:orderNumbers>C-015WPP98Y</v1:orderNumbers>
      </v1:request>
    </v1:getLedgerStatusByOrderNumbers>
  </soapenv:Body>
</soapenv:Envelope>
```

getLedgerStatusByOrderNumbers response

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:getLedgerStatusByOrderNumbersResponse
      xmlns:ns2="http://www.active.com/api/external-endurance-report/v1">
      <ns2:return>
        <ns2:ledgerStatuses>
          <ns2:checkNumber>134480</ns2:checkNumber>
          <ns2:orderNumber>C-05W8B4ND</ns2:orderNumber>
          <ns2:paymentStatus>approved</ns2:paymentStatus>
        </ns2:ledgerStatuses>
        <ns2:ledgerStatuses>
          <ns2:checkNumber>134480</ns2:checkNumber>
          <ns2:orderNumber>C-05WP9FJY</ns2:orderNumber>
          <ns2:paymentStatus>approved</ns2:paymentStatus>
        </ns2:ledgerStatuses>
        <ns2:ledgerStatuses>
          <ns2:checkNumber>134480</ns2:checkNumber>
          <ns2:orderNumber>C-05WPP98Y</ns2:orderNumber>
          <ns2:paymentStatus>approved</ns2:paymentStatus>
        </ns2:ledgerStatuses>
      </ns2:return>
    </ns2:getLedgerStatusByOrderNumbersResponse>
```

```
</soap:Body>
</soap:Envelope>
```

getProspectiveRegistrationReport example

Endurance 2.54

getProspectiveRegistrationReport call

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://www.active.com/api/external-endurance-report/v1">
  <soapenv:Header/>
  <soapenv:Body>
    <v1:getProspectiveRegistrationReport>
      <v1:context>
        <appToken>****</appToken>
      </v1:context>
      <v1:requestId>30276</v1:requestId>
    </v1:getProspectiveRegistrationReport>
  </soapenv:Body>
</soapenv:Envelope>
```

getProspectiveRegistrationReport response

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:getProspectiveRegistrationReportResponse
      xmlns:ns2="http://www.active.com/api/external-endurance-report/v1">
      <ns2:return>
        <ns2:startIndex>1</ns2:startIndex>
        <ns2:endIndex>14</ns2:endIndex>
        <ns2:pageSize>14</ns2:pageSize>
        <ns2:page>
          <ns2:emailAddress>endurance.test@active.com</ns2:emailAddress>

          <ns2:recordedDate>2014-03-27T02:52:30.963Z</ns2:recordedDate>

        </ns2:page>
        <ns2:page>
          <ns2:emailAddress>lkjlkj@adsfADF.com</ns2:emailAddress>
          <ns2:recordedDate>2014-03-26T07:13:55.577Z</ns2:recordedDate>

        </ns2:page>
        <ns2:page>
          <ns2:emailAddress>ddd1kj@sss.com</ns2:emailAddress>
          <ns2:recordedDate>2014-03-26T07:10:52.703Z</ns2:recordedDate>

        </ns2:page>
        <ns2:page>
          <ns2:emailAddress>test@aasdfasdf.com</ns2:emailAddress>
          <ns2:recordedDate>2014-03-26T07:07:04.873Z</ns2:recordedDate>

        </ns2:page>
        <ns2:page>
          <ns2:emailAddress>MSSQLSERVER7BCFCFA8@null.activenetwork.com</ns2:emailAddress>

          <ns2:recordedDate>2014-03-05T09:27:40.837Z</ns2:recordedDate>

        </ns2:page>
      </ns2:return>
    </ns2:getProspectiveRegistrationReportResponse>
  </soap:Body>
</soap:Envelope>
```

```
        </ns2:page>
        <ns2:page>
<ns2:emailAddress>MSSQLSERVERA2E3008A@null.activenetwork.com</ns2:emailAddress>
        <ns2:recordedDate>2014-03-05T09:27:06.927Z</ns2:recordedDate>
        </ns2:page>
        <ns2:page>
<ns2:emailAddress>MSSQLSERVER4333BEA6@null.activenetwork.com</ns2:emailAddress>
        <ns2:recordedDate>2014-03-05T09:22:01.787Z</ns2:recordedDate>
        </ns2:page>
        <ns2:page>
<ns2:emailAddress>MSSQLSERVEREB69F174@null.activenetwork.com</ns2:emailAddress>
        <ns2:recordedDate>2014-03-04T03:17:30.167Z</ns2:recordedDate>
        </ns2:page>
        <ns2:page>
<ns2:emailAddress>MSSQLSERVER2C670FB3@null.activenetwork.com</ns2:emailAddress>
        <ns2:recordedDate>2014-03-04T03:14:29.563Z</ns2:recordedDate>
        </ns2:page>
        <ns2:page>
<ns2:emailAddress>MSSQLSERVER415ACE4F@null.activenetwork.com</ns2:emailAddress>
        <ns2:recordedDate>2014-03-04T03:06:26.827Z</ns2:recordedDate>
        </ns2:page>
        <ns2:page>
<ns2:emailAddress>MSSQLSERVERC177FBCB@null.activenetwork.com</ns2:emailAddress>
        <ns2:recordedDate>2014-03-04T03:02:48.917Z</ns2:recordedDate>
        </ns2:page>
        <ns2:page>
<ns2:emailAddress>MSSQLSERVER13870641@null.activenetwork.com</ns2:emailAddress>
        <ns2:recordedDate>2014-03-04T03:00:38.237Z</ns2:recordedDate>
        </ns2:page>
        <ns2:page>
<ns2:emailAddress>MSSQLSERVEREE2E1E2C@null.activenetwork.com</ns2:emailAddress>
        <ns2:recordedDate>2014-03-04T02:58:06.333Z</ns2:recordedDate>
        </ns2:page>
        <ns2:page>
<ns2:emailAddress>MSSQLSERVER40A7FA64@null.activenetwork.com</ns2:emailAddress>
```

```

        <ns2:recordedDate>2014-03-04T02:54:37.830Z</ns2:recordedDate>
    </ns2:page>
</ns2:return>
</ns2:getProspectiveRegistrationReportResponse>
</soap:Body>
</soap:Envelope>

```

runProspectiveRegistrationReport example

Endurance 2.54

runProspectiveRegistrationReport call

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://www.active.com/api/external-endurance-report/v1">
  <soapenv:Header/>
  <soapenv:Body>
    <v1:runProspectiveRegistrationReport>
      <v1:context>
        <appToken>****</appToken>
      </v1:context>
      <v1:request>
        <v1:version>1.0</v1:version>
        <v1:lastIndex></v1:lastIndex>
        <v1:agencyId>284180601</v1:agencyId>
        <v1:rootEventId>5480052</v1:rootEventId>
        <v1:startDateTime>2014-01-01</v1:startDateTime>
        <v1:endDateTime>2014-08-15</v1:endDateTime>
      </v1:request>
    </v1:runProspectiveRegistrationReport>
  </soapenv:Body>
</soapenv:Envelope>

```

runProspectiveRegistrationReport response

```

<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:runProspectiveRegistrationReportResponse
      xmlns:ns2="http://www.active.com/api/external-endurance-report/v1">
      <ns2:return>30276</ns2:return>
    </ns2:runProspectiveRegistrationReportResponse>
  </soap:Body>
</soap:Envelope>

```

getRemittanceCyclesByCheckNumbers example

Endurance 2.80

getRemittanceCyclesByCheckNumbers call

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://www.active.com/api/external-endurance-report/v1">
  <soapenv:Header/>
  <soapenv:Body>
    <v1:getRemittanceCyclesByCheckNumbers>
      <v1:context>

```

```

<appToken>****</appToken>
</v1:context>
<v1:request>
<v1:agencyId>501</v1:agencyId>
<v1:checkNumbers>5000194</v1:checkNumbers>
<v1:checkNumbers>5000332</v1:checkNumbers>
</v1:request>
</v1:getRemittanceCyclesByCheckNumbers>
</soapenv:Body>
</soapenv:Envelope>

```

getRemittanceCyclesByCheckNumbers response

```

<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
<soap:Body>
<ns2:getRemittanceCyclesByCheckNumbersResponse
xmlns:ns2="http://www.active.com/api/external-endurance-report/v1">
<ns2:return>
<ns2:cycles>
<ns2:startDate>2012-09-23T00:00:00.000Z</ns2:startDate>
<ns2:endDate>2012-09-30T23:59:59.997Z</ns2:endDate>
<ns2:checkNumber>5000194</ns2:checkNumber>
<ns2:checkDate>2012-10-05T00:00:00.000Z</ns2:checkDate>
</ns2:cycles>
<ns2:cycles>
<ns2:startDate>2012-10-08T00:00:00.000Z</ns2:startDate>
<ns2:endDate>2012-10-15T23:59:59.997Z</ns2:endDate>
<ns2:checkNumber>5000332</ns2:checkNumber>
<ns2:checkDate>2012-10-18T00:00:00.000Z</ns2:checkDate>
</ns2:cycles>
</ns2:return>
</ns2:getRemittanceCyclesByCheckNumbersResponse>
</soap:Body>
</soap:Envelope>

```

getVolunteerRegistrationReport example

Endurance 2.68

getVolunteerRegistrationReport call

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:v1="http://www.active.com/api/external-endurance-report/v1">
  <soapenv:Header/>
  <soapenv:Body>
    <v1:getVolunteerRegistrationReport>
      <!--Optional:-->
      <v1:context>
        <!--Optional:-->
        <appToken>*****</appToken>
      </v1:context>
      <!--Optional:-->
      <v1:requestId>2976</v1:requestId>
    </v1:getVolunteerRegistrationReport>
  </soapenv:Body>
</soapenv:Envelope>

```

getVolunteerRegistrationReport response

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:getVolunteerRegistrationReportResponse
xmlns:ns2="http://www.active.com/api/external-endurance-report/v1">
      <ns2:return>
        <ns2:volunteerRegistrationReportRecords>
          <ns2:volunteerRegistrationReportRecord>
            <ns2:assignmentId>599501</ns2:assignmentId>
            <ns2:eventId>3903402</ns2:eventId>

<ns2:uniquePersonId>556ACCA0-0A6F-44F2-B226-BA50F9AAF8C7</ns2:uniquePersonId>

            <ns2:eventName>Mountain Timezone test</ns2:eventName>
            <ns2:groupName/>
            <ns2:jobName>Fly me to the moon</ns2:jobName>
            <ns2:jobDescription/>
            <ns2:jobLocation>The mountain</ns2:jobLocation>

<ns2:jobStartDateTime>2017-05-20T00:00:00.000Z</ns2:jobStartDateTime>

<ns2:jobEndDateTime>2017-05-27T00:00:00.000Z</ns2:jobEndDateTime>
            <ns2:jobAdditionalInformation/>
            <ns2:jobCaptain>Test New Captain</ns2:jobCaptain>

<ns2:eventStartDate>2017-05-13T00:00:00.000Z</ns2:eventStartDate>

<ns2:registrationTime>2017-05-16T08:15:02.640Z</ns2:registrationTime>
            <ns2:volunteerName>Busa, Andrew</ns2:volunteerName>
            <ns2:volunteerLastName>Busa</ns2:volunteerLastName>
            <ns2:volunteerFirstName>Andrew</ns2:volunteerFirstName>
            <ns2:gender>MALE</ns2:gender>
            <ns2:dateOfBirth>1/1/1991</ns2:dateOfBirth>
            <ns2:email>andrew.busa@activenetwork.com</ns2:email>
            <ns2:phone>5025338740</ns2:phone>
            <ns2:country>US</ns2:country>
            <ns2:addressLine1>555 Rainbow Road</ns2:addressLine1>
            <ns2:addressLine2/>
            <ns2:city>Austin</ns2:city>
            <ns2:state>TX</ns2:state>
            <ns2:zip>78751</ns2:zip>
            <ns2:status>Registered</ns2:status>
            <ns2:customQuestions/>
            <ns2:waiverStatuses/>
            <ns2:volunteerPoints>0</ns2:volunteerPoints>
            <ns2:timeZone>US/Mountain</ns2:timeZone>
          </ns2:volunteerRegistrationReportRecord>
          <ns2:volunteerRegistrationReportRecord>
            <ns2:assignmentId>629201</ns2:assignmentId>
            <ns2:eventId>3903402</ns2:eventId>

<ns2:uniquePersonId>8BC96BB8-C018-4131-B0C7-8645CE477DAA</ns2:uniquePersonId>

            <ns2:eventName>Mountain Timezone test</ns2:eventName>
            <ns2:groupName/>
            <ns2:jobName>Fly me to the moon-Same Day
            <span style="color:red;">Hello
World</span></ns2:jobName>
            <ns2:jobDescription/>
```

```

        <ns2:jobLocation>The mountain</ns2:jobLocation>
<ns2:jobStartDateTime>2017-05-20T02:00:00.000Z</ns2:jobStartDateTime>
<ns2:jobEndDateTime>2017-05-20T11:00:00.000Z</ns2:jobEndDateTime>
        <ns2:jobAdditionalInformation/>
        <ns2:jobCaptain>Test New Captain</ns2:jobCaptain>
<ns2:eventStartDate>2017-05-13T00:00:00.000Z</ns2:eventStartDate>
<ns2:registrationTime>2017-07-17T21:17:55.793Z</ns2:registrationTime>
        <ns2:volunteerName>fwefewfw, xdsfwr</ns2:volunteerName>
        <ns2:volunteerLastName>fwefewfw</ns2:volunteerLastName>
        <ns2:volunteerFirstName>xdsfwr</ns2:volunteerFirstName>
        <ns2:gender>FEMALE</ns2:gender>
        <ns2:dateOfBirth>2/2/1980</ns2:dateOfBirth>
        <ns2:email>group20170718@test.com</ns2:email>
        <ns2:phone>222222222222</ns2:phone>
        <ns2:country>US</ns2:country>
        <ns2:addressLine1>da</ns2:addressLine1>
        <ns2:addressLine2/>
        <ns2:city>city</ns2:city>
        <ns2:state>DC</ns2:state>
        <ns2:zip>23568</ns2:zip>
        <ns2:status>Registered</ns2:status>
        <ns2:customQuestions/>
        <ns2:waiverStatuses/>
        <ns2:volunteerPoints>0</ns2:volunteerPoints>
        <ns2:timeZone>US/Mountain</ns2:timeZone>
</ns2:volunteerRegistrationReportRecord>
<ns2:volunteerRegistrationReportRecord>
        <ns2:assignmentId>630301</ns2:assignmentId>
        <ns2:eventId>3903402</ns2:eventId>
<ns2:uniquePersonId>088C410D-6E16-4E20-AC52-66AE27DAC679</ns2:uniquePersonId>
        <ns2:eventName>Mountain Timezone test</ns2:eventName>
        <ns2:groupName/>
        <ns2:jobName>Fly me to the moon2 Gerry</ns2:jobName>
style="color:red;">Gerry</span></ns2:jobName>
        <ns2:jobDescription/>
        <ns2:jobLocation>The mountain</ns2:jobLocation>
<ns2:jobStartDateTime>2017-05-20T02:00:00.000Z</ns2:jobStartDateTime>
<ns2:jobEndDateTime>2017-05-27T11:00:00.000Z</ns2:jobEndDateTime>
        <ns2:jobAdditionalInformation/>
        <ns2:jobCaptain>new new1</ns2:jobCaptain>
<ns2:eventStartDate>2017-05-13T00:00:00.000Z</ns2:eventStartDate>
<ns2:registrationTime>2017-07-19T02:35:51.300Z</ns2:registrationTime>
        <ns2:volunteerName>eff, res</ns2:volunteerName>
        <ns2:volunteerLastName>eff</ns2:volunteerLastName>
        <ns2:volunteerFirstName>res</ns2:volunteerFirstName>
        <ns2:gender>MALE</ns2:gender>
        <ns2:dateOfBirth>2/2/1980</ns2:dateOfBirth>
        <ns2:email>test989989999@621.com</ns2:email>
        <ns2:phone>22222222222</ns2:phone>
        <ns2:country>US</ns2:country>
        <ns2:addressLine1>wdwq</ns2:addressLine1>

```

```

        <ns2:addressLine2>dwqd</ns2:addressLine2>
        <ns2:city>dwqdwqd</ns2:city>
        <ns2:state>FP0</ns2:state>
        <ns2:zip>23111</ns2:zip>
        <ns2:status>Registered</ns2:status>
        <ns2:customQuestions/>
        <ns2:waiverStatuses/>
        <ns2:volunteerPoints>0</ns2:volunteerPoints>
        <ns2:timeZone>US/Mountain</ns2:timeZone>
    </ns2:volunteerRegistrationReportRecord>
    <ns2:volunteerRegistrationReportRecord>
        <ns2:assignmentId>630802</ns2:assignmentId>
        <ns2:eventId>3903402</ns2:eventId>

<ns2:uniquePersonId>BA71A7FB-0D70-43F5-B7F9-F02D6734BCAE</ns2:uniquePersonId>

        <ns2:eventName>Mountain Timezone test</ns2:eventName>
        <ns2:groupName>Group B2222Gerry &lt;span
style="color:red;">Gerry&lt;/span></ns2:groupName>
        <ns2:jobName>Fly me to the moon-Same Day
®™© Ä-Ä%Ä¢uÄ`~!@#$$%^&*()/\| +' ?, alert("hello"), &lt;H>&lt;/H>
alter("Fang"), Gerry&lt;span style="color:red;">Hello
World&lt;/span></ns2:jobName>
        <ns2:jobDescription/>
        <ns2:jobLocation>The mountain</ns2:jobLocation>

<ns2:jobStartDateTime>2017-05-20T02:00:00.000Z</ns2:jobStartDateTime>

<ns2:jobEndDateTime>2017-05-20T11:00:00.000Z</ns2:jobEndDateTime>
        <ns2:jobAdditionalInformation/>
        <ns2:jobCaptain>Test New Captain</ns2:jobCaptain>

<ns2:eventStartDate>2017-05-13T00:00:00.000Z</ns2:eventStartDate>

<ns2:registrationTime>2017-07-19T02:42:32.333Z</ns2:registrationTime>
        <ns2:volunteerName>Coordinator, Gerry</ns2:volunteerName>

        <ns2:volunteerLastName>Coordinator</ns2:volunteerLastName>

        <ns2:volunteerFirstName>Gerry</ns2:volunteerFirstName>
        <ns2:gender>MALE</ns2:gender>
        <ns2:dateOfBirth>1/1/1982</ns2:dateOfBirth>
        <ns2:email>aw.end.gerry@gmail.com</ns2:email>
        <ns2:phone>432543564654</ns2:phone>
        <ns2:country>US</ns2:country>
        <ns2:addressLine1>ADCDVCDV</ns2:addressLine1>
        <ns2:addressLine2/>
        <ns2:city>CDCD</ns2:city>
        <ns2:state>AE</ns2:state>
        <ns2:zip>78999</ns2:zip>
        <ns2:status>Registered</ns2:status>
        <ns2:customQuestions/>
        <ns2:waiverStatuses/>
        <ns2:volunteerPoints>0</ns2:volunteerPoints>
        <ns2:timeZone>US/Mountain</ns2:timeZone>
    </ns2:volunteerRegistrationReportRecord>
    <ns2:volunteerRegistrationReportRecord>
        <ns2:assignmentId>630902</ns2:assignmentId>
        <ns2:eventId>3903402</ns2:eventId>

<ns2:uniquePersonId>BD55F655-EEA7-49E8-AEE0-BC9250BAB2C5</ns2:uniquePersonId>

```

```

        <ns2:eventName>Mountain Timezone test</ns2:eventName>
        <ns2:groupName/>
        <ns2:jobName>Fly me to the moon</ns2:jobName>
        <ns2:jobDescription/>
        <ns2:jobLocation>The mountain</ns2:jobLocation>

<ns2:jobStartDateTime>2017-05-20T00:00:00.000Z</ns2:jobStartDateTime>

<ns2:jobEndDateTime>2017-05-27T00:00:00.000Z</ns2:jobEndDateTime>
        <ns2:jobAdditionalInformation/>
        <ns2:jobCaptain>Test New Captain</ns2:jobCaptain>

<ns2:eventStartDate>2017-05-13T00:00:00.000Z</ns2:eventStartDate>

<ns2:registrationTime>2017-07-19T03:33:16.337Z</ns2:registrationTime>
        <ns2:volunteerName>dwedwef, public</ns2:volunteerName>
        <ns2:volunteerLastName>dwedwef</ns2:volunteerLastName>
        <ns2:volunteerFirstName>public</ns2:volunteerFirstName>
        <ns2:gender>FEMALE</ns2:gender>
        <ns2:dateOfBirth>1/1/1988</ns2:dateOfBirth>
        <ns2:email>test1@mailinator.com</ns2:email>
        <ns2:phone>222222222222</ns2:phone>
        <ns2:country>US</ns2:country>
        <ns2:addressLine1>2dew</ns2:addressLine1>
        <ns2:addressLine2>few</ns2:addressLine2>
        <ns2:city>fwefwe</ns2:city>
        <ns2:state>HI</ns2:state>
        <ns2:zip>32333</ns2:zip>
        <ns2:status>Registered</ns2:status>
        <ns2:customQuestions/>
        <ns2:waiverStatuses/>
        <ns2:volunteerPoints>0</ns2:volunteerPoints>
        <ns2:timeZone>US/Mountain</ns2:timeZone>
</ns2:volunteerRegistrationReportRecord>
<ns2:volunteerRegistrationReportRecord>
        <ns2:assignmentId>631802</ns2:assignmentId>
        <ns2:eventId>3903402</ns2:eventId>

<ns2:uniquePersonId>556ACCA0-0A6F-44F2-B226-BA50F9AAF8C7</ns2:uniquePersonId>

        <ns2:eventName>Mountain Timezone test</ns2:eventName>
        <ns2:groupName/>
        <ns2:jobName>Fly me to the moon-Same Day2 Gerry<span
style="color:red;">Gerry</span></ns2:jobName>
        <ns2:jobDescription/>
        <ns2:jobLocation>The mountain</ns2:jobLocation>

<ns2:jobStartDateTime>2017-05-20T02:00:00.000Z</ns2:jobStartDateTime>

<ns2:jobEndDateTime>2017-05-20T11:00:00.000Z</ns2:jobEndDateTime>
        <ns2:jobAdditionalInformation/>
        <ns2:jobCaptain>New User</ns2:jobCaptain>

<ns2:eventStartDate>2017-05-13T00:00:00.000Z</ns2:eventStartDate>

<ns2:registrationTime>2017-07-24T09:19:32.103Z</ns2:registrationTime>
        <ns2:volunteerName>Busa, Andrew</ns2:volunteerName>
        <ns2:volunteerLastName>Busa</ns2:volunteerLastName>
        <ns2:volunteerFirstName>Andrew</ns2:volunteerFirstName>
        <ns2:gender>MALE</ns2:gender>

```

```

<ns2:dateOfBirth>1/1/1991</ns2:dateOfBirth>
<ns2:email>andrew.busa@activenetwork.com</ns2:email>
<ns2:phone>5025338740</ns2:phone>
<ns2:country>US</ns2:country>
<ns2:addressLine1>555 Rainbow Road</ns2:addressLine1>
<ns2:addressLine2/>
<ns2:city>Austin</ns2:city>
<ns2:state>TX</ns2:state>
<ns2:zip>78751</ns2:zip>
<ns2:status>Registered</ns2:status>
<ns2:customQuestions/>
<ns2:waiverStatuses/>
<ns2:volunteerPoints>0</ns2:volunteerPoints>
<ns2:timeZone>US/Mountain</ns2:timeZone>
</ns2:volunteerRegistrationReportRecord>
<ns2:volunteerRegistrationReportRecord>
  <ns2:assignmentId>655801</ns2:assignmentId>
  <ns2:eventId>3903402</ns2:eventId>
</ns2:uniquePersonId>BD55F655-EEA7-49E8-AEE0-BC9250BAB2C5</ns2:uniquePersonId>

  <ns2:eventName>Mountain Timezone test</ns2:eventName>
  <ns2:groupName/>
  <ns2:jobName>Fly me to the moon-Same Day2 Gerry<span
style="color:red;">Gerry</span></ns2:jobName>
  <ns2:jobDescription/>
  <ns2:jobLocation>The mountain</ns2:jobLocation>

<ns2:jobStartDateTime>2017-05-20T02:00:00.000Z</ns2:jobStartDateTime>

<ns2:jobEndDateTime>2017-05-20T11:00:00.000Z</ns2:jobEndDateTime>
  <ns2:jobAdditionalInformation/>
  <ns2:jobCaptain>New User</ns2:jobCaptain>

<ns2:eventStartDate>2017-05-13T00:00:00.000Z</ns2:eventStartDate>

<ns2:registrationTime>2017-10-27T00:23:44.423Z</ns2:registrationTime>
  <ns2:volunteerName>dwedwef, public</ns2:volunteerName>
  <ns2:volunteerLastName>dwedwef</ns2:volunteerLastName>
  <ns2:volunteerFirstName>public</ns2:volunteerFirstName>
  <ns2:gender>FEMALE</ns2:gender>
  <ns2:dateOfBirth>1/1/1988</ns2:dateOfBirth>
  <ns2:email>test1@mailinator.com</ns2:email>
  <ns2:phone>222222222222</ns2:phone>
  <ns2:country>US</ns2:country>
  <ns2:addressLine1>2dew</ns2:addressLine1>
  <ns2:addressLine2>few</ns2:addressLine2>
  <ns2:city>fwefwe</ns2:city>
  <ns2:state>HI</ns2:state>
  <ns2:zip>32333</ns2:zip>
  <ns2:status>Canceled</ns2:status>
  <ns2:customQuestions/>
  <ns2:waiverStatuses/>
  <ns2:volunteerPoints>0</ns2:volunteerPoints>
  <ns2:timeZone>US/Mountain</ns2:timeZone>
</ns2:volunteerRegistrationReportRecord>
<ns2:volunteerRegistrationReportRecord>
  <ns2:assignmentId>676401</ns2:assignmentId>
  <ns2:eventId>3903402</ns2:eventId>
</ns2:uniquePersonId>B0FB0047-2F26-4F95-B46C-C89B9385BD1C</ns2:uniquePersonId>

```

```

        <ns2:eventName>Mountain Timezone test</ns2:eventName>
        <ns2:groupName/>
        <ns2:jobName>Fly me to the moon2 Gerry<span
style="color:red;">Gerry</span></ns2:jobName>
        <ns2:jobDescription/>
        <ns2:jobLocation>The mountain</ns2:jobLocation>

<ns2:jobStartDateTime>2017-05-20T02:00:00.000Z</ns2:jobStartDateTime>

<ns2:jobEndDateTime>2017-05-27T11:00:00.000Z</ns2:jobEndDateTime>
        <ns2:jobAdditionalInformation/>
        <ns2:jobCaptain>new new1</ns2:jobCaptain>

<ns2:eventStartDate>2017-05-13T00:00:00.000Z</ns2:eventStartDate>

<ns2:registrationTime>2017-11-26T22:26:48.603Z</ns2:registrationTime>
        <ns2:volunteerName>test, my</ns2:volunteerName>
        <ns2:volunteerLastName>test</ns2:volunteerLastName>
        <ns2:volunteerFirstName>my</ns2:volunteerFirstName>
        <ns2:gender>FEMALE</ns2:gender>
        <ns2:dateOfBirth>1/1/1990</ns2:dateOfBirth>
        <ns2:email>volunteerunder18@mailinator.com</ns2:email>
        <ns2:phone>68999999</ns2:phone>
        <ns2:country>US</ns2:country>
        <ns2:addressLine1>addresss123</ns2:addressLine1>
        <ns2:addressLine2/>
        <ns2:city>city123</ns2:city>
        <ns2:state>GA</ns2:state>
        <ns2:zip>35689</ns2:zip>
        <ns2:status>Registered</ns2:status>
        <ns2:customQuestions/>
        <ns2:waiverStatuses/>
        <ns2:volunteerPoints>0</ns2:volunteerPoints>
        <ns2:timeZone>US/Mountain</ns2:timeZone>
</ns2:volunteerRegistrationReportRecord>
<ns2:volunteerRegistrationReportRecord>
        <ns2:assignmentId>679902</ns2:assignmentId>
        <ns2:eventId>3903402</ns2:eventId>

<ns2:uniquePersonId>AD3C62DF-86CF-4BB0-92BF-4213B9DE470B</ns2:uniquePersonId>

        <ns2:eventName>Mountain Timezone test</ns2:eventName>
        <ns2:groupName/>
        <ns2:jobName>Fly me to the moon-Same Day2 Gerry<span
style="color:red;">Gerry</span></ns2:jobName>
        <ns2:jobDescription/>
        <ns2:jobLocation>The mountain</ns2:jobLocation>

<ns2:jobStartDateTime>2017-05-20T02:00:00.000Z</ns2:jobStartDateTime>

<ns2:jobEndDateTime>2017-05-20T11:00:00.000Z</ns2:jobEndDateTime>
        <ns2:jobAdditionalInformation/>
        <ns2:jobCaptain>New User</ns2:jobCaptain>

<ns2:eventStartDate>2017-05-13T00:00:00.000Z</ns2:eventStartDate>

<ns2:registrationTime>2017-11-29T18:50:10.340Z</ns2:registrationTime>
        <ns2:volunteerName>Last20171129, group
captain</ns2:volunteerName>
        <ns2:volunteerLastName>Last20171129</ns2:volunteerLastName>

```

```

        <ns2:volunteerFirstName>group
captain</ns2:volunteerFirstName>
        <ns2:gender>MALE</ns2:gender>
        <ns2:dateOfBirth>11/15/1990</ns2:dateOfBirth>
        <ns2:email>testnormal@mailinator.com</ns2:email>
        <ns2:phone>32328989899</ns2:phone>
        <ns2:country>US</ns2:country>
        <ns2:addressLine1>addresss</ns2:addressLine1>
        <ns2:addressLine2/>
        <ns2:city>cityy</ns2:city>
        <ns2:state>FL</ns2:state>
        <ns2:zip>89999</ns2:zip>
        <ns2:status>Registered</ns2:status>
        <ns2:customQuestions/>
        <ns2:waiverStatuses/>
        <ns2:volunteerPoints>0</ns2:volunteerPoints>
        <ns2:timeZone>US/Mountain</ns2:timeZone>
    </ns2:volunteerRegistrationReportRecord>
</ns2:volunteerRegistrationReportRecords>
</ns2:return>
</ns2:getVolunteerRegistrationReportResponse>
</soap:Body>
</soap:Envelope>

```

runVolunteerRegistrationReport example

Endurance 2.68

runVolunteerRegistrationReport call

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://www.active.com/api/external-endurance-report/v1">
  <soapenv:Header/>
  <soapenv:Body>
    <v1:runVolunteerRegistrationReport>
      <!--Optional:-->
      <v1:context>
        <!--Optional:-->
        <appToken>*****</appToken>
      </v1:context>
      <!--Optional:-->
      <v1:request>
        <!--Optional:-->
        <v1:agencyId>288898101</v1:agencyId>
        <!--Optional:-->
        <v1:endDateTime></v1:endDateTime>
        <!--Optional:-->
        <v1:eventGroupId>1595501</v1:eventGroupId>
        <!--Optional:-->
        <v1:startDateTime></v1:startDateTime>
      </v1:request>
    </v1:runVolunteerRegistrationReport>
  </soapenv:Body>
</soapenv:Envelope>

```

runVolunteerRegistrationReport response

```

<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>

```

```

        <ns2:runVolunteerRegistrationReportResponse
xmlns:ns2="http://www.active.com/api/external-endurance-report/v1">
        <ns2:return>16144374523464076</ns2:return>
    </ns2:runVolunteerRegistrationReportResponse>
</soap:Body>
</soap:Envelope>

```

get3rdPartyMerchandiseRevenueLedgerReport example

Endurance 3.04

get3rdPartyMerchandiseRevenueLedgerReport call

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:v1="http://www.active.com/api/external-third-party-merchandise-report/v1">
    <soapenv:Header/>
    <soapenv:Body>
        <v1:get3rdPartyMerchandiseRevenueLedgerReport>
            <!--Optional:-->
            <context>
                <!--Optional:-->
            </context>
            <!--Optional:-->
            <appToken>7h+8sLMa4n0yvXHPacD8ltUV86bwY1yyylBITFbDTx1ih0Tt5HFG0jDFyGHrtg2b</appToken>
            </context>
            <!--Optional:-->
            <request>
                <agencyId>284959502</agencyId>
                <startDateTime>2017-01-19T02:53:27.0Z</startDateTime>
                <endDateTime>2017-01-22T02:53:27.0Z</endDateTime>
                <firstResult>1</firstResult>
                <!--Optional:-->
                <pageSize>100</pageSize>
            </request>
        </v1:get3rdPartyMerchandiseRevenueLedgerReport>
    </soapenv:Body>
</soapenv:Envelope>

```

get3rdPartyMerchandiseRevenueLedgerReport response

```

<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
    <soap:Body>
        <ns2:get3rdPartyMerchandiseRevenueLedgerReportResponse
xmlns:ns2="http://www.active.com/api/external-third-party-merchandise-report/v1">
            <return>
                <firstResult>1</firstResult>
                <pageSize>100</pageSize>
                <totalCount>1</totalCount>
                <totalPages>0</totalPages>
                <results>
                    <accountName>Selina is testing third party's merchandise
& report</accountName>
                    <currencyCode>USD</currencyCode>
                    <description>Selina's Apparel - Large</description>
                    <eventName>Testing ENDR-26485 mass import for Bubble RUN -

```

```

Honolulu, HI</eventName>
    <orderAmount>0.00</orderAmount>
    <orderDateTime>2017-01-19T02:53:27.367Z</orderDateTime>
    <orderNumber>C-5B8T80LP9KX</orderNumber>
    <participantFullName>GM05 Gmfive</participantFullName>
    <partnerName>0SelinaOrgMulti</partnerName>
    <productName>Large</productName>
    <quantity>2</quantity>
    <remittanceAmount>0.00</remittanceAmount>
    <totalRecordsCounts>1</totalRecordsCounts>
    <transactionType>Purchase</transactionType>
    <unitPrice>0.00</unitPrice>
  </results>
</return>
</ns2:get3rdPartyMerchandiseRevenueLedgerReportResponse>
</soap:Body>
</soap:Envelope>

```

get3rdPartyMerchandiseReport example

Endurance 3.04

get3rdPartyMerchandiseReport call

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://www.active.com/api/external-third-party-merchandise-report/v1">
  <soapenv:Header/>
  <soapenv:Body>
    <v1:get3rdPartyMerchandiseReport>
      <!--Optional:-->
      <context>
        <!--Optional:-->
        <appToken>7h+8sLMa4n0yvXHPacD8ltUV86bwY1yyylBITFbDTx1ih0Tt5HFG0jDFyGHrtg2b</appToken>
      </context>
      <!--Optional:-->
      <request>
        <agencyId>284959502</agencyId>
        <startDateTime>2017-06-28T00:00:00.0Z</startDateTime>
        <endDateTime>2017-06-28T06:14:59.0Z</endDateTime>
        <firstResult>1</firstResult>
        <!--Optional:-->
        <pageSize>100</pageSize>
      </request>
    </v1:get3rdPartyMerchandiseReport>
  </soapenv:Body>
</soapenv:Envelope>

```

get3rdPartyMerchandiseReport response

```

<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:get3rdPartyMerchandiseReportResponse
      xmlns:ns2="http://www.active.com/api/external-third-party-merchandise-report/v1">

```

```

<return>
  <firstResult>1</firstResult>
  <pageSize>100</pageSize>
  <totalCount>3</totalCount>
  <totalPages>0</totalPages>
  <results>
    <address>test add</address>
    <address2/>
    <amount>0.0</amount>
    <city>san diego</city>
    <country>US</country>
    <currencyCode>USD</currencyCode>
    <dateOfBirth>1982-06-07</dateOfBirth>
    <email>selinahuang006@yahoo.com</email>
    <firstName>selinasix</firstName>
    <gender>MALE</gender>
    <itemDescription>This is a really cool item</itemDescription>
    <itemName>3rd party - Socks for event series -
Medium</itemName>
    <lastName>huangsix</lastName>
    <participantName>selinasix huangsix </participantName>
    <partnerName>0SelinaOrgMulti</partnerName>
    <phoneNumber>954456545</phoneNumber>
    <postalCode>92121</postalCode>
    <productId>192559002</productId>
    <purchaseDate>2017-06-28T06:14:48.693Z</purchaseDate>
    <quantity>1</quantity>
    <registrationNumber>R-10PT3QKC7S7</registrationNumber>
    <reportLabel>Socks2</reportLabel>
    <rootEventId>17382351</rootEventId>
    <rootEventName>2nd copy event for Single page registration
purchasing addon ENDR-30070</rootEventName>
    <rowNumber>1</rowNumber>
    <state>CA</state>
    <totalRecordsCount>3</totalRecordsCount>
    <unitPrice>0.0</unitPrice>
  </results>
  <results>
    <address>test add</address>
    <address2/>
    <amount>0.0</amount>
    <city>san diego</city>
    <country>US</country>
    <currencyCode>USD</currencyCode>
    <dateOfBirth>1982-06-07</dateOfBirth>
    <email>selinahuang006@yahoo.com</email>
    <firstName>selinasix</firstName>
    <gender>MALE</gender>
    <itemName>3rd party - Custom for event series - 3rd party's
Custom</itemName>
    <lastName>huangsix</lastName>
    <participantName>selinasix huangsix</participantName>
    <partnerName>0SelinaOrgMulti</partnerName>
    <phoneNumber>954456545</phoneNumber>
    <postalCode>92121</postalCode>
    <productId>192559302</productId>
    <purchaseDate>2017-06-28T06:14:48.693Z</purchaseDate>
    <quantity>1</quantity>
    <registrationNumber>R-10PT3QKC7S7</registrationNumber>
    <reportLabel>Custom7</reportLabel>

```

```

        <rootEventId>17382351</rootEventId>
        <rootEventName>2nd copy event for Single page registration
purchasing addon ENDR-30070</rootEventName>
        <rowNumber>2</rowNumber>
        <state>CA</state>
        <totalRecordsCount>3</totalRecordsCount>
        <unitPrice>0.0</unitPrice>
    </results>
    <results>
        <address>test add</address>
        <address2/>
        <amount>0.0</amount>
        <city>san diego</city>
        <country>US</country>
        <currencyCode>USD</currencyCode>
        <dateOfBirth>1982-06-07</dateOfBirth>
        <email>selinahuang006@yahoo.com</email>
        <firstName>selinasix</firstName>
        <gender>MALE</gender>
        <itemName>3rd party - Jersey for event series -
Medium</itemName>
        <lastName>huangsix</lastName>
        <participantName>selinasix huangsix</participantName>
        <partnerName>0SelinaOrgMulti</partnerName>
        <phoneNumber>954456545</phoneNumber>
        <postalCode>92121</postalCode>
        <productId>192558402</productId>
        <purchaseDate>2017-06-28T06:14:48.693Z</purchaseDate>
        <quantity>2</quantity>
        <registrationNumber>R-10PT3QKC7S7</registrationNumber>
        <reportLabel>Jersey3</reportLabel>
        <rootEventId>17382351</rootEventId>
        <rootEventName>2nd copy event for Single page registration
purchasing addon ENDR-30070</rootEventName>
        <rowNumber>3</rowNumber>
        <state>CA</state>
        <totalRecordsCount>3</totalRecordsCount>
        <unitPrice>0.0</unitPrice>
    </results>
</return>
</ns2:get3rdPartyMerchandiseReportResponse>
</soap:Body>
</soap:Envelope>

```

get3rdPartyMerchandiseFailedPaymentReport example

Endurance 3.04

get3rdPartyMerchandiseFailedPaymentReport call

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:v1="http://www.active.com/api/external-third-party-merchandise-report/v1">
    <soapenv:Header/>
    <soapenv:Body>
        <v1:get3rdPartyMerchandiseFailedPaymentReport>
            <!--Optional:-->

```

```

        <context>
            <!--Optional:-->

<appToken>7h+8sLMa4n0yvXHPacD8ltUV86bwY1yyylBITFbDTx1ih0Tt5HFG0jDFyGHrtg2b</appToken>

        </context>
        <!--Optional:-->
        <request>
            <agencyId>284959502</agencyId>
            <startDateTime>2014-09-17T03:46:14.0Z</startDateTime>
            <endDateTime>2014-09-18T03:46:14.0Z</endDateTime>
            <firstResult>1</firstResult>
            <!--Optional:-->
            <pageSize>200</pageSize>
        </request>
    </v1:get3rdPartyMerchandiseFailedPaymentReport>
</soapenv:Body>
</soapenv:Envelope>

```

get3rdPartyMerchandiseFailedPaymentReport response

```

<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:get3rdPartyMerchandiseFailedPaymentReportResponse
xmlns:ns2="http://www.active.com/api/external-third-party-merchandise-report/v1">

      <return>
        <firstResult>1</firstResult>
        <pageSize>200</pageSize>
        <totalCount>1</totalCount>
        <totalPages>0</totalPages>
        <results>
          <amount>302.00</amount>
          <currency>USD</currency>
          <date>2014-09-17T03:46:14.920Z</date>
          <emailAddress>aw.end.qa3@gmail.com</emailAddress>
          <eventName>Test for 302 failed payment of third party
merchandise</eventName>
          <keyerName>enduranc tester04</keyerName>
          <orderId>1402348171902</orderId>
          <orderNumber>C-1MZ3703Z99</orderNumber>
          <partnerName>EnduranceQA30rgUSaddon</partnerName>
          <phoneNumber>43423423</phoneNumber>
          <registrantName>yan002 huang</registrantName>
        </results>
      </return>
    </ns2:get3rdPartyMerchandiseFailedPaymentReportResponse>
  </soap:Body>
</soap:Envelope>

```

ExternalEnduranceReportServiceSOAPEndPoint exceptions

The ExternalEnduranceReportServiceSOAPEndPoint interface throws the following exceptions.

Table 29: ExternalEnduranceReportServiceSOAPEndPoint exceptions

Method	Exception	Remarks
getAgencyRevenueLedger ReportPaginated	ExternalEnduranceReport Exception	Thrown if any error occurs during method invocation
runAgencyRevenueLedger ReportPaginated	ExternalEnduranceReport Exception	Thrown if the report could not be run for some reason
getCustomRegistrationReport	ExternalEnduranceReport Exception	Thrown if any error occurs during method invocation
runCustomRegistrationReport	ExternalEnduranceReport Exception	Thrown if any error occurs during method invocation
getVolunteerRegistrationReport	ExternalEnduranceReport Exception	Thrown if any error occurs during method invocation
runVolunteerRegistrationReport	ExternalEnduranceReport Exception	Thrown if the report could not be run for some reason
getEventDetails	ExternalEnduranceReport Exception	Thrown if any error is encountered
getEventParticipants	ExternalEnduranceReport Exception	Thrown if any error occurs during method invocation
getEvents	ExternalEnduranceReport Exception	Thrown if any error occurs during method invocation
getLedgerStatusByOrder Numbers	ExternalEnduranceReport Exception	
getProspectiveRegistration Report	ExternalEnduranceReport Exception	
runProspectiveRegistration Report	ExternalEnduranceReport Exception	

RESTful Web APIs

In addition to SOAP APIs, ACTIVE Works Endurance Service provides the following RESTful APIs:

- [getEvents](#) on page 105
- [getEventParticipants](#) on page 107
- [getMerchandise](#) on page 115

getEvents

The `getEvents` API lets you to retrieve all the events that your organization has created in ACTIVE Works Endurance. With this API, you can use RESTful requests to get all the names and dates of your events in JSON format.

Prerequisites

In order to use the API, you must have the following:

- A valid app token
- Access to ACTIVE Works Endurance Service and permission to view participant data



Note: Contact your account manager if you don't have them.

Request

To use the API, you make a HTTP POST request to the following URL:

`https://awapi.active.com/rest/endurance-reporting-service-get-events`

The table below lists the query parameters used for the request:

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a context object
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service

An example of a POST request is shown below:

```
curl -i -X POST -H "Content-type:application/json" -H
"Accept: application/json" -d
'{"appToken":"tBgtqdWc0fx/Fjnm61KbsdHFT0+Ri6McXPYA8pKJUSnVeb+mEJK4i70BvAq5dGLP"}'
https://awapi.active.com/rest/endurance-reporting-service-get-events
```

Response

If successful, a response body is returned with the following structure in JSON format:

```
{
  "context": { // The context contains information about the requested
user
    "callerIP":
    "applicationId":
    "actionId":
    "actorId":
    "onBehalfOfId":
    "enterpriseActorId":
    "agencyId":
    "agencyIdLong":
    "externalClientId":
    "onBehalfOfId":
  },
  "getEventsResult": { // This section contains the result returned from
the getEvents API
    "count": integer
    "accessibleEvents": [
      {
        "rootEventNumber": string
        "eventName": string
        "rootEventId": long
        "eventDate": local date
      }
    ]
  }
}
```

The following table describes each return parameters:

Parameter — Sub-parameter	Type	Description
accessibleEvents	—	List of ExternalAccessibleEvent objects
— eventDate	local date	Root event's date
— eventName	string	Root event's name
— rootEventId	long	Root event's ID
— rootEventNumber	string	Root event's number
count	integer	Number of events returned

An example return response is shown below:

```
{
  "context": {
    "callerIP": "10.219.128.6",
    "applicationId": "Example Application Id",
    "actionId": "Example Action Id",
    "actorId": "firstname.lastname@activenetwork.com",
    "onBehalfOfId": "",
    "enterpriseActorId": "9645aa9b-81b3-4da7-9338-883d1ff03ed3",
    "agencyId": "e6dfd223-e5ed-4030-b0e4-06ea16e95512",
    "agencyIdLong": 0,
  },
  "getEventsResult": {
    "count": 1,
    "accessibleEvents": [
      {
        "rootEventNumber": "1",
        "eventName": "Example Event Name",
        "rootEventId": 1,
        "eventDate": "2019-01-01T00:00:00Z"
      }
    ]
  }
}
```

```

    "externalClientId": 10502,
    "onBehalfOfId": ""
  },
  "getEventsResult": {
    "count": 2,
    "accessibleEvents": [
      {
        "rootEventNumber": "E-00GJW869",
        "eventName": "ENDR-16583",
        "rootEventId": 13432151,
        "eventDate": [
          2014,
          9,
          30
        ]
      },
      {
        "rootEventNumber": "E-00FLWXTL",
        "eventName": "Example Event Name",
        "rootEventId": 12568851,
        "eventDate": [
          2014,
          8,
          31
        ]
      }
    ]
  }
}

```

getEventParticipants

The `getEventParticipants` API lets you to retrieve the participant data for a specific event that your organization has created in ACTIVE Works Endurance. With this API, you can use RESTful requests to get the desired data in JSON format.

Prerequisites

In order to use the API, you must have the following:

- A valid app token
- Access to ACTIVE Works Endurance Service and permission to view participant data



Note: Contact your account manager if you don't have them.

Request

To use the API, you make a HTTP POST request to the following URL:

<https://awapi.active.com/rest/endurance-reporting-service-get-eventParticipants>

The table below lists the query parameters used for the request:

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a context object
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
request	—	x	Contains a request object
— endDateTime	long int		Date and time before which to include participants, that is, the method returns only participants that have been modified up to this date and time It's the difference, measured in milliseconds, between the current time and midnight, January 1, 1970 UTC. For example, "May 25 2011 08:00:00 GMT+0800" is represented as "1416204709447"
— lastResult	integer	*	For pagination, last result from the last page of data *Optional for the first page of data. Required for additional pages: Set to the last record number that was returned on the previous page
— rootEventNumber	string	x	Root event number
— startDateTime	long int		Date and time after which to include participants, that is, the method returns only participants that have been modified after this date and time It's the difference, measured in milliseconds, between the current time and midnight, January 1, 1970 UTC. For example, "May 25 2011 08:00:00 GMT+0800" is represented as "1416204709447"

An example of a POST request is shown below:

```
curl -X POST -H "Content-type:application/json" -H "Accept: application/json"
-d
'{"appToken":"tBgtqdWcOfx/Fjnm61KbsdHFT0+Ri6McXPYA8pKJUSnVeb+mEJK4i70BvAq5dGLP",
"request":{"rootEventNumber":"E-0078899B"}}'
https://awapi.active.com/rest/endurance-reporting-service-get-eventParticipants
```

Response

If successful, a response body is returned with the following structure in JSON format:

```
{
  "context": { // The context contains information about the requested user
    "callerIP":
    "applicationId":
    "actionId":
    "actorId":
    "onBehalfOfId":
```

```

    "enterpriseActorId":
    "agencyId":
    "agencyIdLong":
    "externalClientId":
    "onBehalfOfId":
  },
  "eventParticipantsWithQuestionResult": {
// This section is the result returned from the getEventParticipants API
    "paginatedParticipantPage": [
      {
        "bibNumber":string
        "firstName":string
        "lastName":string
        "gender":string
        "age":integer
        "ageAtEndOfRaceYear":integer
        "dateOfBirth": local date
        "estimatedFinishTime":string
        "registrationNumber":string
        "registrationCategory":string
        "priceType":string
        "tshirtSize":string
        "teamName":string
        "waiverSigned":boolean
        "ngbWaiverSigned":boolean
        "usatMembership": string
        "membershipSnapshot":string
        "membershipStatus": string
        "email": string
        "registrationLastModifiedDate": date and time
        "chipNumber": string
        "address1":string
        "address2":string
        "city": string
        "state": string
        "country": string
        "zipCode": integer
        "primaryPhoneNumber":string
        "primaryPhoneExtension":string
        "cellPhoneNumber": integer
        "registrationId": integer
        "wave": string
        "division": string
        "emergencyContactName":string
        "emergencyContactPhone":string
        "emergencyContactRelationship":string
        "emergencyContact2Name": string
        "emergencyContact2Phone":string
        "emergencyContact2Relationship":string
        "questionList": [ // This section contains custom questions and
answers
          {
            "question":string
            "answer":string
          }
          ...
        ]
      },
      ...
    ],
    "paginatedStartingResult":integer

```

```

    "paginatedEndingResult":integer
    "pageCount":integer
    "totalResultCount":integer
  }
}

```

The following table describes each return parameters:

Parameter — Sub-parameter	Type	Req.	Description
pageCount	integer		Number of participants on the page
paginatedEndingResult	integer		Number of the last participant in this list in relation to the overall number of event participants returned by the method call Compare to totalResultCount to determine if there are more pages to get
paginatedParticipantPage	—		List of participant information
— address1	string		First address of the participant
— address2	string		Secondary address of the participant
— age	integer		Age of the participant
— ageAtEndOf Race Year	integer		Age of the participant at the end of the calendar year that the race is being held in
— bibNumber	string		Participant's bib number
— cellPhoneNumber	integer		Cell phone number of the participant
— chipNumber	string		Participant's chip number
— city	string		City from the participant's address
— country	string		Country from the participant's address
— dateOfBirth	local date		Participant's date of birth
— division	string		Participant's division
— email	string		Participant's email address
— emergencyContactName	string		Name of the participant's emergency contact
— emergencyContactPhone	integer		Phone number of the participant's emergency contact
— emergencyContactRelationship	string		Relationship between the participant and the emergency contact
— emergencyContact2Name	string		Name of the participant's secondary emergency contact
— emergencyContact2Phone	integer		Phone number of the participant's secondary emergency contact
— emergencyContact2Relationship	string		Relationship between the participant and the secondary emergency contact
— estimatedFinishTime	string 25		Participant's estimated finish time
— firstName	string		Participant's given name
— gender	string		Participant's gender

Parameter — Sub-parameter	Type	Req.	Description
— lastName	string		Participant's surname
— membershipStatus	string		Status of the participant's membership If it is a normal membership, then the option is: • Membership number If it is a USAT membership, then options are: • 1-day adult USAT • Annual adult USAT • 1-day youth USAT • Annual youth USAT
— membershipSnapshot	string 255		Snapshot of the participant's membership information If it is a normal membership, then options are: • blank: No membership • EXPIRED • INVALID • UNVERIFIED • VALID Options are followed by the membership number, e.g., VALID - 12345 If it is a USAT membership, then options are: • 1-day adult USAT • Annual adult USAT • 1-day youth USAT • Annual youth USAT
— ngbWaiverSigned	Boolean	x	Flag that indicates whether the participant has signed the national governing body's waiver
— priceType	string		Price category that the participant belongs to
— primaryPhoneNumber	integer		Primary phone number of the participant
— primaryPhoneExtension	integer		Primary phone extension number of the participant
— registrationCategory	string		Registration category that the participant is entered in
— registrationId	string		Unique ID of the registration record
— registrationLastModifiedDate	long integer		Date and time that the participant's registration information was last modified It's the difference, measured in milliseconds, between the current time and midnight, January 1, 1970 UTC. For example, "May 25 2011 08:00:00 GMT+0800" is represented as "1416204709447"
— registrationNumber	string		Participant's registration number

Parameter — Sub-parameter	Type	Req.	Description
— state	string		State from the participant's address
— teamName	string		Name of the team that the participant belongs to for this event
— tshirtSize	string		Participant's T-shirt size
— usatMembership	string		Flag that indicates whether the participant has acquired a USAT membership If it is a normal membership, then options are: • blank: No membership • EXPIRED • INVALID • UNVERIFIED • VALID If it is a USAT membership, then options are: • 1-day adult USAT • Annual adult USAT • 1-day youth USAT • Annual youth USAT
— waiverSigned	Boolean	x	Flag that indicates whether the participant has signed the waiver for the event
— wave	string		Participant's wave
— zipCode			Zip code number of the participant's address
questionList			List of custom questions and answers from the event registration form
— question	string		Custom question
— answer	string		Answer to the customer question
paginatedStartingResult	integer		Number of the first participant in this list in relation to the overall number of event participants returned by the method call
totalResultCount	integer		Total result count  Note: Populated only for the first page of results

An example return response is shown below:

```
{
  "context":
  {
    "callerIP": "10.220.128.9",
    "applicationId": "FND-Webserver External Support",
    "actionId": "External Support Library Call",
    "actorId": "gerry.fang@activenetwork.com",
    "onBehalfOfId": "",
    "enterpriseActorId": "d98fe4f6-0e8e-4ccb-b1a9-a638153ba776",
```

```

    "agencyId": "e6dfd223-e5ed-4030-b0e4-06ea16e95512",
    "agencyIdLong": 0,
    "externalClientId": 9602,
    "onBehalfOfId": ""
  },
  "eventParticipantsWithQuestionResult":
  {
    "paginatedParticipantPage":
    [
      {
        "bibNumber": null,
        "firstName": "de3d3",
        "lastName": "e3er3",
        "gender": "MALE",
        "age": 28,
        "ageAtEndOfRaceYear": 30,
        "dateOfBirth":
        [
          1988,
          3,
          3
        ],
        "estimatedFinishTime": null,
        "registrationNumber": "R-0L0BF2LZ",
        "registrationCategory": "Running-1 Mile",
        "priceType": "Individual Age AAA",
        "tshirtSize": "Medium",
        "teamName": "Self Team 3",
        "waiverSigned": false,
        "ngbWaiverSigned": false,
        "membershipSnapshot": "-",
        "email": "user11@425.com",
        "registrationLastModifiedDate": 1461566147540,
        "chipNumber": null,
        "address1": "Dede",
        "address2": "",
        "city": "defef",
        "state": "APO",
        "country": "US",
        "zipCode": "32333",
        "primaryPhoneNumber": "3333333333333333",
        "primaryPhoneExtension": null,
        "cellPhoneNumber": 555998666,
        "registrationId": 515635201,
        "wave": null,
        "division": null,
        "emergencyContactName": null,
        "emergencyContactPhone": null,
        "emergencyContactRelationship": null,
        "emergencyContact2Name": null,
        "emergencyContact2Phone": null,
        "emergencyContact2Relationship": null,
        "questionList":
        [
        ],
        "personId": "09f350a0-4544-42f9-b800-c173fc15b0e0"
      },
      ...
    ],
    "paginatedStartingResult": 1,
    "paginatedEndingResult": 5,
  }

```

```

        "pageCount": 5,
        "totalResultCount": 5
    }
}

```

An example return response for USAT memberships is shown below:

```

{
  "context":
  {
    "callerIP": "10.219.0.9",
    "applicationId": "FND-Webserver External Support",
    "actionId": "External Support Library Call",
    "actorId": "shawn.yin@active.com",
    "onBehalfOfId": "",
    "enterpriseActorId": "72e4c502-1583-410a-9838-07f9770da94a",
    "agencyId": "e6dfd223-e5ed-4030-b0e4-06ea16e95512",
    "agencyIdLong": 0,
    "externalClientId": 19301,
    "onBehalfOfId": ""
  },
  "eventParticipantsWithQuestionResult":
  {
    "paginatedParticipantPage":
    [
      {
        "bibNumber": null,
        "firstName": "Christopher",
        "lastName": "Coleman",
        "gender": "FEMALE",
        "age": 48,
        "ageAtEndOfRaceYear": 51,
        "dateOfBirth":
        [
          1967,
          11,
          21
        ],
        "estimatedFinishTime": null,
        "registrationNumber": "R-31FP2QNN",
        "registrationCategory": "Triathlon-Sprint",
        "priceType": "Individual QQ",
        "tshirtSize": "Small",
        "teamName": null,
        "waiverSigned": false,
        "ngbWaiverSigned": false,
        "usatMembership": "Valid",
        "membershipSnapshot": "Valid - 123833664",
        "membershipStatus": "123833664",
        "email": "TestValidation@316.com",
        "registrationLastModifiedDate": 1458118779047,
        "chipNumber": null,
        "address1": "ADED",
        "address2": "CE",
        "city": "CEE",
        "state": "AE",
        "country": "US",
        "zipCode": "23333",
        "primaryPhoneNumber": "323333",
        "primaryPhoneExtension": null,
        "cellPhoneNumber": null,

```

```

        "registrationId": 2703774202,
        "wave": null,
        "division": null,
        "emergencyContactName": null,
        "emergencyContactPhone": null,
        "emergencyContactRelationship": null,
        "emergencyContact2Name": null,
        "emergencyContact2Phone": null,
        "emergencyContact2Relationship": null,
        "questionList":
        [
        ],
        "personId": "a54b51c8-67df-4fa9-94f3-8ab20bf4c695"
    },
    ...
],
"paginatedStartingResult": 1,
"paginatedEndingResult": 9,
"pageCount": 9,
"totalResultCount": 9
}
}

```

getMerchandise

The getMerchandise API lets you to retrieve the merchandise data for a third-party merchandiser in ActiveWorks Endurance. With this API, you can use RESTful requests to get the desired data in JSON format.

Prerequisites

In order to use the API, you must have the following:

- A valid app token
- Access to ActiveWorks Endurance Service and permission to view participant data
- An agency ID



Note: Contact your account manager if you don't have them.

Request

To use the API to query the revenue report, you make a HTTP POST request to the following URL:

<https://api-vip.aw.active.com/rest/endurance-3rd-party-merchandise-getRevenueReport>

To use the API to query the merchandise report, you make a HTTP POST request to the following URL:

<https://api-vip.aw.active.com/rest/endurance-3rd-party-merchandise-getMerchandiseReport>

To use the API to query the failed payment report, you make a HTTP POST request to the following URL:

<https://api-vip.aw.active.com/rest/endurance-3rd-party-merchandise-getFailedPaymentReport>

The table below lists the query parameters used for the request:

Parameter — Sub-parameter	Type	Req.	Description
context	—	x	Used for access verification Contains a context object
request	—	x	Contains a request object
— agencyId	long	x	Agency ID (Contact your Account Manager if you don't have it.)
— appToken	string	x	Encrypted string that identifies a specific external client account. Unique for each client application that accesses ACTIVE Works Endurance Service
— endDateTime	datetime		End date and time before which to include records
— firstResult	integer		For pagination, first result from the first page of data
— pageSize	integer		Max number of records on one page
— startDateTime	datetime		Start date and time after which to include records

An example of a POST request is shown below:

```
{
  "appToken": "7h+8sLMa4n0yvXHPacD8ltUV86bwY1yyy1BITFbDTx1ih0Tt5HFG0jDFyGHrtg2b",
  "request": {
    "agencyId": 284959502,
    "startDateTime": "2014-09-16T01:39:19.800",
    "endDateTime": "2017-07-04T08:39:19.900",
    "firstResult": 1,
    "pageSize": 200
  }
}
```

Response: Revenue Report

If successful, a response body is returned with the following structure in JSON format:

```
{
  "totalCount":
  "firstResult":
  "totalPages":
  "pageSize":
  "results": [
    {
      "totalRecordsCounts":
      "participantFullName":
      "partnerName":
      "eventName":
      "description":
      "orderNumber":
      "transactionType":
      "paymentType":
      "paymentStatus":
      "remittanceCheckNumber":
      "productName":
      "unitPrice":
      "quantity":
      "orderAmount":
      "remittanceAmount":
      "orderDateTime":
      "originalOrderNumber":
    }
  ]
}
```

```

    "comment":
    "accountName":
    "currencyCode":
  },

```

The following table describes each return parameters for the **revenue report**:

Parameter — Sub-parameter	Type	Req.	Description
firstResult	integer		For pagination, first result from the first page of data
pageSize	integer		Max number of records on one page
totalCount	integer		Total number of query results
totalPages	integer		Total number of pages
results	—		One page of records for the report List of get3rdPartyMerchandiseRevenueLedgerReportResult objects
— accountName	string		Name on the remittance account
— comment	string		Comments about the order
— currencyCode	string		Currency code used in the transaction
— description	string		Description of the event
— eventName	string		Root event name
— orderAmount	string		Order amount of the transaction
— orderDateTime	date time		Date and time that the order took place
— orderNumber	string		Order number of the transaction
— originalOrderNumber	string		Original order number
— participantFullName	string		Full name of the participant in the format first name last name; for example, John Smith
— partnerName	string		Name of the third-party merchandiser
— paymentStatus	string		Payment status for the registration Options are: • FAILED • PAID • PENDING
— paymentType	string		Payment type of the transaction Options are: • CASH • CHECK

Parameter — Sub-parameter	Type	Req.	Description
			• CREDIT_CARD • ECHECK
— productName	string		Name of the product that was purchased
— quantity	string		Quantity that was purchased
— remittanceAmount	string		Amount that ACTIVE remitted to the agency for this registration
— remittanceCheckNumber	string		Status of remittance Options are: • PENDING: Remittance processing hasn't yet begun for this payment cycle • PROCESSING: Payment cycle has come to an end but remittance has not yet been generated • Check number: Remittance has been processed and the check number is shown Number of the check from ACTIVE that included the remittance for this registration
— totalRecordsCounts	string		Total number of records returned in this report
— transactionType	string		Type of transaction Options are: • AA_DISCOUNT • CANCELLATION • DISCOUNT • DISCOUNT_CANCELLATION • PROCESSING_FEES • PURCHASE • REFUND
— unitPrice	string		Unit price of the product that was purchased

An example return response for the **revenue report** is shown below:

```
{
  "totalCount": 220,
  "firstResult": 1,
  "totalPages": 2,
  "pageSize": 200,
  "results": [
    {
      "totalRecordsCounts": 220,
      "participantFullName": "GM05 Gmfive",
      "partnerName": "0SelinaOrgMulti",
      "eventName": "Testing ENDR-26485 mass import for Bubble RUN - Honolulu, HI",
      "description": "Selina's Apparel - Large",
      "orderNumber": "C-5B8T80LP9KX",
    }
  ]
}
```

```

        "transactionType": "Purchase",
        "paymentType": null,
        "paymentStatus": null,
        "remittanceCheckNumber": null,
        "productName": "Large",
        "unitPrice": "0.00",
        "quantity": "2",
        "orderAmount": "0.00",
        "remittanceAmount": "0.00",
        "orderDateTime": 1484794407367,
        "originalOrderNumber": null,
        "comment": null,
        "accountName": "Selina is testing third party's merchandise &
report",
        "currencyCode": "USD"
    },

```

Response: Merchandise Report

If successful, a response body is returned with the following structure in JSON format:

```

{
  "totalCount":
  "firstResult":
  "totalPages":
  "pageSize":
  "results": [
    {
      "rowNumber":
      "totalRecordsCount":
      "registrationNumber":
      "firstName":
      "lastName":
      "email":
      "dateOfBirth": [
        YYYY,
        M,
        D
      ],
      "gender":
      "phoneNumber":
      "itemName":
      "participantName":
      "partnerName":
      "address":
      "address2":
      "city":
      "state":
      "country":
      "postalCode":
      "unitPrice":
      "quantity":
      "amount":
      "purchaseDate":
      "rootEventId":
      "rootEventName":
      "productId":
      "itemDescription":
      "currencyCode":
      "reportLabel":
    }
  ]
}

```

},

The following table describes each return parameters for the **merchandise report**:

Parameter — Sub-parameter	Type	Req.	Description
firstResult	integer		For pagination, first result from the first page of data
pageSize	integer		Max number of records on one page
totalCount	integer		Total number of query results
totalPages	integer		Total number of pages
results	—		One page of records for the report List of get3rdPartyMerchandiseReportResult objects
— address	string		Line 1 from the location's address
— address2	string		Line 2 from the location's address
— amount	string		Amount of the transaction
— city	string		City from the location's address
— country	string		Country from the location's address
— currencyCode	string		Currency code used in the transaction
— dateOfBirth	local date		Participant's date of birth
— email	string		Participant's email address
— firstName	string		Participant's given name
— lastName	string		Participant's surname
— gender	string		Participant's gender
— itemDescriptions	string		Descriptions of the merchandise item
— itemName	string		Name of the merchandise item
— participantName	string		Full name of the participant in the format first name last name; for example, John Smith
— partnerName	string		Name of the third-party merchandiser
— phoneNumber	integer		Phone number of the participant
— postalCode	string		Postal code from the registrant's address
— productId	string		ID of the merchandise item that was purchased
— purchaseDate	date time		Date when the merchandise item was purchased
— quantity	integer		Number that was purchased
— registrationNumber	string		Participant's registration number
— reportLabel	string		Report label of the merchandise item

Parameter — Sub-parameter	Type	Req.	Description
— rootEventId	string		Root event ID
— rootEventName	string		Name of the root event
— rowNumber	string		The row number of this record
— state	string		State from the location's address
— totalRecordsCounts	string		Total number of records returned in tis report
— unitPrice	string		Unit price of the product that was purchased

An example return response for the **merchandise report** is shown below:

```
{
  "totalCount": 368,
  "firstResult": 1,
  "totalPages": 2,
  "pageSize": 200,
  "results": [
    {
      "rowNumber": 1,
      "totalRecordsCount": 368,
      "registrationNumber": "R-097CL9LB",
      "firstName": "selinaqq",
      "lastName": "huang",
      "email": "411531685@qq.com",
      "dateOfBirth": [
        1980,
        1,
        1
      ],
      "gender": "FEMALE",
      "phoneNumber": "9876789898",
      "itemName": "Adidas's Apparel - Small",
      "participantName": "selinaqq huang",
      "partnerName": "EnduranceQA30rgUSaddon",
      "address": "test",
      "address2": "",
      "city": "san diego",
      "state": "CA",
      "country": "US",
      "postalCode": "92121",
      "unitPrice": 0,
      "quantity": 1,
      "amount": 0,
      "purchaseDate": 1410838389917,
      "rootEventId": 7613251,
      "rootEventName": "Test FDR",
      "productId": 46470902,
      "itemDescription": "Testing Apparel's description. hello testing",
      "currencyCode": "USD",
      "reportLabel": "Apparel"
    },
  ]
}
```

```
},
```

Response: Failed Payment Report

If successful, a response body is returned with the following structure in JSON format:

```
{
  "totalCount":
  "firstResult":
  "totalPages":
  "pageSize": ,
  "results": [
    {
      "orderId":
      "orderNumber":
      "partnerName":
      "eventName":
      "date":
      "amount":
      "currency":
      "keyerName":
      "registrantName":
      "emailAddress":
      "phoneNumber":
    },
  ],
}
```

The following table describes each return parameters for the **failed payment report**:

Parameter — Sub-parameter	Type	Req.	Description
firstResult	integer		For pagination, first result from the first page of data
pageSize	integer		Max number of records on one page
totalCount	integer		Total number of query results
totalPages	integer		Total number of pages
results	—		One page of records for the report List of get3rdPartyMerchandiseFailedPaymentReportResult objects
— amount	string		Price of the merchandise
— currency	string		Currency code used in the transaction
— date	date		Date that the order took place
— emailAddress	string		Participant's email address
— eventName	string		Name of the event that the participant registered
— keyerName	string		Name of the person who registered on be half of the registrant
— oderId	string		ID of the transaction
— orderNumber	string		Order number of the transaction
— partnerName	string		Name of the third-party merchandiser

Parameter — Sub-parameter	Type	Req.	Description
— phoneNumber	integer		Phone number of the participant
— registrantName	string		Full name of the registrant in the format first name last name; for example, John Smith

An example return response for the **failed payment report** is shown below:

```
{
  "totalCount": 7,
  "firstResult": 1,
  "totalPages": 0,
  "pageSize": 200,
  "results": [
    {
      "orderId": 1402348171902,
      "orderNumber": "C-1MZ3703Z99",
      "partnerName": "EnduranceQA30rgUSaddon",
      "eventName": "Test for 302 failed payment of third party
merchandise",
      "date": 1410925574920,
      "amount": 302,
      "currency": "USD",
      "keyerName": "Samuel Lasan",
      "registrantName": "yan002 huang",
      "emailAddress": "aw.end.qa3@gmail.com",
      "phoneNumber": "43423423"
    }
  ],
}
```